

MAGNETIC SYSTEM TRACK LIGHT



Image	Item Code	Model	Wattage	Beam Angle	Dimension (mm)
	MG-FG-300-10W-BK	Magnet Floodlight 10w	10w	120°	300
	MG-FG-600-20W-BK	Magnet Floodlight 20w	20w	120°	600
	MG-FG-900-30W-BK	Magnet Floodlight 30w	30w	120°	900
	MG-GS-6W-BK	Magnet Grille Spot Light 6w	6w	24°	113
	MG-GS-12W-BK	Magnet Grille Spot Light 12w	12w	24°	226
	MG-GS-18W-BK	Magnet Grille Spot Light 18w	18w	24°	330

MAGNETIC TRACK LIGHT

Image	Item Code	Model	Wattage	Beam Angle	Dimension (mm)
	MG-ZD-FG-6W-BK	Magnet 6w Folding Floodlight Adjuster	6w	120°	110
	MG-ZD-FG-12W-BK	Magnet 12w Folding Floodlight Adjuster	12w	120°	220
	MG-ZD-GS-6W-BK	Magnet 6w Folding Grille Adjuster	6w	24°	110
	MG-ZD-GS-12-BK	Magnet 12w Folding Grille Adjuster	12w	24°	220
	MG-HS-7W-BK	Magnet Pendant Light 7w	7w	24°	Ø 40 x 300
	MG-HS-12W-BK	Magnet Pendant Light 12w	12w	24°	Ø 40 x 300
	MG-DG2-7W-BK	Magnet Track Light 7w	7w	24° / 36°	Ø 50 x 100
	MG-DG2-12W-BK	Magnet Track Light 12w	12w	24° / 36°	Ø 50 x 100
	MG-DFX90-16W-BK	Magnet Track L 90degree 16w	16w	120°	L25 x W305 x H25

□ **Fitting Colour: Matt Black**

Colour Temperature available:



3000k Warm White 4000k Cool White 6500k Daylight

EMBEDDED / RECESSED TRACK RAIL AND ACCESSORIES



Image	Item Code	Model	Wattage	Way to install	Dimension (mm)
	MG-EMD TR1M-BK	Magnet Track Rail 1 Meter Aluminium	-		
	MG-EMD TR2M-BK	Magnet Track Rail 2 Meter Aluminium	-		
	MG-EMD TR3M-BK	Magnet Track Rail 3 Meter Aluminium	-		
	MG-PS/MAGNET-100W	Magnet Power Supply 48V 100w	100w		235
	MG-PS/MAGNET-200W	Magnet Power Supply 48V 200w	200w		300
	PS-NJ-48V-100W	Power Supply External 48V	100w		
	PS-NJ-48V-200W		200w		
	PS-NJ-48V-400W		400w		
	MG-CM-0.5M	Magnet 0.5Meter Wire External Power Supply Adapter	-	-	0.5 meter
	MG-CM-2.0M	Magnet 2Meter Wire External Power Supply Adapter	-	-	2 meter
	MG-CM-I-JOINT	Magnet Direct Conductive Module I-Joint (For Track Joint)			
	MG-CM-L-JOINT	Magnet Corner Conductive Module L-Joint (For Corner Joint)		 with connect wires	

MAGNETIC RECESSED CONNECTOR JOINT

Image	Item Code	Model	Way to Install	Dimension (mm)
	MG-EMD L CORNER	Magnet Flat Corner L / Horizontal Connector		Slotting 34mm L100 x W100
	MG-EMD CORNER INNER	Magnet Wall Corner Inner / Vertical Connector		Slotting 34mm L100 x W100
	MG-EMD CORNER OUTER	Magnet Wall Corner Outer		Slotting 34mm L100 x W100
	MG-EMD-T 3W	Magnet 3way (T) Joint		Slotting 34mm
	MG-EMD-X 4W	Magnet 4way (X) Joint		Slotting 34mm
	MG-EMD END CAP-BK	Magnet End Cap (1pcs)		
	MG-TRACK SPLICE	Magnet Splice Fixed Piece		
	MG-CM-T-JOINT	Magnet 3 Way Conductive Module (T)		
	MG-CM-X-JOINT	Magnet 4 Way Conductive Module (X)		

MAGNETIC SURFACE TRACK RAIL AND ACCESSORIES

Image	Item Code	Model	Way to Install	Dimension (mm)
	MG-SF TR1M-BK	Magnet Surface Track Rail 1Meter Aluminium	Surface mounted /Pendant Track Installation Diagram: 	
	MG-SF TR2M-BK	Magnet Surface Track Rail 2Meter Aluminium		
	MG-SF TR3M-BK	Magnet Surface Track Rail 3Meter Aluminium		
	MG-SF L CORNER	Magnet Surface Corner L		
	MG-SF CORNER INNER	Magnet Surface Corner Inner		
	MG-SF-T 3W	Magnet Surface 3 Way (T) Joint		
	MG-SF-X 4W	Magnet Surface 4 Way (X) Joint		
	MG-HW2M	Magnet Hanging Wire 2 Meters (Surface Type)		2 meters
	MG-SF-SP-P	Magnet Track Splicing Piece for Surface Track		