




VALOR DOWNLIGHT



Extra bright
Greater reliability
Easy installation

simon
Since 1916 From Barcelona

The advantages of LEDs, the confidence of Simon



- **1 Multiple installation:** can be installed in any kind of ceiling to bring good lighting in every corner of your home.

- **2 Robust fixing clip:** easy to install always in the proper way to create a safety installation.



- **3 Wide range variety:** solutions for all your lighting needs and family comfort.



EXTENDED LIFE



LIGHT QUALITY



HIGH PERFORMANCE /
ENERGY SAVING



- **4 Uniformity lit surface:** Comfortable for your eyes, protecting your health.



- **5 Build/in power supply:** No need extra space to fit the power supply.



- **6 Low profile, from 33mm:** no need big ceiling, save more space for your room.

2 YEARS
WARRANTY



VALOR LED DOWNLIGHT


Low profile Downlight, recessed, for general lighting.

Characteristics

Power: 8 – 24W
Light flux: 600 – 2000lm
Colour temperature: 3000 – 6500K
Light distribution: general
CRI: >80
Finishes: white
Power supply: included
Connection: 220-240V 50/60Hz
Product size: Ø115 – Ø215mm
Installation hole: Ø95 – Ø 205
Lifetime (L70) 20000h
2 Years warranty


Advantages

Direct light emission.
Built-in Power supply.
Low profile for installation in suspended ceilings or tight spaces.
Opal diffuser (light points cannot be seen).
Instant start.
The life of the luminaire is not dependent on the number of starts.
Energy saving.
No flickering.
Surface accessory with heat dissipation holes.
Squared version.




Photometric information corresponding at 24W 4000K.







Reference	Description	Luminous flux(Lm)	Quantity / Carton	Carton size
LPDL08RE02W	Valor LED round DL 8W 3000K	600	30 PCS/CTN	373 x 252 x 230 mm
LPDL08RE02N	Valor LED round DL 8W 4000K	630		
LPDL08RE02C	Valor LED round DL 8W 6500K	650		
LPDL08SE02W	Valor LED square DL 8W 3000K	600	30 PCS/CTN	371 x 282 x 225 mm
LPDL08SE02N	Valor LED square DL 8W 4000K	600		
LPDL08SE02C	Valor LED square DL 8W 6500K	600		




Reference	Description	Luminous flux(Lm)	Quantity / Carton	Carton size
LPDL17RE02W	Valor LED round DL 17W 3000K	1200	30 PCS/CTN	515 x 345 x 245 mm
LPDL17RE02N	Valor LED round DL 17W 4000K	1260		
LPDL17RE02C	Valor LED round DL 17W 6500K	1300		
LPDL16SE02W	Valor LED square DL 16W 3000K	1200	30 PCS/CTN	527 x 383 x 240 mm
LPDL16SE02N	Valor LED square DL 16W 4000K	1200		
LPDL16SE02C	Valor LED square DL 16W 6500K	1200		
N03E0-1114	Round DL surface accessory	-	72 PCS/CTN	510 x 510 x 395 mm
N03E0-1116	Square DL surface accessory	-		



Reference	Description	Luminous flux(Lm)	Quantity / Carton	Carton size
LPDL12RE02W	Valor LED round DL 12W 3000K CT	900	30 PCS/CTN	440 x 295 x 245 mm
LPDL12RE02N	Valor LED round DL 12W 4000K CT	960		
LPDL12RE02C	Valor LED round DL 12W 6500K CT	1000		



Reference	Description	Luminous flux(Lm)	Quantity / Carton	Carton size
LPDL20RE02W	Valor LED round DL 20W 3000K	1500	30 PCS/CTN	590 x 395 x 245 mm
LPDL20RE02N	Valor LED round DL 20W 4000K	1580		
LPDL20RE02C	Valor LED round DL 20W 6500K	1610		



Reference	Description	Luminous flux(Lm)	Quantity / Carton	Carton size
LPDL24RE02W	Valor LED round DL 24W 3000K	2000	30 PCS/CTN	665 x 445 x 245 mm
LPDL24RE02N	Valor LED round DL 24W 4000K	2080		
LPDL24RE02C	Valor LED round DL 24W 6500K	2100		
LPDL24SE02W	Valor LED square DL 24W 3000K	2000	30 PCS/CTN	677 x 478 x 225 mm
LPDL24SE02N	Valor LED square DL 24W 4000K	2000		
LPDL24SE02C	Valor LED square DL 24W 6500K	2000		
N03E0-1115	Round DL surface accessory	-	48 PCS/CTN	660 x 442 x 395 mm
N03E0-1117	Square DL surface accessory	-		

simon

Barcelona · Belo Horizonte · Brussels · Buenos Aires · Casablanca · Hanoi
Istanbul · Kiev · Lima · Lisbon · Madrid · Mexico D.F · Moscow · New Delhi
Paris · Sao Paulo · Shanghai · Turin · Warsaw · Jakarta

SIMON Malaysia
Web.www.simon.com.my