




LED Stadium Light

Octopus Series

FL23-JL: Available in 400 / 500 / 800 / 1000 / 1200 / 1600 / 2000 / 2500W models

Product Orientation: This Octopus series is specially engineered for large outdoor venues lighting and other applications with the request of precise lighting angle as well as high-intensity lighting needs such as stadium, golf course and etc. With up to 170 Lm/W high efficacy, this series delivers outstanding energy efficiency.



1. ADVANTAGE

Single LED Modular Design

Each modular is rotatable in four dimensions as upwards, downwards, forwards and backwards which offers multi-mounting angle. Together with optical lens, various precise angle request could be fully achieved.



2.ADVANTAGE

Perfectly Present Golf Trajectory in the sky At night

iLuminate Sky Upwards
iLuminate Ground Downwards

170 LM/W

 HIGH ENERGY SAVING



3. ADVANTAGE

Excellent COOLING SYSTEM

ODM Heat Radiating Fins Heavy
duty Al Die-Casting Housing



FL23-JL

OCTOPUS Series



4. ADVANTAGE



Detachable Tool Free Cabinet

Provides easy connection of intelligent driver system and effectively convenient maintenance. The optimized grill design builds excellent air convection system to ensure durable working of all drivers.

5.ADVANTAGE

Options of Anti-UV Optical Lens

Anti-UV Optical Lens provides precise shooting angle and effectively eliminates glare while minimizing any negative effects on performance.



6.ADVANTAGE


Magnetic Infrared Precise Aiming


Quick disassembly and assembly of laser sight.



Sports Ground Lighting Control Topology

Remote control such as dimming, on/off, real-time feedback and etc could be easily achieved by monitoring system through the data collected by Terminal controller which is transmitted wirelessly through Gateway, Operator Base, Server over LoraWAN as well as multiple links such as Ethernet, 4G, and WiFi networks.





Sports Illumination System Installation Demo

- 1.High Mast Light with ZHAGA Base Terminal Controller .
- 2.LoRaWan Gateway is mounted sidealong the sports ground at the height of above 3 meters .



Operation of Monitor Screen



Real-Time Visualization Layout



Effective Scenario-Based Control



Personalized Experience



Available in Customized Mode