

LED ECO LITE HIGHBAY



Highlights:

- Available in 3 wattages
- IP65 & IK05 protection
- Long 20,000hrs lifetime

Application Areas:

- Warehouse
- Factory
- Logistic
- Other Public area

Advancing Light

One of the World's leaders in general lighting for lighting professionals as well as end users, offering



A broad variety of LED luminaires



Advanced LED lamps



Intelligent, networked Smart Home & Smart Building solutions



Traditional light sources

LED PERFORMANCE TRI CCT HIGHBAY



Product features:

- 220-240V AC input
- Available in 100W, 150W, 200W
- High color rendering: CRI \geq 80
- High power factor: PF \geq 0.90
- Up to 100lm/w 20,000hrs lifespan @35°C
- IP65 & IK05 protected
- Pre-wired with 0.4m cable
- Safety compliance : CB EMC RoHS 2.0

Product benefits:

- System efficacy of up to 100lm/W
- Durable die-cast housing and tempered glass construction
- Lifetime of 20,000 hours, minimizing maintenance costs



Application Areas:

- Warehouse
- Factory
- Logistic center
- Other public area

Product Information



LED ECO LITE HIGHBAY				
Electrical Data	Wattage	100W	150W	200W
	Rated Input Voltage	220 - 240VAC		
	Power factor	0.9		
	Input Current (max) mA	450	670	900
	Line frequency	50/60Hz		
	Surge protection	2KV(L-N),4KV(L,N-PE)		
	Protection class	Class I		
	Rated lumens	10000	15000	20000
	Driver	Integrated Linear solution Driver		
Photometric	Beam angle	100°		
	CCT (K)	4000 /6500		
	CRI	>80		
	SDCM	< 6		
	Lumen efficacy	100lm/W		
	LED	SMD		
Operation	Rated lifetime	20,000 hrs @ L70 (Ta=35°C)		
	Operating temperature	`-20 - +45°C		
	Storage temperature	`-20 - +80°C		
Housing	Material	Die-cast aluminum		
	Front glass	Tempered glass		
	Housing color	RAL 7015		
	Ingress protection	IP 65		
	Shock protection	IK05		
	Driver	Integrated Linear solution Driver		

Ordering Information


Luminaire

Description	Model Name	Shipping Quantity	EAN10	EAN40
LDECO LITE HB 100W 840 6X1 LEDV	EL-HB-100W- 840	6	4099854249914	4099854249921
LDECO LITE HB 100W 865 6X1 LEDV	EL-HB-100W- 865	6	4099854249938	4099854249945
LDECO LITE HB 150W 840 6X1 LEDV	EL-HB-150W- 840	6	4099854249952	4099854249969
LDECO LITE HB 150W 865 6X1 LEDV	EL-HB-150W- 865	6	4099854249976	4099854249983
LDECO LITE HB 200W 840 6X1 LEDV	EL-HB-200W- 840	6	4099854249990	4099854250002
LDECO LITE HB 200W 865 6X1 LEDV	EL-HB-200W- 865	6	4099854250019	4099854250026


Drawing/Dimensions



100W



150W



200W