



Durable led strip

DC12/24V LED TAPE

13 years specializing in LED Strip



COB LED Strip

Product feature:



- Uniform emitting without dark dots
- Superior led chip, High brightness
- Low lumen depreciation, Long life span
- Flexible, malleable, 2 years warranty



Product specification

Model No : LLV-COB-480P	PCB width : 10mm
Input voltage : DC12/24V	Power : 8.5W/m
CRI : Ra>90	Color option : All colors
IP rate : IP20 / IP65 / IP68	Luminous efficiency : 115lm/W
Dimming : Yes	LED qty : 480leds/m
Ambient temperature : -10°C-40°C	Lux : 1050lm/m

Product structure diagram






Product application


Ceiling covered channel, Background Wall, Silicon tube
Indoor and outdoor lighting, Cabinets and wardrobe

CRI comparison chart


Conventional LED
CRI 70



High CRI LED
CRI 80



Super-high CRI LED
CRI 90



Protection grade



IP20 / Bare board



IP65 / Silicone tube









IP67 / Hollow extrusion




IP68 / Solid extrusion

Optional 3M tape

Model No	Reference picture	Tape thickness mils(mm)	Stainless steel surface Bounding strength
3M 200MP		5.2mils (0.13mm)	7.0N/CM
3M 300MP		4.8mils (0.12mm)	8.6N/CM
3M 9080 Tape		12.8mils (0.32mm)	7.5N/CM
3M 4229 Tape		30.4mils (0.76mm)	20.0N/CM
Dark red Tape		8.2mils (0.205mm)	14.0N/CM
Blue Tape		4.0mils (0.10mm)	6.0N/CM

Installation method



Packaging

