

LED E27 (With E40 Adaptor) HIGH BAY BULB


7,200lm
80W

DAYLIGHT
Single Color Temperature

**Efficient
Long-Lasting
Eye Protect**



Ideal for warehouses, factories, and etc.



AC 220-240V
50/60Hz



CRI
≥ 75



IP20



180°
BEAM
ANGLE



50,000
Hours



LED HIGH BAY BULB



High Transparency Cover

High-quality material ensures excellent light transmission and bright illumination.



Efficient Heat Dissipation

Optimized thermal design helps extend lifespan.



HIGH PERFORMANCE & ENERGY SAVING

High-Efficiency LED Output

Bright and uniform illumination for whole environments.

Comfortable Light Distribution

Even lighting designed for wide-area coverage.

Long Lifespan

Up to 50,000 hours of consistent performance.



LED HIGH BAY BULB



Long Lifespan



Energy Saving



Anti-Glare Design



Stable Brightness

LED HIGH BAY BULB



Voltage	Beam Angle	IP Rating	PF	CRI	Lifespan
220-240V	180°	IP20	0.9	>75	50,000

Model	Description	Watt	CCT
IHB-II80/DL	IWACHI 80W E27 LED HIGH BAY BULB <II>-(6500k)DL	80W	6500K

Base	Lumens	Material	Dimension (mm)	CTN
E27+E40	7,200lm	Aluminum Alloy, PC & ABS Plastics	128x128x232	20pcs

