

The background of the entire cover is a photograph of a cable-stayed bridge at night. The bridge's two main pylons are illuminated with red lights, and the numerous stay cables are lit with blue light. The bridge deck and its reflection in the water below are also visible. The water shows ripples and reflects the bridge's lights.

MAKE THE BRIGHT CHOICE

Product Catalogue - 2021

Illuminating Malaysia

EcoLink was created with a vision to illuminate spaces through technologically advanced and competitively priced lighting fixtures.

Made specifically for Malaysia homes, EcoLink Lamps and Luminaires are designed to withstand drastic voltage fluctuations

with the revolutionary VoltSafe Technology. The products are long-lasting, durable, easily available at pocket-friendly prices and are efficient.

When you choose EcoLink, you don't just choose a lighting product, you get quality with affordable price from trusted lighting company.



Cost-efficient and reliable lamps & luminaires.



EcoLink's wide range of luminaires come with the revolutionary VoltSafe Technology which ensures surge protection of 2.5kV with a wide voltage protection ranging up to 160 – 360V*

*Actual may vary depending on the product portfolio



2 Years Warranty

Durable and efficient, lamps and luminaires come with upto 2-years warranty.



SIRIM Certification

All our products performance & safety are according to SIRIM compliance.



Product usage up to 12,000 hours.



Up to 90% energy saving with EcoLink products.



Content

4	LED Bulb
6	LED Downlight
8	LED Spots
9	LED Ceilings
10	LED Flood Light
12	LED Batten
14	LED Tube
16	Conventional products



LED Bulb

Wattage Available:



Colours Available:

3000K | 6500K



**VoltSafe
Technology**

Watt	3	5	7	9	11	13	14.5	19
Lumen	250	500- 540	680-720	900-950	1150-1250	1350-1450	1800	2300
Shape	P45	A60	A60	A60	A60	A65	A67	A80
Lifetime (Hours)	12000	12000	12000	12000	12000	12000	12000	12000

Product Benefits

- Form factor is designed as a direct retrofit into A60, A67, A80 and A110 fixtures
- Over 88% energy-saving compared with GLS
- Long lifetime of 12,000 hours.
Over 10 years (if lit 3 hours per day across 365 days)
- Voltsafe technology
- Environmental friendly, no Mercury or any other hazardous substances
- Low Carbon Footprint

Applications

- Home
- Offices
- Corridors



**Up to 12,000
hours Life**



**SIRIM
Certified**



LED Downlight



Wattage Available:



Colours Available:

3000K | 4000K | 6500K



Product Benefits

- Uniform brightness
- Best value for value
- 3 cutout sizes for different applications.
- Easy to fit various installations
- To replace conventional downlights perfectly
- Long lifetime of 12,000 hours. Over 10 years (if lit 3 hours per day across 365 days)
- Voltsafe technology

Applications

- Kitchen
- Offices
- Bedrooms
- Living Hall

Watt	7	10	14
Lumen	500-550	800-900	1000-1150
Cutout size	D100	D125	D150
Lifetime (Hours)	12000	12000	12000
CCT	3000 4000 6500	3000 4000 6500	3000 4000 6500




**Up to 12,000
hours Life**



**SIRIM
Certified**



**Uniform
Brightness**



LED Spots

Wattage Available:

4.5W 4.7W

Colours Available:

2700K | 3000K | 6500K

Product Benefits

- Energy efficient
- Easy retrofit
- Achieve more natural color realization for cozy ambience and better merchandise display with high CRI value
- Clearly defined beam spread for accent lighting
- Hassle free retrofit solution
- Long lifetime of 12,000 hours to reduce needs of replacement
- UV- and IR-free light for less heat and protection for heat-sensitive objects
- Safety socket provided for MR16

Applications

- Staircase
- Tracks
- Room
- Living Hall

**Only applicable for GU10*

VoltSafe
Technology



Watt	4.5	4.7	4.7	4.7
Lumen	400	440	350	350
Base	GU5.3	GU10	GU10	GU10
CCT	3000	2700 4000	2700	6500



**36° Beam
Angle**



**SIRIM
Certified***



LED Flood Light

Wattage Available:

- 10W
- 20W
- 30W
- 50W
- 70W
- 100W

Colours Available:
3000K | 6500K



Product Benefits

- Robust die-cast material
- Energy saving

Applications

- Outdoor

Watt	10	20	30	50	70	100
Lumen	850	1700	2550	4250	5950	8500
IP Rating	IP65/IK06	IP65/IK06	IP65/IK06	IP65/IK06	IP65/IK06	IP65/IK06
CCT	3000 6500	3000 6500	3000 6500	3000 6500	3000 6500	3000 6500



IP 65 Water
Resistant



IK07 Impact
Resistant



LED Ceilings

Wattage Available:



Colours Available:
6500K



Watt	20	24
Lumen	1900	2100
Diameter	390mm	390mm
CCT	6500	6500
CRI	80	80
Lifetime	12000	12000


Product Benefits

- Uniform light distribution
- Reliable quality
- High quality light with CRI 80

Applications

- Kitchen
- Offices
- Room
- Living Hall





LED T5 Batten

Wattage Available:

6.5W 13W

Colours Available:
3000K | 6500K



VoltSafe
Technology

Product Benefits

- Uniform light distribution
- Reliable quality
- Easy installation, connectors available.
- Suitable for cove lighting

Applications


- Kitchen
- Walkway
- Utility Room
- Offices
- Living room, bed room

Watt	6.5	13
Lumen	600	1200
Lenght	600mm	1200mm
CRI	70	70
CCT	3000 6500	3000 6500
Lifetime	12000	12000

 Hight Quality
Diffuser For
Uniform Light Effect

 **SIRIM
Certified**

 **Bright LED
Light Source**



LED Tube



Wattage Available:



Colours Available:

4000K | 6500K



Product Benefits

- Energy saving
- Longer lifetime
- Instant on, no flicker or buzz
- Advanced optical design ensures a uniform light output and superior optical efficiency
- 100% comply with IEC requirement on T8 dimension, fitting into fluorescent luminaire perfectly
- Adhere to Sirim guidelines on safety of LED tube. Single ended connection for safe installation.

Applications

- Kitchen
- Walkway
- Room
- Offices
- Car park
- Industries

Watt	8	16
Lumen	800	1600
Length	600mm	1200mm
CRI	70	70
CCT	4000 6500	4000 6500
Connection Type Single Ended	SE	SE





Conventional

Wattage Available:

18W 36W

Colours Available:
6500K

Product Benefits

- High Energy saving
- 3U design for brighter and more uniform light output
- Value for money
- Long lifetime
- Extra brightness for variety of uses

Applications

- Kitchen
- Offices
- Room

 VoltSafe
Technology




CFL-I	18W	36W
Lumen	1100	2500
IP Rating	IP65/IK06	IP65/IK06
CCT	6500	6500

 Up to 6,000
hours Life

 Up to 12,000
hours Life

 Easy to
Install

 SIRIM
Certified



Scan to download the e-catalogue

Scan to visit our website

ECOLINK