



## Safety Data Sheet

Page 1 of 16

LOCTITE 638

SDS No. : 153473

V002.6

Revision: 14.12.2017

printing date: 06.07.2018

### Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** LOCTITE 638

**Other means of identification:** LOCTITE 638 BO 50ML EGFD

**Product code:** IDH135518

**Recommended use of the chemical and restrictions on use**

**Intended use:** Adhesive

**Identification of manufacturer, importer or distributor**

**Importer:** Henkel Malaysia Sdn Bhd 46th Floor, Menara TM, Jalan Pantai Baharu, 59200 Kuala Lumpur, Malaysia. Phone :+ 603 22461000 Fax : + 60322461188

**E-mail address of person responsible for Safety Data Sheet:** ap-ua-psra.sea@henkel.com

**Emergency information:** FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call CHEMTREC: +1 703-741-5970

### Section 2. Hazards identification

**GHS Classification:**

<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Target organ</u>
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 1	
Skin sensitizer	Category 1	
Specific target organ toxicity - single exposure	Category 3	respiratory tract irritation
Chronic hazards to the aquatic environment	Category 3	

**GHS label elements:**

**Hazard pictogram:**



**Signal word:**

Danger

**Hazard statement:**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Precaution:**

**Prevention:**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

P302+P352 IF ON SKIN: Wash with plenty of water.  
P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**Disposal:**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

<b>Section 3. Composition / information on ingredients</b>
--

**Substance or Mixture:**

Mixture

**Declaration of hazardous chemical:**

Hazard component CAS-No.	Content	GHS Classification
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	10- 30 %	Serious eye damage/eye irritation 2 H319 Skin sensitizer 1 H317
Acrylic acid 79-10-7	1- 10 %	Flammable liquids 3 H226 Acute toxicity 4; Oral H302 Acute toxicity 4; Inhalation H332 Acute toxicity 4; Dermal H312 Skin corrosion/irritation 1A H314 Specific target organ toxicity - single exposure 3 H335 Acute hazards to the aquatic environment 1 H400 Chronic hazards to the aquatic environment 2 H411
2,2'-Ethylendioxydiethyl dimethacrylate 109-16-0	1- 10 %	Skin sensitizer 1 H317
Cumene hydroperoxide 80-15-9	1- 10 %	Organic peroxides E H242 Acute toxicity 4; Oral H302 Acute toxicity 3; Inhalation H331 Acute toxicity 4; Dermal H312 Skin corrosion/irritation 1B H314 Specific target organ toxicity - repeated exposure 2 H373 Chronic hazards to the aquatic environment 2 H411
Methacrylic acid 79-41-4	1- 10 %	Acute toxicity 4; Oral H302 Acute toxicity 4; Inhalation H332 Acute toxicity 3; Dermal H311 Skin corrosion/irritation 1A H314
Acetic acid, 2-phenylhydrazide 114-83-0	0.1- 1 %	Acute toxicity 3; Oral H301 Skin corrosion/irritation 2 H315 Serious eye damage/eye irritation 2 H319 Skin sensitizer 1 H317 Carcinogenicity 2 H351 Specific target organ toxicity - single exposure 3; Inhalation H335
2-Hydroxyethyl methacrylate 868-77-9	0.1- 1 %	Skin corrosion/irritation 2 H315 Serious eye damage/eye irritation 2 H319 Skin sensitizer 1 H317

#### Section 4. First aid measures

<b>Inhalation:</b>	Move to fresh air. If symptoms persist, seek medical advice.
<b>Skin contact:</b>	Rinse with running water and soap. Obtain medical attention if irritation persists.
<b>Eye contact:</b>	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
<b>Ingestion:</b>	Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.
<b>Indication of immediate medical attention and special treatment needed:</b>	See section: Description of first aid measures

#### Section 5. Fire fighting measures

<b>Suitable extinguishing media:</b>	Carbon dioxide, foam, powder
<b>Specific hazards arising from the chemical:</b>	In case of fire, keep containers cool with water spray.
<b>Special protection equipment and precautions for firefighters:</b>	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
<b>Additional fire fighting advice:</b>	In case of fire, keep containers cool with water spray.

#### Section 6. Accidental release measures

<b>Personal precautions:</b>	Avoid skin and eye contact.
<b>Environmental precautions:</b>	Do not let product enter drains.
<b>Clean-up methods:</b>	For small spills wipe up with paper towel and place in container for disposal. For large spills absorb onto inert absorbent material and place in sealed container for disposal.

#### Section 7. Handling and storage

<b>Handling:</b>	Use only in well-ventilated areas. Avoid skin and eye contact. Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
<b>Storage:</b>	Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to containers as contamination may reduce the shelf life of the bulk product.

### Section 8. Exposure controls / personal protection

**Components with specific control parameters for workplace:**

ACRYLIC ACID 79-10-7	<b>Value type</b>	Time Weighted Average (TWA):
	<b>ppm</b>	2
	<b>Remarks</b>	ACGIH
ACRYLIC ACID 79-10-7	<b>Value type</b>	Time Weighted Average (TWA):
	<b>ppm</b>	2
	<b>mg/m<sup>3</sup></b>	5.9
	<b>Remarks</b>	MY OEL
ACRYLIC ACID 79-10-7	<b>Value type</b>	Skin designation:
	<b>Remarks</b>	ACGIH Can be absorbed through the skin.
ACRYLIC ACID 79-10-7	<b>Value type</b>	Skin designation:
	<b>Remarks</b>	MY OEL Can be absorbed through the skin.
METHACRYLIC ACID 79-41-4	<b>Value type</b>	Time Weighted Average (TWA):
	<b>ppm</b>	20
	<b>Remarks</b>	ACGIH
METHACRYLIC ACID 79-41-4	<b>Value type</b>	Time Weighted Average (TWA):
	<b>ppm</b>	20
	<b>mg/m<sup>3</sup></b>	70
	<b>Remarks</b>	MY OEL

**Respiratory protection:**

Use only in well-ventilated areas.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area  
Filter type: A (EN 14387)

**Hand protection:**

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):  
nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):  
nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

**Eye protection:**

Wear protective glasses.

Protective eye equipment should conform to EN166.

**Body protection:**

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

**Engineering controls:**

Ensure good ventilation/extraction.

**Hygienic measures:**

Good industrial hygiene practices should be observed. Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working.

### Section 9. Physical and chemical properties

<b>Appearance:</b>	green liquid
<b>Odor:</b>	irritating
<b>Odor threshold (CA):</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point / freezing point:</b>	No data available.
<b>Specific gravity:</b>	1.1
<b>Boiling point:</b>	> 100.0 °C (> 212 °F)
<b>Flash point:</b> (Tagliabue closed cup)	> 93.3 °C (> 199.94 °F)
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Lower explosive limit:</b>	No data available.
<b>Upper explosive limit:</b>	No data available.
<b>Vapor pressure:</b> (; 20 °C (68 °F))	< 4.0000000 mbar
<b>Vapor density:</b>	No data available.
<b>Density:</b>	1.0500 g/cm <sup>3</sup>
<b>Solubility:</b>	No data available.
<b>Partition coefficient: n-octanol/water:</b>	No data available.
<b>Auto ignition:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.
<b>VOC content:</b> (2010/75/EC)	< 5 %

### Section 10. Stability and reactivity

<b>Reactivity/Incompatible materials:</b>	Reaction with strong acids. Reacts with strong oxidants.
<b>Chemical stability:</b>	Stable under recommended storage conditions.
<b>Conditions to avoid:</b>	No decomposition if used according to specifications.
<b>Hazardous decomposition products:</b>	None if used for intended purpose. In case of fire toxic gases can be released.

### Section 11. Toxicological information

<b>Oral toxicity:</b>	Acute toxicity estimate (ATE) : > 2,000 mg/kg Method: Calculation method
<b>Inhalative toxicity:</b>	Acute toxicity estimate (ATE) : > 20 mg/l Exposure time: 4 h Test atmosphere: Vapor. Method: Calculation method
<b>Dermal toxicity:</b>	Acute toxicity estimate (ATE) : > 2,000 mg/kg Method: Calculation method

**Health Effects:**

**Skin:** Non corrosive to skin in accordance with the in vitro test method, B40 Skin Corrosion - Human skin model assay, specified in Part B of Annex V to Directive 67/548/EEC.

**Symptoms of Overexposure:** EYE: Irritation, conjunctivitis.  
SKIN: Redness, inflammation.  
SKIN: Rash, Urticaria.  
RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

**Acute oral toxicity:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LD50
	Value	> 2,000 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
Acrylic acid 79-10-7	Value type	LD50
	Value	1,500 mg/kg
	Species	rat
	Method	BASF Test
2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0	Value type	LD50
	Value	10,837 mg/kg
	Species	rat
	Method	not specified
Cumene hydroperoxide 80-15-9	Value type	LD50
	Value	550 mg/kg
	Species	rat
	Method	not specified
Methacrylic acid 79-41-4	Value type	LD50
	Value	1,320 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
Acetic acid, 2-phenylhydrazide 114-83-0	Value type	LD50
	Value	270 mg/kg
	Species	rat
	Method	not specified
2-Hydroxyethyl methacrylate 868-77-9	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rat
	Method	not specified

**Acute inhalative toxicity:**

Acrylic acid 79-10-7	Value type	LC50
	Value	> 5.1 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)
Acrylic acid 79-10-7	Value type	Acute toxicity estimate (ATE)
	Value	11 mg/l
	Exposure time	
	Species	
	Method	Expert judgement
Methacrylic acid 79-41-4	Value type	LC50
	Value	> 3.6 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)

**Acute dermal toxicity:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rabbit
	Method	not specified
Acrylic acid 79-10-7	Value type	Acute toxicity estimate (ATE)
	Value	1,100 mg/kg
	Species	
	Method	Expert judgement
Acrylic acid 79-10-7	Value type	LD50
	Value	> 2,000 mg/kg
	Species	rabbit
	Method	OECD Guideline 402 (Acute Dermal Toxicity)
2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0	Value type	LD50
	Value	> 2,000 mg/kg
	Species	mouse
	Method	not specified
Cumene hydroperoxide 80-15-9	Value type	LD50
	Value	1,200 - 1,520 mg/kg
	Species	
	Method	not specified
Methacrylic acid 79-41-4	Value type	Acute toxicity estimate (ATE)
	Value	500 mg/kg
	Species	
	Method	Expert judgement
Methacrylic acid 79-41-4	Value type	LD50
	Value	500 - 1,000 mg/kg
	Species	rabbit
	Method	Dermal Toxicity Screening
2-Hydroxyethyl methacrylate 868-77-9	Value type	LD50
	Value	> 5,000 mg/kg
	Species	rabbit
	Method	not specified

**Skin corrosion/irritation:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	not irritating
	Exposure time	24 h
	Species	rabbit
	Method	Draize Test
Acrylic acid 79-10-7	Result	highly corrosive
	Exposure time	3 min
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0	Result	not irritating
	Exposure time	24 h
	Species	rabbit
	Method	Draize Test
Cumene hydroperoxide 80-15-9	Result	corrosive
	Exposure time	



	Species	rabbit
	Method	Draize Test
Methacrylic acid 79-41-4	Result	Category 1A (corrosive)
	Exposure time	4 h
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious eye damage/irritation:**

Acrylic acid 79-10-7	Result	corrosive
	Exposure time	21 d
	Species	rabbit
	Method	BASF Test
2,2'-Ethylendioxydiethyl dimethacrylate 109-16-0	Result	not irritating
	Exposure time	
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Methacrylic acid 79-41-4	Result	Category I
	Exposure time	
	Species	rabbit
	Method	Draize Test
2-Hydroxyethyl methacrylate 868-77-9	Result	irritating
	Exposure time	
	Species	rabbit
	Method	Draize Test

**Respiratory or skin sensitization:**

Acrylic acid 79-10-7	Result	not sensitising
	Test type	Skin painting test
	Species	guinea pig
	Method	not specified
2,2'-Ethylendioxydiethyl dimethacrylate 109-16-0	Result	sensitising
	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Methacrylic acid 79-41-4	Result	not sensitising
	Test type	Buehler test
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)

**Germ cell mutagenicity:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Species	rat
	Method	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
Acrylic acid 79-10-7	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Acrylic acid 79-10-7	Result	negative
	Type of study / Route of administration	DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro)
Acrylic acid 79-10-7	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Method	OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test)
2,2'-Ethylendioxydiethyl dimethacrylate 109-16-0	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
2,2'-Ethylendioxydiethyl dimethacrylate 109-16-0	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
2,2'-Ethylendioxydiethyl dimethacrylate 109-16-0	Result	negative
	Type of study / Route of administration	in vitro mammalian cell micronucleus test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)
Cumene hydroperoxide 80-15-9	Result	positive
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Cumene hydroperoxide 80-15-9	Result	negative
	Type of study / Route of administration	dermal
	Metabolic activation / Exposure time	
	Species	mouse
	Method	not specified
Methacrylic acid 79-41-4	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Methacrylic acid 79-41-4	Result	negative
	Type of study / Route of administration	inhalation
	Metabolic activation / Exposure time	
	Species	mouse
	Method	OECD Guideline 478 (Genetic Toxicology: Rodent Dominant Lethal Test)
2-Hydroxyethyl methacrylate 868-77-9	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without

2-Hydroxyethyl methacrylate 868-77-9	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
	Result	positive
	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
2-Hydroxyethyl methacrylate 868-77-9	Method	OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
	Result	negative
	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
2-Hydroxyethyl methacrylate 868-77-9	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
	Result	negative
	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
2-Hydroxyethyl methacrylate 868-77-9	Method	OECD Guideline 472 (Genetic Toxicology: Escherichia coli, Reverse Mutation Assay)
	Result	negative
	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
2-Hydroxyethyl methacrylate 868-77-9	Species	rat
	Method	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	Result	
	Type of study / Route of administration	

**Repeated dose toxicity:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	NOAEL=300 mg/kg
	Route of application	oral: gavage
	Exposure time / Frequency of treatment	
	Species	rat
	Method	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0	Result	NOAEL=1,000 mg/kg
	Route of application	oral: gavage
	Exposure time / Frequency of treatment	daily
	Species	rat
	Method	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Cumene hydroperoxide 80-15-9	Result	
	Route of application	inhalation: aerosol
	Exposure time / Frequency of treatment	6 h/d5 d/w
	Species	rat
	Method	not specified
2-Hydroxyethyl methacrylate 868-77-9	Result	NOAEL=100 mg/kg
	Route of application	oral: gavage
	Exposure time / Frequency of treatment	once daily
	Species	rat
	Method	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

**Section 12. Ecological information****General ecological information:**

Precautions required with respect to Environmental Hazards of articles in which this product is used should be considered.

**Ecotoxicity:**

Do not empty into drains / surface water / ground water., Harmful to aquatic life with long lasting effects.

**Toxicity:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	LC50
	Value	493 mg/l
	Acute Toxicity Study	Fish
	Exposure time	48 h
	Species	Leuciscus idus melanotus
	Method	DIN 38412-15
Methacrylic acid, monoester with propane-1,2-diol	Value type	EC50
	Value	> 143 mg/l

27813-02-1	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	EC50
	Value	> 97.2 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	NOEC
	Value	> 97.2 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Value type	EC10
	Value	1,140 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	
	Method	not specified
Acrylic acid 79-10-7	Value type	LC50
	Value	27 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Salmo gairdneri (new name: Oncorhynchus mykiss)
	Method	EPA OTS 797.1400 (Fish Acute Toxicity Test)
Acrylic acid 79-10-7	Value type	EC50
	Value	95 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
Acrylic acid 79-10-7	Value type	EC10
	Value	0.03 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)
	Method	EU Method C.3 (Algal Inhibition test)
	Value type	EC50
	Value	0.13 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)
	Method	EU Method C.3 (Algal Inhibition test)
Acrylic acid 79-10-7	Value type	EC20
	Value	900 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	activated sludge, domestic
	Method	ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge)
2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0	Value type	LC50
	Value	16.4 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Danio rerio
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0	Value type	EC50
	Value	> 100 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	NOEC
	Value	18.6 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)

Cumene hydroperoxide 80-15-9	Value type	LC50
	Value	3.9 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Cumene hydroperoxide 80-15-9	Value type	EC 50
	Value	7 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	24 h
	Species	Water flea (Daphnia magna)
	Method	
	Value type	EC50
	Value	18 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Cumene hydroperoxide 80-15-9	Value type	ErC50
	Value	3.1 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Cumene hydroperoxide 80-15-9	Value type	EC10
	Value	70 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	
	Method	not specified
Methacrylic acid 79-41-4	Value type	LC50
	Value	85 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Salmo gairdneri (new name: Oncorhynchus mykiss)
	Method	EPA OTS 797.1400 (Fish Acute Toxicity Test)
Methacrylic acid 79-41-4	Value type	EC50
	Value	> 130 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
Methacrylic acid 79-41-4	Value type	NOEC
	Value	8.2 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC50
	Value	45 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Methacrylic acid 79-41-4	Value type	EC10
	Value	100 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	17 h
	Species	
	Method	not specified
2-Hydroxyethyl methacrylate 868-77-9	Value type	LC50
	Value	> 100 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oryzias latipes
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
2-Hydroxyethyl methacrylate 868-77-9	Value type	EC50
	Value	380 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	

2-Hydroxyethyl methacrylate 868-77-9	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
	Value type	EC50
	Value	836 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	NOEC
	Value	400 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
2-Hydroxyethyl methacrylate 868-77-9	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC0
	Value	> 3,000 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	Pseudomonas fluorescens
	Method	other guideline:

**Persistence and degradability:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	Result	readily biodegradable
	Route of application	aerobic
	Degradability	94.2 %
	Method	OECD Guideline 301 E (Ready biodegradability: Modified OECD Screening Test)
Acrylic acid 79-10-7	Result	inherently biodegradable
	Route of application	aerobic
	Degradability	100 %
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
	Result	readily biodegradable
	Route of application	aerobic
	Degradability	81 %
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
2,2'-Ethylendioxydiethyl dimethacrylate 109-16-0	Result	readily biodegradable
	Route of application	aerobic
	Degradability	85 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Cumene hydroperoxide 80-15-9	Result	
	Route of application	no data
	Degradability	0 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Methacrylic acid 79-41-4	Result	inherently biodegradable
	Route of application	aerobic
	Degradability	100 %
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
	Result	readily biodegradable
	Route of application	aerobic
	Degradability	86 %
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
2-Hydroxyethyl methacrylate 868-77-9	Result	readily biodegradable
	Route of application	aerobic
	Degradability	92 - 100 %
	Method	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))

**Bioaccumulative potential / Mobility in soil:**

Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	LogPow	0.97
	Temperature	20 °C
	Method	not specified
Acrylic acid 79-10-7	Bioconcentration factor (BCF)	3.16
	Exposure time	
	Species	
	Temperature	
	Method	QSAR (Quantitative Structure Activity Relationship)

Acrylic acid 79-10-7	LogPow	0.46
	Temperature	25 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
2,2'-Ethylenedioxydiethyl dimethacrylate 109-16-0	LogPow	2.3
	Temperature	
	Method	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)
Cumene hydroperoxide 80-15-9	Bioconcentration factor (BCF)	9.1
	Exposure time	
	Species	calculation
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
Cumene hydroperoxide 80-15-9	LogPow	2.16
	Temperature	
	Method	not specified
Methacrylic acid 79-41-4	LogPow	0.93
	Temperature	22 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
Acetic acid, 2-phenylhydrazide 114-83-0	LogPow	0.74
	Temperature	
	Method	not specified
2-Hydroxyethyl methacrylate 868-77-9	LogPow	0.42
	Temperature	25 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

### Section 13. Disposal considerations

#### Product

**Method of disposal:** Dispose of in accordance with local and national regulations.  
Collection and delivery to recycling enterprise or other registered elimination institution.

#### Packaging

**Disposal of uncleaned packages:** After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

### Section 14. Transport information

#### **General information:**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

### Section 15. Regulatory information

**Regulatory Information:** Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U.(A) 310/213]  
Industry Code of Practice on Chemicals Classification and Hazard Communication

**Global inventory status:**

Regulatory list	Notification
TSCA	yes
DSL	yes
ENCS (JP)	yes
ISHL (JP)	yes

### Section 16. Other information

**Disclaimer:** This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.