



EXPERIENCE THE  
**FAST COOKING**  
FOR MODERN LIFESTYLES



# HYBRID

HOB

CERAMIC + INDUCTION HOB

## GREATER FLEXIBILITY AND VERSATILITY



### CERAMIC

- Multi cooking style
- Suit All cookware
- Controllable smart heating zones



### INDUCTION

- Fast heat up without waiting
- Up to 90% energy efficient
- Safe to touch during cooking
- Half- Bridge technology \*

\* Intelligent half-bridge technology which able to continuously slow cooking and keep warm even below 1000W power.

\*\* ONLY TAKE 5 MINUTES TO BOIL 2 LITERS WATER



### HL-310S

Glass Panel : Heat Resistance Ceramic Glass  
 Power Supply : 220-240V-50/60Hz  
 Left & Right Zone : 4800W  
 Output Left (Ceramic) : 2300W  
 > Inner Zone : 750W  
 > Middle Zone : 1500W  
 > Outer Zone : 2300W  
 Output Right (Induction) : 300W-2500W  
 > Temperature Control : 50°C-240°C  
 Timer : 5-180 minutes  
 Auto Cut Off : 30 minutes  
 Glass Size : 730mm x 430mm  
 Cut-Out Dimension : 700mm x 400mm



**RM 3,588**




### HL-400K

Glass Panel : Heat Resistance Ceramic Glass  
 Power Supply : 220-240V-50/60Hz  
 Output Left (Induction) : 2000W  
 Output Right (Ceramic) : 2000W  
 Total 3100W Shared Power  
 Timer : 5-480 minutes  
 Auto Cut Off : 30 minutes  
 Glass Size : 690mm x 420mm  
 Cut-Out Dimension : 670mm x 400mm



**RM 1,888**



### SMART HEATING CORE

### CONTROL




750W



1500W



2300W



### HL-520S

Glass Panel : Heat Resistance Ceramic Glass  
Power Supply : 220-240V-50/60Hz

Output Left (Induction) : 2500W  
Output Middle (Ceramic) : 1200W  
Output Right (Ceramic) : 2200W  
Inner Zone : 1100W  
Outer Zone : 2200W

Total 5200W Shared Power  
Timer : 5-180 minutes  
Auto Cut Off : Yes  
Glass Size : 860mm x 450mm  
Cut-Out Dimension : 830mm x 420mm

<b>1</b> YEAR WARRANTY	<b>2</b> YEAR WARRANTY	<b>3</b> YEAR WARRANTY
General Warranty	Heating Element	Ceramic Glass (Nature Crack)

**RM 3,988**



### HL-680


Glass Panel : Heat Resistance Ceramic Glass  
Power Supply : 220-240V-50/60Hz

Output Left (Induction) : 3500W  
Front : 1500W  
Rear : 2000W  
Output Right (Ceramic) : 3300W  
Front : 1300W  
Rear : 2000W


Total Power : 6800W  
Timer : 5-180 minutes  
Auto Cut Off : Yes  
Glass Size : 520mm x 590mm  
Cut-Out Dimension : 495mm x 570mm

<b>1</b> YEAR WARRANTY	<b>2</b> YEAR WARRANTY	<b>3</b> YEAR WARRANTY
General Warranty	Heating Element	Ceramic Glass (Nature Crack)


**RM 4,488**




HL-310S



HL-400K



HL-520S



HL-680



Nippon Electric Glass  
JAPAN

StellaShine™ glass ceramic




# EXCELLENT THERMAL SHOCK RESISTANCE

Does not crack even when splashed with ice cold water after repeatedly being heated to 800°C.


Please do not touch! Glass surface is hot

## ADVANCED FEATURE



### ▲ Germany E.G.O. Heating Coil

Energy-saving heating coil with heating on-hold system helps prevent over-heating and wastage of electrical power.




### ▶ Easy Cleaning & Care

Very easy to keep clean. Can easily wipe the remnants of any dish off your ceramic glass within few minutes.



### ◀ JAPAN N.E.G. NEOCERAM GLASS

Glass made by Nippon Electric Glass Co. Ltd. from Japan. It can withstand up to 800°C and excellent thermal shock resistance.



### ▲ High-end Safety

Child safety lock, timer, overheating protection, safety auto switch off functions.



Super heat-resistant up to 800°C



Excellent thermal shock resistance



Low thermal expansion (Near zero)



High mechanical strength



Environmental friendly substance

# CERAMIC

HOB



Safety Device



Touch Control



Accurate Temperature



Child Safety Lock



Timer



Easy Clean

Cook / Stir-fry / Steam / Stew / Barbeque / Grille / Simmer / Roast

## VERSATILE & ADVANCED SAFETY



### HL-460

Glass Panel : Japan NEG Neoceram Glass  
 Heating Element : Germany EGO (Save Energy)  
 Power Supply : 220-240V~50/60Hz  
 Left & Right Zone : 4600W  
 Inner Zone : L : 800W R : 800W  
 Middle Zone : L : 1600W R : 1600W  
 Outer Zone : L : 2300W R : 2300W  
 Timer : 5-480 minutes  
 Auto Cut Off : 30 minutes  
 Glass Size : 730mm x 450mm  
 Cut-Out Dimension : 710mm x 430mm

### HL-400

Glass Panel : Japan NEG Neoceram Glass  
 Heating Element : Germany EGO (Save Energy)  
 Power Supply : 220-240V~50/60Hz  
 Left & Right Zone : 4000W  
 Output Left : 1800W  
 Output Right : Inner Zone : 1200W  
 Outer Zone : 2200W  
 Timer : 5-480 minutes  
 Auto Cut Off : 30 minutes  
 Glass Size : 690mm x 420mm  
 Cut-Out Dimension : 670mm x 400mm



General Warranty



Heating Element



Ceramic Glass (Nature Crack)

RM 4,388



General Warranty




Heating Element



Ceramic Glass (Nature Crack)

RM 3,588



### HL-230

Glass Panel : Heat Resistance Ceramic Glass  
 Power Supply : 220-240V~50/60Hz  
 Output : 2300W  
 Inner Zone : 750W  
 Middle Zone : 1500W  
 Outer Zone : 2300W  
 Timer : 1-180 minutes  
 Auto Cut Off : 30 minutes  
 Glass Size : 310mm x 390mm  
 Cut-Out Dimension : 295mm x 385mm



General Warranty




Heating Element




Ceramic Glass (Nature Crack)


RM 1,188




HL-460



HL-400



HL-230



**TWIN**  
TURBO FAN

Suction Power 1600 m<sup>3</sup>/h

**LIGHTWAVE**  
AUTO CLEAN

Dissolve Grease Easily




THE STRONGEST EVER RANGE HOOD


# ENJOY A HEALTHIER CLEANER HOME



Gesture Sensing Function



Touch Screen Control



Two-sided Open



Large Oil Cup



# COOKER

## HOOD



Gesture Sensing



Auto Clean



Safety Feature



Charcoal Filter\*\*



General Warranty



Hood Motor



### DH-309AC

Suction Power (m<sup>3</sup>/h) : 1600 m<sup>3</sup>/h  
 Switch type : 2 speed touch control & hand sensor  
 Product Dimension : 880 x 380 x 890  
 Recommended Height From Hob : 300 - 400mm  
 • Twin Turbo Fan  
 • Lightwave Auto-Clean Function

**RM 3,788**



### DH-109AC

Suction Power (m<sup>3</sup>/h) : 1450 m<sup>3</sup>/h  
 Switch type : 3 speed touch control & hand sensor  
 Product Dimension : 880 x 350 x 800mm  
 Recommended Height From Hob : 300 - 400mm  
 • Lightwave Auto-Clean Function

**RM 2,088**



### DH-20

Suction Power (m<sup>3</sup>/h) : 1600 m<sup>3</sup>/h  
 Switch type : 3 speed touch control & hand sensor  
 Product Dimension : 900 x 435 x 545mm  
 Recommended Height From Hob : 650- 750mm  
 • Heater Auto Clean Function

**RM 2,788**



### DH-711

Suction Power (m<sup>3</sup>/h) : 1600m<sup>3</sup>/h  
 Switch type : 3 speed touch control & hand sensor  
 Product Dimension : 900 x 350 x 1075mm  
 Recommended Height From Hob : 280 - 330mm  
 • Heater Auto Clean Function

**RM 3,488**



### DH-700

Suction Power (m<sup>3</sup>/h) : 1800 m<sup>3</sup>/h  
 Switch type : 3 speed touch control & hand sensor  
 Product Dimension : 880 x 1010 x 330mm  
 Recommended Height From Hob : 280 - 330mm  
 • Lightwave Auto-Clean Function


**RM 3,188**




### DH-06A

Suction Power (m<sup>3</sup>/h) : 1300 m<sup>3</sup>/h  
 Switch type : 3 speed touch control & hand sensor  
 Product Dimension : 870 x 475 x 540mm  
 Recommended Height From Hob : 650 - 750mm  
 Filter : baffle filter\*2  
 • Heater Auto Clean Function


**RM 2,288**




DH-309AC




DH-109AC




DH-20



DH-711



DH-700



DH-06A

\*Dimension in mm


\*\*Only available for model DH-711, DH-20 & DH-06A



Slow Simmer



Simmer




**7 Flame Levels**



Steam



Fry



Stew



Deep fry



Stir Fry

**SAFETY FEATURE**

CUT OFF GAS ONCE FLAME ACCIDENTALLY TURNED OFF



**6.5 Kw**  
STRONG FLAME

**COOK**  
**POWERFULLY**



**1st Grade Energy Efficiency**  
Comply with international energy-saving standard

30% OF GAS SAVING COMPARE TO AVERAGE HOUSEHOLD COOKER HOB.



# GAS HOB



Flame Failure Safety Device



Anti-leakage Gas Inlet



Adjustable Air Inlet



Child Safe Push Knob



Battery Ignition



TRIPLE RING FLAME



Kw  
6.5

## DGH-6500-3R

Power Burners ( Heating Load kW ) :  
L : 6.5kW R : 6.5kW  
Burner Flame Layer : 2 x Triple Ring Flame  
Burner Cap : Brass  
Surface Material : 8mm Tempered Glass  
Pan Support : Cast Iron  
Flame Failure Safety Device : Yes  
Product Dimension : 900 x 500mm  
Cut Out Dimension : 630 x 335mm



General Warranty



Tempered Glass (Nature Crack)

RM 2,388



ANTI DRY PROTECTION



Kw  
5.0

## DGH-7645-SS

Power Burners ( Heating Load kW ) :  
L : 5.0kW R : 5.0kW  
Burner Flame Layer : 2 x Duplex Ring Flame  
Burner Cap : Brass  
Surface Material : Stainless Steel  
Pan Support : Enamel  
Flame Failure Safety Device : Yes  
Product Dimension : 760 x 450mm  
Cut Out Dimension : 635 x 350mm



General Warranty

RM 1,788



Kw  
5.0

## DGH-MG7645F

Power Burners ( Heating Load kW ) :  
L : 5.0kW R : 5.0kW  
Burner Flame Layer : 2 x Triple Ring Burner  
Burner Cap : Brass + Cast Iron Base  
Surface Material : 6mm Matt Tempered Glass  
Pan Support : Fabricated Metal  
Flame Failure Safety Device : Yes  
Product Dimension : 760 x 450mm  
Cut Out Dimension : 630-700 x 330-400mm



General Warranty



Tempered Glass (Nature Crack)

RM 1,888



TWISTER FLAME



Kw  
5.0

## DGH-7341

Power Burners ( Heating Load kW ) :  
L : 5.0kW R : 5.0kW  
Burner Flame Layer : 2 x Duplex Ring Flame  
Burner Cap : Patented Aerometal  
Surface Material : 6mm Tempered Glass  
Pan Support : Enamel  
Flame Failure Safety Device : Yes  
Product Dimension : 730 x 410mm  
Cut Out Dimension : 630 x 320mm



General Warranty



Tempered Glass (Nature Crack)

RM 1,188



TWISTER FLAME



Kw  
5.0

## DGH-8650

Power Burners ( Heating Load kW ) :  
L : 5.0kW R : 5.0kW M : 1.4kW  
Burner Flame Layer : 2 x Duplex Ring Flame ;  
1 x Semi-rapid burner  
Burner Cap : Patented Aerometal  
Surface Material : 8mm Tempered Glass  
Pan Support : Enamel  
Flame Failure Safety Device : Yes  
Product Dimension : 860 x 500mm  
Cut Out Dimension : 700 x 390mm



General Warranty



Tempered Glass (Nature Crack)

RM 1,688



Kw  
5.0

## DGH-8250F

Power Burners ( Heating Load kW ) :  
L : 5.0kW R : 5.0kW  
Burner Flame Layer : 2 x Duplex Ring Flame  
Burner Cap : Brass  
Surface Material : 8mm Tempered Glass  
Pan Support : Cast Iron  
Flame Failure Safety Device : Yes  
Product Dimension : 820 x 500mm  
Cut Out Dimension : 680-790 x 380-470mm




General Warranty



Tempered Glass (Nature Crack)

RM 1,588



# FRESH BAKE ANYTIME

MULTIFUNCTION CATALYTIC BUILT-IN OVEN



## Cook Evenly

Circulation fan help hot air circulating through oven cooks food more evenly, juicy and tasty.




## Multifunction

Multiple heating, cooking features & programmes for all baking method.



## Energy Saving

A+ rating of energy efficiency level. Save electricity and money in long term.



## Safety Low-E Glass

Prevent heat radiation & heat loss. Safe to touch on glass door.



## Large Capacity

Large capacity to ensure adequate space to bake any size of food.

Our built-in oven contain with pioneering technologies and feature generous capacity, high performance and elegant styling.


## CATALYTIC OVEN ?



Catalytic oven contain special catalytic liners inside the oven's cavity. These specialist oven liners are fast absorbing, easy remove grease and grime from the oven. All of this broken-down food and grease is then simply burnt away during cooking. The main difference with Catalytic ovens is that they do not need to reach extreme temperatures to clean. Catalytic liners are safe and non-toxic.

# BUILT-IN CATALYTIC OVEN

## MO-70FD12FEC




**Features :** Alarm, Timer, Pre-set cooking, Child lock, Low-E inner glass, Touch safe surface,

**Accessories :**

- Rotisserie x 1
- Baking tray x 1
- Baking rack x 1

Control Mode : Touch screen with LCD  
 Capacity (L) : 70L  
 Functions : 13  
 Total Power : 2800W  
 Temperature : 50°C - 250°C  
 Timer : 6 hours  
 Door Glass Layer : 3  
 Child Lock Function : Yes



Product Dimension :  
 H595mm x L595mm x D568mm  
 Built-in Dimension :  
 H600mm x L560mm x D575mm



**RM 4,088**

## MO-70MM08FEC




**Features :** Alarm, Timer, Pre-set cooking, Child lock, Low-E inner glass, Touch safe surface,

**Accessories :**

- Rotisserie x 1
- Baking tray x 1
- Baking rack x 1

Control Mode : Mechanical control with LED display  
 Capacity (L) : 70L  
 Functions : 8  
 Total Power : 2200W  
 Temperature : 50°C - 250°C  
 Timer : 2 hours  
 Door Glass Layer : 2  
 Child Lock Function : Yes



Product Dimension :  
 H595mm x L595mm x D545mm  
 Built-in Dimension :  
 H595mm x L560mm x D550mm



**RM 3,088**

**SUPER DEAL**

CERAMIC + INDUCTION HOB



HL-310S

**RM 2,399**

NP: RM 3,588



HL-520S

**RM 2,599**

NP: RM 3,988



HL-680

**RM 2,899**

NP: RM 4,488

Purchase with Purchase  
**40% OFF PWP**

**MO-70FD12FEC**  
Built-in Catalytic Oven



**RM 2,452**

NP: RM 4,088

**MO-70MM08FEC**  
Built-in Catalytic Oven



**RM 1,852**

NP: RM 3,088

**PWP 50% OFF**

**DH-309AC**  
Range Hood



**RM 1,894**

NP: RM 3,788

**DH-109AC**  
Range Hood



**RM 1,044**

NP: RM 2,088

**DH-711**  
Range Hood



**RM 1,744**

NP: RM 3,488

**DH-700**  
Range Hood



**RM 1,594**

NP: RM 3,188

**DH-20**  
Range Hood



**RM 1,394**

NP: RM 2,788

**DH-06A**  
Range Hood



**RM 1,144**

NP: RM 2,288

**PACKAGE PRICE LIST**

MIX & MATCH	DH-309AC	DH-20	DH-711	DH-700	DH-06A	DH-109AC
HL-400K	RM 2,999 NP: RM5,676	RM 2,699 NP: RM4,676	RM 3,099 NP: RM5,376	RM 2,899 NP: RM5,076	RM 2,399 NP: RM4,176	RM 2,199 NP: RM3,976
HL-400	RM 4,599 NP: RM7,376	RM 3,899 NP: RM6,376	RM 4,399 NP: RM7,076	RM 4,299 NP: RM6,776	RM 3,599 NP: RM5,876	RM 3,499 NP: RM5,676
HL-460	RM 4,999 NP: RM8,176	RM 4,399 NP: RM7,176	RM 4,899 NP: RM7,876	RM 4,799 NP: RM7,576	RM 4,099 NP: RM6,676	RM 3,999 NP: RM6,476
DGH-8250F	RM 2,899 NP: RM5,376	RM 2,699 NP: RM4,376	RM 3,099 NP: RM5,076	RM 2,999 NP: RM4,776	RM 2,399 NP: RM3,876	RM 2,299 NP: RM3,676
DGH-6500-3R	RM 3,799 NP: RM6,176	RM 3,099 NP: RM5,176	RM 3,599 NP: RM5,876	RM 3,299 NP: RM5,576	RM 2,799 NP: RM4,676	RM 2,799 NP: RM4,476
DGH-8650	RM 3,299 NP: RM5,476	RM 2,699 NP: RM4,476	RM 3,099 NP: RM5,176	RM 2,999 NP: RM4,876	RM 2,399 NP: RM3,976	RM 2,299 NP: RM3,776
DGH-7341	RM 2,999 NP: RM4,976	RM 2,399 NP: RM3,976	RM 2,799 NP: RM4,676	RM 2,699 NP: RM4,376	RM 2,099 NP: RM3,476	RM 1,899 NP: RM3,276
DGH-7645-SS	RM 3,399 NP: RM5,576	RM 2,799 NP: RM4,576	RM 3,199 NP: RM5,276	RM 2,999 NP: RM4,976	RM 2,499 NP: RM4,076	RM 2,499 NP: RM3,876
DGH-MG7645F	RM 3,299 NP: RM5,676	RM 2,699 NP: RM4,676	RM 3,199 NP: RM5,376	RM 2,999 NP: RM5,076	RM 2,299 NP: RM4,176	RM 2,399 NP: RM3,976
<b>PWP</b>	MO-70MM08FEC				MO-70FD12FEC	
		<b>RM 1,899</b> NP: RM3,088				<b>RM 2,499</b> NP: RM4,088

