

TRACTOR UTF 10W-30 (80W)

Description

TRACTOR UTF oil is a high quality multipurpose tractor fluid for the agriculture market known as Universal tractor transmission fluid. It is recommended as an all-year round fluid meeting most tractor manufactures specifications and approvals providing excellent performance in all tractor applications with the exception of the engine. It has the benefit of being able to offer “one oil” for the hydraulic system, transmission, final drive and differentials where a “wet” brake system is employed.

REDEFINING LIQUID ENGINEERING

Performance Benefits

Thermal Oxidation stability	Control sludge build up and wax formation
Excellent detergency/ dispersancy	Cleaner engines leading to longer life span
Higher heat resistance	Reduce oil consumption through wear and tear

Applications

- ☐ Tractor transmissions and final drives
- ☐ Mixed fleet agriculture equipment
- ☐ Ford, Massey Ferguson, John Deere, Fiat and other tractor manufactures transmissions
- ☐ Transmissions requiring Allison C-4 fluid
- ☐ Hydraulic applications where an ISO VG 46 ~ 68 is recommended.
- ☐ Transmissions/differentials with oil immersed braking systems

TESTING METHODS	RESULTS
SAE GRADE	10W-30 (80W)
VISCOSITY, ASTM D445	
cSt @ 40 °C	57
cSt @ 100 °C	9.8
Viscosity Index, ASTM D 2270	150.0
Sulfanated Ash, Wt%, ASTM D874	0.1
Total Base # , mg KOH/g, ASTM D 2896	3.5
Pour Point, °C, ASTM D 97	-26
Flash Point, °C, ASTM D 92	218
Density @ 15°C kg/l, ASTM D 4052	0.88

Approval

Approved: M2C 134D, TO-2, GL-4, JDMJ20C/ J20D, TE-ML-03E/ TE-ML-95F, CMS M 1141, CMS M 1143, CNH MAT 3525(134-D)

PRODUCTS AVAILABLE IN 5L, 18L, 200L

Health, Safety & Environment

Health and Safety

- Our Lubricant is unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.
- Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water.
- Guidance on Health and Safety is available on the appropriate Material Safety Data Sheet, which can be obtained from <http://www.advancelubholdings.com>
- Protect the Environment Take used oil to an authorized collection point.
- Do not discharge into drains, soil or water. Additional Information Advice on applications not covered here may be obtained from our representative.

