

ADVANCE LUBE ENTERPRISE SDN BHD

(REG. NO.: 565982-T)

HS(M) 3745, PTD 153751, Jalan Berjaya 8, Taman Perindustrian Berjaya,
Kempas Lama, 81200 Johor Bahru, Johor, Malaysia
Tel : +607-5543000/5583699 Fax : +607-5541212



Certificate No. 601224

PRODUCT DATA SHEET

AEROSOL CHAIN LUBE SPRAY

DESCRIPTION:

AEROSOL CHAIN LUBE SPRAY is a premium quality lubricant made from a high quality mineral based oil filled with anti-wear and tackiness properties. The propellant used is liquefied petroleum gas. The tackiness of the oil provides adhesive properties that increase oil servicing life by helping the lubricant to stick to the surfaces. Aerosol Chain Lube Spray also provides cleansing of the surfaces through its detergent properties.

APPLICATION:

- To be applied on Pin and Joint that are difficult to reach without using a spray where oil are more refined and distributed evenly.
- To be applied on clean chains to ensure maximum performance.
- Easy to apply, point the nozzle in the right direction and spray.
- Spray that is strong and well distributed helps penetrate into small holes and inaccessible surfaces.

BENEFITS & FEATURES:

- Long Servicing Life
- Adhesive Properties
- Provides superior lubrication/ wear protection
- Reduces Energy Consumption with excellent.
- Reduces Evaporation
- Enhanced penetration
- Clean, clear product
- Odourless

Available in 100ml and 250ml.

TYPICAL CHARACTERISTICS (ACTIVE INGREDIENT):

<i>Characteristics Method</i>	<i>Unit</i>	<i>Method</i>	<i>Typical Result</i>
Kinematic Viscosity @ 40°C	cSt	ASTM D445	24.31
Kinematic Viscosity @ 100°C	cSt	ASTM D445	5.53
Viscosity Index	cSt	ASTM D445	176

The information contained in this document is based on data believed to be reliable and relates only to matters specifically mentioned in this document.

Although all reasonable skill and care is taken in preparation of this information, no representation, warranty or guarantee is made with regards to accuracy, reliability and completeness.