

PRO CATALOG 2014

www.LittleGiantLadders.com

Company History	2
Ladder Injury Statistics	3-4
Problems & Solutions	···· 5-10
Arial Safety Cage	
CAGE	11-12
Compact CAGE	13-14
Extension Ladders	
SumoStance	15-16
Lunar	17-18
Stepladders	
Select Step FG	19-20
AirWing	21-22
Safety Step	23-24
MicroBurst	25-26
Multi-Use Ladders	
Dark Horse	27-28
Conquest	29-30
ComboSXE	31-32
Revolution	33-34
Super Duty	35-36
Accessories	37-38
Ladder Safety Training	38-39

### **Little Giant Ladder Systems**

Little Giant Ladder Systems is the innovation leader in the ladder industry. Little Giant manufactures and distributes superior-quality ladders and accessories to discerning homeowners and professionals throughout the world. The company's growing family of consumer products includes Little Giant Ladders®, SumoStance™, Select Step™, and MicroBurst™.





### SUMMSTANCE
































### **COMPANY HISTORY**

In the 1970s, Little Giant Ladder Systems chairman and founder, Harold "Hal" Wing, met a German painter who had an interesting idea and a primitive prototype of a new kind of ladder. Hal enhanced the ladder and engineered what is now known as the strongest, safest, most versatile ladder in the world—the Little Giant Ladder System. This professional-grade, multi-use ladder can be set up in 24 different positions and is probably the most famous ladder in the world. Hal performed demonstrations of the ladder nationwide at state fairs and trade shows, building and packaging orders out of his garage. Working side-by-side with his wife Brigitte and their seven children, Hal built the company on a foundation of quality and innovation. Gradually, both do-it-yourselfers and professionals all over the world have come to understand the Little Giant Ladder System is the best ladder in the world.

In 2003, Little Giant Ladder Systems' sales skyrocketed after the launch of an infomercial starring Hal Wing. Instead of painting a gimmicky picture, the infomercial clearly and concisely represented the ladder's benefits, forever establishing the Little Giant brand and its products as a household name. From its humble beginning, Little Giant Ladder Systems is now one of the world's largest manufacturers of ladders, supplying products to discerning homeowners and professionals all over the world.









### 2,000 : 100 : 1 **EACH ONE MATTERS**

Every day, 2,000 people are injured while using a ladder.

Every day, 100 people suffer a long-term or permanent disability.


And every day, one person will die.

It is up to us to change these statistics, one person at a time. Working together with you, we can do it!

## PREVENTING INJURIES, SAVING LIVES,



**CLIMB ON** 





### **Using the Wrong Size Stepladder**

Using the wrong size of ladder is one of the leading causes of ladder accidents. Operators will often reach a little too far or step a little too high rather than climb down and look for an appropriate ladder. Most operators will break OSHA and ANSI rules by standing on the top rung or top cap of a stepladder, which often puts them in an unstable, unsafe position.

### **Always Have the Right Size**

The Select Step™ offers multiple solutions in one, easy-to-adapt model, thereby eliminating the need for several types and sizes of ladders on the jobsite. Little Giant® removed the top rung, which was really only a sticker holder, and, thus prevented operators from accessing the top cap at all. Operators can quickly adjust the Select Step to the proper height. The Select Step is several stepladders in one, providing users with right size of ladder for every job in one lightweight, type IAA – 375 lb rated stepladder. The Select Step also provides a comfortable standing platform that offers heel-to-toe foot support at the top recommended step.





Training operators not to over-reach is important, but in reality, in most cases human nature will take over and operators will over-reach. The Little Giant SumoStance™ features leveling outriggers that double the base footprint of the ladder so the operator cannot feasibly reach outside the ladder's base footprint. Load testing has shown that the SumoStance outriggers increase the ladder's side-tip stability up to 600 percent.

SOLUTION TO:

**OVER-REACHING** 

FACING YOUR WORK

**SOLUTION TO:** 

ON A LADDER ON A STEPLADDER

### Twisting and Straddling on a Stepladder

By nature of their design, traditional stepladders take you farther from your work the higher you climb them. To counteract this effect, most operators turn the stepladder sideways to get close to their work surface. Although this gets the operator closer, it also can result in the operator twisting his body or straddling the ladder unsafely. In many cases, this practice results in the operator accidentally pushing the ladder away from the work surface, destabilizing the ladder, which can result in a serious fall.

### **Face Your Work**

The Little Giant Select Step is one of several Little Giant safety products that allows the operator to use the ladder in the 90-degree position, which allows the operator to face the work surface with his feet on a solid rung and to apply force from a much more stable foundation.





### **Ladders and Uneven Ground Don't Mix**

Few job sites are perfectly level. To save time, operators often improvise unapproved leveling methods like bricks, boards, or rocks that are inherently unstable and unsafe. And even slightly uneven ground can be very dangerous. On an ordinary 28-foot ladder, 1-inch out of level at the base puts you 19 inches off center at the top, putting the operator completely outside the footprint of the ladder. Even if he doesn't overreach (which he will probably do), it takes very little force to destabilize the ladder when you're that far off center. This kind of situation often leads to the most catastrophic falls.

### **Adjust the Ladder to Nearly Any Surface**

Ratcheting outriggers on each side provide the Little Giant Sumo- Stance extension ladder with a full 9" of vertical adjustment in 1/8 inch increments for use on sloping or uneven ground. Built-in bubble levels help operators keep the rungs level and the ladder at the proper lean angle. Patented SumoStance outriggers double the ladder's base width, increasing side-tip stability by over 600%.

# CAGE



# GOES WHERE A MECHANICAL LIFT OR ORDINARY STEPLADDER CANNOT GO

Independent adjustment of sides allows operators to work safely over uneven surfaces or stairs

HELPS PREVENT FALLS DUE TO OVER-REACHING

Extra-wide base and fully enclosed platform



### NO MORE TYING OFF

Self-enclosing platform is a versatile, safe alternative to tying off.



**CLIMB ON** 











1-YEAR WARRANTY / TYPE IAA 375 LBS

Part Number	Model	Standing Level Min	Standing Level Max	Maximum Reach*	Base Width	Min Footprint	Max Footprint	Storage Depth	Storage Height	Guardrail Height	Weight
18503	3' - 5'	3'	4' 11"	11' 5"	3' 9.5"	3' 6"	4' 9"	11"	7' 9"	42"	75 lbs
18509	5' - 9'	4' 10"	8' 8"	15' 2"	3' 9.5"	4' 8"	7' 4"	11"	9' 7"	42"	91 lbs
18515	8' - 14'	7' 9"	13' 4"	19' 10"	3' 9.5"	6' 2"	10' 8"	11"	12' 7"	42"	119 lbs

\* A 5'6" person with a 12" vertical reach

# COMPACT CAGE



### FITS IN LIMITED ACCESS AREAS SUCH AS CEILING TILES

Goes where a mechanical lift or ordinary stepladder cannot go

### REDUCE STRAINS AND SPRAINS

Lightweight fiberglass and Tip & Glide wheels make transporting and setup easier



### TIME SAVER — NO MORE TYING OFF

Self-enclosing platform is a versatile, safe alternative to tying off.

### HELPS PREVENT FALLS DUE TO OVER-REACHING

Fully enclosed platform



**CLIMB ON** 







### 1-YEAR WARRANTY / TYPE IAA 375 LBS

Part Number	Model	Standing Level Min	Standing Level Max	Maximum Reach*	Base Width	Min Footprint	Max Footprint	Storage Depth	Storage Height	Guardrail Height	Weight
18502	3' - 4'	2' 11"	3' 10"	9' 4"	2' 5"	3' 6"	4' 1"	13"	7' 6"	42"	64.5 lbs
18504	4' - 6'	3' 10"	5' 9"	11' 3"	2' 5"	4' 1"	5' 3"	13"	8' 6"	42"	72 lbs
18508	5' - 8'	4' 10"	7' 8"	13' 2"	3' 1"	4' 8"	6' 8"	13"	9' 6"	42"	77.5 lbs
18506	6' - 10'	5' 10"	9' 7"	15' 1"	3' 5" w/ side wheels	5' 3"	8'	13"	10' 6"	42"	93 lbs

\* A 5'6" person with a 12" vertical reach

# MICRO BURST






FLAT
TO A SLEEK
3.5"
PROFILE

TO STORE AND CARRY

Fold-flat design protects spreaders and improves durability.





### 1-YEAR WARRANTY / TYPE IA 300 LBS / \*TYPE IAA 375 LBS (3' & 4' MODELS)

Part Number	Model	Rung Size	Highest Standing Level	Top Cap Area	Storage Height	Base Width	Storage Depth	Footprint	Max Reach**	Weight	Shipping Weight
15703-001*	3'	3"	1'	14" x 6.25" x 2.5"	3'	1' 8"	3.5"	2' 6"	7' 6"	13 lbs	17 lbs
15700-001*	4'	3"	2'	14" x 6.25" x 2.5"	4'	1' 9"	3.5"	3' 6"	8' 6"	15 lbs	20 lbs
15705-001	6'	3"	4'	14" x 6.25" x 2.5"	6'	2'	3.5"	4' 8"	10' 6"	22 lbs	29 lbs
15710-001	8'	3"	6'	14" x 6.25" x 2.5"	8'	2' 5"	3.5"	5' 8"	12' 6"	31 lbs	38 lbs

\*\* A 5'6" person with a 12" reach.

# SUMSTANCE.



### **LITEWAVE™ TECHNOLOGY**

Reduces ladder weight up to 15% over ordinary extension ladders



**COMPACT STORAGE** 

Outriggers retract to sleek storage profile



### RETRACTABLE OUTRIGGERS FOR UNMATCHED STABILITY

Adjust 9" on each side over uneven ground




SIDE-TIP AND LEAN ANGLE INDICATORS

Built-in levels ensure level rungs and proper lean angle; work from a safe, stable setup every time



**CLIMB ON** 









1-YEAR WARRANTY / TYPE IA 300 LBS / TYPE IAA 375 LBS


Part Number	Model	ANSI Rating	Highest Standing Level	Storage Height	Base Width	Storage Depth	Round Rung Width	D-Rung Width	Side Rail Width
15616-008	20'	Type IA - 300	13' 1"	11' 5"	22"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15606-008	24'	Type IA - 300	16' 11"	13' 5"	22"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15607-008	28'	Type IA - 300	20' 10"	15' 5"	22"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15619-008	20'	Type IAA - 375	13' 1"	11' 5"	22"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15618-008	24'	Type IAA - 375	16' 11"	13' 5"	22"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15609-008	28'	Type IAA - 375	20' 10"	15' 5"	22"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15620-008	32'	Type IAA - 375	23' 10"	17' 6"	22"	6-1/4"	1-1/4"	1-5/8"	3-5/16"

Part Number	Shoe Width	Rope Diameter	Max Base Width	Extension Max Height	Max Reach*	Fly Section Width	Total Leveling Adjustment	Leveling Increment	Weight
15616-008	3.5"	3/8"	44"	17'	19' 7"	15-3/4"	9-1/8"	3/16"	52 lbs
15606-008	3.5"	3/8"	44"	21'	23' 5"	15-3/4"	9-1/8"	3/16"	57 lbs
15607-008	3.5"	3/8"	44"	25'	27' 4"	15-3/4"	9-1/8"	3/16"	62 lbs
15619-008	3.5"	3/8"	44"	17'	19' 7"	15-3/4"	9-1/8"	3/16"	54 lbs
15618-008	3.5"	3/8"	44"	21'	23' 5"	15-3/4"	9-1/8"	3/16"	59 lbs
15609-008	3.5"	3/8"	44"	25'	27' 4"	15-3/4"	9-1/8"	3/16"	64 lbs
15620-008	3.5"	3/8"	44"	29'	30' 4"	15-3/4"	9-1/8"	3/16"	77.5 lbs









### 1-YEAR WARRANTY / TYPE IA 300 LBS / TYPE IAA 375 LBS

Part Number	Model	ANSI Rating	Storage Height	Storage Width	Storage Depth	Round Rung Width	D-Rung Width	Side Rail Width
15622-009	20'	Type IA - 300	10' 9"	17-1/2"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15623-009	24'	Type IA - 300	12' 7"	17-1/2"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15610-009	28'	Type IA - 300	15' 5"	17-1/2"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15626-009	20'	Type IAA - 375	10' 9"	17-1/2"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15627-009	24'	Type IAA - 375	12' 7"	17-1/2"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15628-009	28'	Type IAA - 375	15' 5"	17-1/2"	6-1/4"	1-1/4"	1-5/8"	3-5/16"
15629-009	32'	Type IAA - 375	16' 8"	18-1/4"	6-1/4"	1-1/4"	1-5/8"	3-5/16"

Part Number	Shoe Width	Rope Diameter	Highest Standing Level	Extension Max Height	Max Reach*	Fly Section Width	Weight
15622-009	1-1/2"	3/8"	13' 3"	17'	19' 9"	15-3/4"	39.5 lbs
15623-009	1-1/2"	3/8"	17' 3"	21'	23' 10"	15-3/4"	46 lbs
15610-009	1-1/2"	3/8"	21'	25'	27' 6"	15-3/4"	50 lbs
15626-009	1-1/2"	3/8"	13' 3"	17'	19' 9"	15-3/4"	40.5 lbs
15627-009	1-1/2"	3/8"	17' 3"	21'	23' 10"	15-3/4"	47 lbs
15628-009	1-1/2"	3/8"	21'	25'	27' 6"	15-3/4"	51 lbs
15629-009	1-1/2"	3/8"	25' 1"	29'	31' 7"	16-3/4"	68 lbs

\*A 5'6" person with a 12" reach.

# FIBERGLASS












Lightweight, compact, and easy to store.







1 YEAR WARRANTY / TYPE IAA 375 LBS

Part Number	Model	Stepladder Max Height	Stepladder Min Height	Storage Height	Base Width	Storage Depth
15130-001	5' - 8'	8'	5'	5' 1"	2' 2"	9"
15131-001	6' - 10'	10'	6'	6' 1"	2' 8"	9"
Stepladder	Stepladder	Stonladdor	pladder Comf	ort Step Max Ru	ına	Shipping

Stepladder Max Footprint	Stepladder Min Footprint	Stepladder Max Reach*	Stepladder Highest Standing Level	Comfort Step Area	Max Rung Width	Weight	Shipping Weight
5' 2"	3' 4.5"	12' 2"	2' 10" - 5' 8"	9" x 11 3/4"	4"	32 lbs	37 lbs
6' 6.5"	4' 0"	14' 1"	3' 10" - 7' 7"	9" x 11 3/4"	4"	40 lbs	49.5 lbs

# DARK HURSE















90° position for hard-to-reach jobs.

### 1-YEAR WARRANTY / TYPE IA 300 LBS / TYPE IAA 375 LBS (MODEL 13)

Part Number	Model	Stepladder Max Height	Stepladder Min Height	Storage Height	Base Width	Storage Depth	Stepladder Max Footprint	Stepladder Min Footprint
15143-001	13 (Type IAA 375 lbs)	5'	3'	3' 7"	2' 5"	10"	3' 11.5"	2' 7.75"
15147-001	17	7'	4'	4' 7"	2' 5"	10"	5' 3.5"	3' 1"
15145-001	22	9'	5'	5' 7"	2' 5"	10"	6' 7"	3' 8"

Stepladder Max Reach*	Stepladder Highest Standing Level	Extension Ladder Max Height	Extension Ladder Min Height	Extension Highest Standing Level	Extension Max Reach*	Max Rung Width	Weight	Shipping Weight
9' 5"	1' 0" - 2' 11"	11'	7'	3' 10" - 7' 9"	14' 3"	4"	30 lbs	38.5 lbs
11' 3"	1' 11" - 4' 9"	15'	9'	5' 9" - 11' 7"	18' 1"	4"	39 lbs	46 lbs
13' 8"	2' 10" - 6' 7"	19'	11'	7' 10" - 15' 6"	22' 0"	4"	46 lbs	56 lbs

# 

### WIDE RUNGS

Safer to climb; less foot fatigue

### WORK FASTER AND SAFER

Wide-flared base offers superior side-tip stability



Works as both a two-sided, two-person stepladder and as an adjustable wide-base extension ladder.

### GOES WHERE OTHER LADDERS CANNOT GO

Straight side allows operators to access tight workspaces between ceiling trusses and attic access ports.

### RATED FOR PROFESSIONAL USE

Non-conductive fiberglass Extra Heavy Duty Type IA • 300 lbs



**CLIMB ON** 







### 1-YEAR WARRANTY / TYPE IA 300 LBS

Part Number	Model	Stepladder Max Height	Stepladder Highest Standing Level	Extension Max Height	Extension Highest Standing Level	Storage Height	Weight	Storage Depth
15144	17	7'	4' 9"	15'	11' 7"	4' 7"	37.5 lbs	10"
15146	22	9'	6' 7"	19'	15' 6"	5' 7"	45 lbs	10"



## IDEAL FOR PROFESSIONAL APPLICATIONS

Fiberglass composite safe around live electrical circuits.

### WORK FASTER AND SAFER

Wide-flared base offers superior side-tip stability.

RATED FOR PROFESSIONAL USE

Extra Heavy Duty Type IAA • 375 lbs



Works as both a two-sided, two-person stepladder and as an adjustable wide-base extension ladder.

### GOES WHERE OTHER LADDERS CANNOT GO

Straight side allows operators to access tight workspaces between ceiling trusses and attic access ports.



**CLIMB ON** 













### 1-YEAR WARRANTY / TYPE IAA 375 LBS

Part Number	Model	Stepladder Max Height	Stepladder Min Height	Extension Max Height	Extension Min Height	Storage Height	Base Width	Storage Depth
15395-001	5'	4' 10"	4' 10"	11'	11' 9'		2' 5"	8"
15296-001	6'	5' 9"	5' 9"	12'	10'	6'	2' 5"	8"
Stepladder Footprint	Rung Width	Stepladder Max Reach*	Extension Max Reach*	Stepladder Highest Standing Level	Extensio Highest Star Level		Weight	Shipping Weight
3' 11"	1.5"	9' 5"	14' 3"	2' 11"	5' 10" - 7'	9"	29 lbs	38.5 lbs
4' 7"	1.5"	10' 4"	15' 3"	3' 10"	6' 10" - 8'	9"	30.5 lbs	41 lbs

### REVOLUTION











Work safely next to fragile surfaces with 90-degree position.





### LIFETIME WARRANTY / TYPE IA 300 LBS

Part Number	Model	Stepladder Max Height	Stepladder Min Height	Extension Max Height	Extension Min Height	Storage Height	Base Width	Storage Depth
12017	17	7'	4'	15'	9'	4' 7"	1' 11"	8"
12022	22	9'	5'	19'	11'	5' 7"	2' 2.5"	8"
12026	26	11'	6'	23'	13'	6' 7"	2' 7"	8"

Stepladder Min Footprint	Stepladder Max Footprint	Rung Width	Stepladder Max Reach*	Extension Max Reach*	Stepladder Highest Standing Level	Extension Highest Standing Level	Weight	Shipping Weight
3' 2"	5' 1"	3.5"	11' 3"	18' 1"	1' 11" - 4' 9"	5' 9" - 11' 7"	31.5 lbs	38 lbs
3' 10"	6' 7"	3.5"	13' 1"	22' 0"	2' 10" - 6' 7"	7' 10" - 15' 6"	38 lbs	47 lbs
4' 3.5"	7' 10"	3.5"	15' 1"	25' 10"	3' 10" - 8' 7"	9' 8" - 19' 4"	49.5 lbs	59 lbs


Little Giant Ladder Systems • 1198 N. Spring Creek Place, Springville UT 84663 • 800.453.1192 • www.littlegiantladders.com ©2011 Little Giant Ladders System 53944 V1 12.11 • A 5'6" person with a 12" vertical reach

# SUPER DUTY















### LIFETIME WARRANTY / TYPE IAA 375 LBS

Part Number	Description Size	Stepladder Max Height	Stepladder Min Height	Extension Max Height	Extension Min Height	Storage Height	Base Width	Storage Depth
10401	13	5'	3'	11'	5'	3' 7"	2' 0"	8"
10402	17	7'	4'	15'	7'	4' 7"	2' .5"	8"
10403	22	9'	5'	19'	9'	5' 7"	2' 3"	8"

Stepladder Min Footprint	Stepladder Max Footprint	Rung Width	Stepladder Max Reach*	Extension Max Reach*	Stepladder Highest Standing Level	Extension Highest Standing Level	Weight	Shipping Weight
2' 7"	3' 10"	3.25"	9' 5"	14' 3"	1' 0" - 2' 11"	3' 10" - 7' 9"	33 lbs	36.5 lbs
3' 3"	5' 1"	3.25"	11' 3"	18' 1"	1' 11" - 4' 9"	5' 9" - 11' 7"	41 lbs	46 lbs
3' 10"	6' 7"	3.25"	13' 1"	22' 0"	2' 10" - 6' 7"	7' 10" - 15' 6"	48.5 lbs	55 lbs

**CLIMB ON** 

# SAFETY STEP



### IT'S NOT JUST A STEPSTOOL.

Spacious, sturdy steps feel like standing on the ground











### 1-YEAR WARRANTY / RATED TO HOLD 300 LBS CAPACITY

Part Number	Model	Stepladder Max Height	Storage Width	Storage Depth	Stepladder Max Reach*	Highest Standing Level	Platform Size	Base Footprint	Weight	Shipping Weight
10210BA	2 Step w/ Bar	2' 7.5"	1' 10"	5"	7' 6"	1' 6"	14" x 9"	1' 11"	15.5 lbs	18 lbs
10310BA	3 Step w/ Bar	3' 7"	1' 10"	5"	8' 8"	2' 2"	14" x 9"	2' 10.5"	21.5 lbs	24.5 lbs
10410BA	4 Step w/ Bar	4' 6"	1' 10.5"	5"	9' 5"	2' 11"	14" x 9"	3' 9"	27.5 lbs	31.5 lbs

\* A 5'6" person with a 12" vertical reach

# ARWING



NON-CONDUCTIVE, HEAVY-DUTY FIBERGLASS CONSTRUCTION



**CLIMB ON** 



Unlike most lightweight, compact platform stepladders, which are usually engineered for light residential use, the Little Giant AirWing Fiberglass is engineered to be a safe, highly mobile platform option for tradesmen and working professionals. The lightweight, nonconductive AirWing opens easily from a 3" storage profile, yet its patent pending pivoting steps offer comfortable 4.5-inch treads on each rung, with a very spacious, comfortable standing platform at the top. With a lightweight, slim profile and special duty construction (ANSI Type IAA - 375 lb rating), the AirWing is the perfect safe yet portable climbing solution for any jobsite.





### 1-YEAR WARRANTY / TYPE IAA - 375 LBS SPECIAL DUTY

Part Number	Model	Stepladder Max Height	Storage Height	Storage Depth	Stepladder Max Reach*	Highest Standing Level	Platform Size	Footprint	Width at Base	Weight	Shipping Weight
15284	4' (2 Step)	1' 11"	4' 3"	3"	8' 5"	1' 11"	13.25" x 14"	2' 3"	1' 9"	14.5 lbs	18 lbs
15285	5' (3 Step)	2' 10"	5' 3"	3"	9' 4"	2' 10"	13.25" x 14"	2' 10"	1' 10"	18.5 lbs	23 lbs
15286	6' (4 Step)	3' 9"	6' 3"	3"	10' 3"	3' 9"	13.25" x 14"	3' 5"	1' 11.5"	22.5 lbs	28 lbs

\* A 5'6" person with a 12" vertical reach






























Cargo Hold™



Tip & Glide™ Wheel Kit







**Project Tray** 





### LADDER SAFETY TRAINING

Little Giant Ladder Systems is a member of the American Ladder Institute (ALI), a national trade association whose mission is to inform the public on the proper selection, care and safe use of ladders.

ALI has developed an online ladder safety training certification program available on: www.laddersafetytraining.org. This program is built for audiences, from professionals who work in the DYI and industrial trades to consumers.



www.laddersafety.org www.laddersafetytraining.org



### Ladder Safety Hub Nongs ex. Raits The Debate Dave Francis Ladder safety hub

Dave Francis has been in the ladder business for over thirty years. As a college student he cleaned the offices of Little Giant Ladder Systems at night and has stayed with the company ever since. Working his way up the ladder (pun intended), Dave became the Director of R&D and holds five U.S. patents for improvements in ladder design. He is now the National Safety Director, with the specific mission of preventing ladder accidents and hopefully saving lives by promoting ladder safety training and innovations in safe ladder design. His goal is the same as yours, getting everyone home to their families at the end of the day. If you are interested in ladder safety training, please contact Dave at:

dave@ladders.com 801-362-8586 laddersafetyhub.com

### **INTERNATIONAL PARTNERS**

#### United Kingdom

T.B. Davies (Cardiff) LTD Penarth Road Cardiff, CF11 8TD **United Kingdom** +44-0-29-2071-3000 +44-0-19-2070-2386 (fax) www.tbdavies.co.uk

### Canada

Cal-Ell Imports 201-669 Ridley Place Delta, BC V3M 6Y9 Canada 604-525-5410 clint@calell.com

### Japan

Hasegawa Edobori Senta-biru 14F 1-1 2-chome, Edobori, Nishi-ku Osaka, 550-002 Japan inquiry@hasegawa-kogyo.co.jp

### Trinidad, Bahamas, the Caribbean

Complete Equipment & Services Unit #16 44 Eastern Main Road St. Augustine, Trinidad, West Indies 1-868-663-7543 mmci@cesltt.com

#### Australia

Lamford Investments lamford@iprimus.co.au

### The Netherlands, Beligium

Altrex Mindenstraat 7 8028 PK Zwolle

#### Ireland

Carey Tools LTD City Hall Quay Cork. Ireland 353-021-431-2222 plant@careytools.com

#### Germany

Leitern Girse Lagesche Strasse 68 Detmold, Germany 32756 011-49-52-312-0907 Leitern-Girse-DT@t-online.de

#### Denmark

Jumbo Stillads A/S Staalvej 9-23 DK-6000 Kolding +45-7550-5075 karsten@jumbo.as

### Mexico

Premiere Exclusives, S.A. de C.V. Blvd M. Avila Camacho 40-C Col. El Parque Naucalpan, Edo. Mexico 53398 011-5255-5557-2089

### Croatia Nihon

Split-Croatia +385-21-385-22 +385-21-385-211 (fax) Singapore

Jia Ying Trading Pte LTD 63360404 xt118 anneloke@jiaying.com.sg

### Taiwan

Ling Tran Co., Ltd. No.57-1, Sec. 2 Zhongshan N. Zhongshan Dist. Taipei City 104, Taiwan +886-2-27965111 +886-2-27965122 (fax) esales@lingtran.com.tw

### New Zealand

Equiptec +64-6-842-0222 +64-6-842-0223 bruce.s@equiptec.co.nz

### Italy

SVELT S.p.A. Via delle Groane 13-24060 Bagnatica (BG), Italy 035681663 0335676321 (fax)

United Arab Emirates, India, France, Turkey, Middle East, North Africa

Optimum Ladders Al marijah Street, Sharjah U.A.E Tel: +971-50-467 7620 Fax: +971-6-569 7911 abbas@ladders.com

### China, Asia Pacific region

Little Giant Shanghai Unit 702, Block 7, Yanlord Town Lane 1599, Dingxiang Road, PuDong District Shanghai, China 200135 +1502-648-9092 reed@ladders.com

#### International Tactical Dealer

CUSHIMA Remiszewski i Wspólnicy Spółka Jawna ul.Leśna 6A 05-126 Wólka Radzymińska Poland USA:1 (860) 560-3034 +48 22 498 3970 +48 22 353 9159 (fax) csh3@cushima.com

### **Corporate Offices World Headquarters**

1198 North Spring Creek Place Springville, UT 84663 800-453-1192 801-489-3684 x 373 801-489-3685 (fax) www.littlegiantladders.com EVERY WELD

EVERY RIVET

EVERY RUNG

**EVERY PERSON** 

### MATHERS

PREVENTING INJURIES,

SAVING LIVES



