SikaBit[®] W-15



Version	Revision Date:	SDS Number:	Date of last issue: 27.12.2019
2.0	28.09.2020	10000008937	Date of first issue: 08.12.2017

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier Product name	[:] SikaBit [®] W-15
Product code	: 10000008937
Manufacturer or supplier's o	details
Company	: Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai
Telephone	: +60 6799 1762
Telefax	: +60 6799 1980
E-mail address	: EHS@my.sika.com
Emergency telephone num- ber	: -

SECTION 2: Hazards identification

Classification of the hazardous chemical

Not a hazardous substance or mixture.

Label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
Asphalt	8052-42-4	>= 30 -< 60
Talc (Mg3H2(SiO3)4)	14807-96-6	>= 10 -< 30
White mineral oil (petroleum)	8042-47-5	>= 10 -< 30

SECTION 4: First aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

SikaBit[®] W-15



Version 2.0	Revision Date: 28.09.2020		SDS Number: 10000008937	Date of last issue: 27.12.2019 Date of first issue: 08.12.2017	
In cas	e of eye contact	:	Flush eyes with water as a p Remove contact lenses. Keep eye wide open while r		
lf swa	If swallowed		Do not give milk or alcoholic	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
and e	Most important symptoms : and effects, both acute and delayed		No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.		
Notes	to physician	:	Treat symptomatically.		
Hazar	cochemical hazards ar dous combustion prod-		n g from the chemical No hazardous combustion p	products are known	
-				products are known	
Speci	al protective equipmer	nt a	nd precautions for fire-figh	ters	
	al protective equipment efighters	:	In the event of fire, wear sel	f-contained breathing apparatus.	
Speci ods	fic extinguishing meth-	:	Standard procedure for che	mical fires.	
ECTION	6: Accidental release n	nea	sures		
tive e	nal precautions, protec- quipment and emer- procedures	:	For personal protection see	section 8.	
Enviro	onmental precautions	:	No special environmental pr	recautions required.	

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

SikaBit[®] W-15



Vers 2.0	ion Revision 28.09.20		SDS Number: 10000008937	Date of last issue: 27.12.2019 Date of first issue: 08.12.2017
	Advice on protectio fire and explosion	n against : No	ormal measures for preventiv	e fire protection.
	Advice on safe han	No Fo	or personal protection see sec o special handling advice required Illow standard hygiene measu oducts	
	Storage			
	Conditions for saf	e storage, incluc	ling any incompatibilities	
	Conditions for safe	pla	eep container tightly closed in ace. ore in accordance with local i	
	Materials to avoid	: No	o special restrictions on stora	ge with other products.

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type	Control parame-	Basis
Componenta	070-110.	(Form of	ters / Permissible	Da313
		•		
		exposure)	concentration	10/05
Asphalt	8052-42-4	TWA	5 mg/m3	MY PEL
		(Fumes)		
		TWA (Fume,	0.5 mg/m3	ACGIH
		inhalable	(benzene soluble	
		fraction)	aerosol)	
Talc (Mg3H2(SiO3)4)	14807-96-6	TWA (Res-	2 mg/m3	MY PEL
		pirable par-	Ŭ	
		ticulates)		
		PEL (Respir-	5 mg/m3	MY PEL
		able dust)	o mg/mo	
		PEL (Total	10 mg/m3	MY PEL
		dust)	i o mg/mo	
		TWA (Res-	2 mg/m3	ACGIH
		pirable par-		
		ticulate mat-		
		ter)		
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	MY PEL
		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-		
		late matter)		

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
chloroprene (stabilised)	126-99-8	TWA	10 ppm 36 mg/m3	MY PEL

SikaBit[®] W-15



Version 2.0	Revision Date: 28.09.2020	SDS Number: 100000008937	Date of last issue: 27.12.2019 Date of first issue: 08.12.2017
		Further information: Ski	n
Indi	vidual protection measu	ures, such as personal pro	tective equipment
Eye	/face protection		ying with an approved standard should ssessment indicates this is necessary.
Skin	n protection		n in relation to its type, to the concen- langerous substances, and to the spe-
Res	piratory protection	ventilation is provided of that exposures are with The filter class for the r imum expected contan (gas/vapour/aerosol/pa dling the product. If this	tion unless adequate local exhaust or exposure assessment demonstrates nin recommended exposure guidelines. respirator must be suitable for the max- ninant concentration articulates) that may arise when han- is concentration is exceeded, self- oparatus must be used.
Нуд	iene measures	: When using do not eat When using do not sm	

SECTION 9: Physical and chemical properties

Appearance	:	solid
Colour	:	black
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	> 200 °C (392 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available

SikaBit[®] W-15



ersion .0	Revision Date: 28.09.2020		SDS Number: 100000008937	Date of last issue: 27.12.2019 Date of first issue: 08.12.2017
Relati	ve vapour density	:	No data available	
Densi	ty	:	ca. 1.18 g/cm3 (23 °C (73 °F))	
	ility(ies) ater solubility	:	insoluble	
So	lubility in other solvents	:	No data available	
	on coefficient: n- ol/water	:	No data available	
Auto-i	gnition temperature	:	ca. 400.01 °C (752.02 °F)	
Decor	nposition temperature	:	No data available	
Viscos	sity scosity, dynamic	:	No data available	
		•		
Vis	cosity, kinematic	:	No data available	
Explos	sive properties	:	No data available	
Oxidiz	ring properties	:	No data available	

SECTION 10: Stability and reactivity

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	chloroprene (stabilised)

SECTION 11: Toxicological information

Information on likely routes of : None known. exposure

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

SikaBit[®] W-15



Version	Revision Date:	SDS Number:	Date of last issue: 27.12.2019					
2.0	28.09.2020	10000008937	Date of first issue: 08.12.2017					
Serious eye damage/eye irritation								
Not cla	Not classified based on available information.							
Respiratory or skin sensitisation								

Skin sensitisation Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

There is no data available for this product.

Contaminated packaging	:	Empty containers should be taken to an approved waste han-
		dling site for recycling or disposal.

SikaBit[®] W-15



Version Revision Date: 2.0 28.09.2020

SDS Number: 10000008937

Date of last issue: 27.12.2019 Date of first issue: 08.12.2017

SECTION 14: Transport information

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good **IMDG-Code**

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

SECTION 16: Other information

Date format	:	dd.mm.yyyy				
Full text of other abbreviations						
ACGIH MY PEL	:	USA. ACGIH Threshold Limit Values (TLV) Malaysia. Occupational Safety and Health (Use and Stand- ards of Exposure of Chemicals Hazardous to Health) Regula- tions 2000.				
MY PEL	:	Malaysia. Factories and Machinery (Mineral Dust) Regulations - Permissible Exposure Limit				
ACGIH / TWA MY PEL / TWA MY PEL / PEL ADR CAS DNEL EC50 GHS	:	8-hour, time-weighted average Eight-hour time-weighted average airborne concentration Permissible exposure limit (PEL) European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System				

SikaBit[®] W-15



Version 2.0	Revision Date: 28.09.2020		t issue: 27.12.2019 t issue: 08.12.2017
IATA IMDG LD50		International Air Transport Association International Maritime Code for Dangerous Go Median lethal dosis (the amount of a material, once, which causes the death of 50% (one hal- test animals)	given all at
LC50		 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) 	
MARPC	DL	International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 197	
OEL		Occupational Exposure Limit	0
PBT PNEC		Persistent, bioaccumulative and toxic Predicted no effect concentration	
REACH	I	Regulation (EC) No 1907/2006 of the Europea and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chem	erning the Reg- tion of Chemi-
SVHC vPvB		Substances of Very High Concern Very persistent and very bioaccumulative	5 ,

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

MY / EN