Sikaflex[®]-Tank N

Revision Date: 31.01.2020

Version 2.0

SECTION 1: Identification of the hazardous chemical and of the supplier

Product name Product code Type of product	Sikaflex [®] -Tank N 00000601852 paste
Recommended use of the cl Product use	hemical and restrictions on use : Sealant/adhesive
Manufacturer or supplier's o	letails
Company	: Sika Kimia Sdn. Bhd. Lot 689 Nilai Industrial Estate 71800 Nilai
Telephone	: +60 6799 1762
Telefax	: +60 6799 1980
E-mail address	: EHS@my.sika.com
Emergency telephone	: -
number	

SECTION 2: Hazards identification

Classification of the hazardous chemical

Not a hazardous substance or mixture.

Label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
N,N-dibenzyliden polyoxypropylene diamine	136855-71-5	>= 5 - < 10
(polymer)		
4,4'-methylenediphenyl diisocyanate	101-68-8	0 - < 1
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	>= 0.025 - < 0.25

SECTION 4: First aid measures

General advice	: Move out of dangerous area.
	Consult a physician.
	Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.
	Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.

Sikaflex[®]-Tank N

_

Version 2.0	SDS Number: 00000601852	Revision Date: 31.01.2020
In case of eye contact	If symptoms persist, call a physician. : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	 Clean mouth with water and drink afterwards Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsc Obtain medical attention. 	
Most important symptoms and effects, both acute and delayed	 sensitising effects Allergic reactions See Section 11 for more detailed information and symptoms. 	on health effects
Notes to physician	: Treat symptomatically.	

R

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Physicochemical hazards arising from the chemical				
Hazardous combustion products	: No hazardous combustion products are known			

Special protective equipment and precautions for fire-fighters

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters Specific extinguishing	:	Standard procedure for chemical fires.
methods		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling				
Precautions for safe handling	I			
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.			
Advice on safe handling	: Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see			

Sikaflex[®]-Tank N

Version 2.0



section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated
		place.
		Store in accordance with local regulations.

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0.005 ppm 0.051 mg/m3	MY PEL
		TWA	0.005 ppm	ACGIH

Individual protection measures, such as personal protective equipment

marviadal protection measure	s, such as personal protective equipment
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Sikaflex[®]-Tank N

Version 2.0

SDS Number: 000000601852



Appearance Colour Odour Odour Threshold	:	paste various characteristic No data available
pH Melting point/range / Freezing point		Not applicable No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (> 214 °F) Method: closed cup
Evaporation rate	:	No data available
Flammability	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	0.01 hPa (0.01 mmHg)
Relative vapour density	:	No data available
Density	:	ca. 1.5 g/cm3 (20 °C (68 °F) ())
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	> 20.5 mm2/s (40 °C)
Explosive properties	:	No data available
Molecular weight	:	No data available

SECTION 10: Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	 No dangerous reaction known under conditions of normal use. The product is chemically stable. No hazards to be specially mentioned.
Conditions to avoid Incompatible materials	: No data available : No data available
No decomposition if stored and	applied as directed.

Sikaflex[®]-Tank N

Version 2.0



SECTION 11: Toxicological information

Information on likely routes of : None known. exposure

Acute toxicity

Not classified based on available information.

Components:

4,4'-methylenediphenyl diisocyanate:

Acute inhalation toxicity Acute toxicity estimate: 1.5 mg/l 2

Test atmosphere: dust/mist Method: Expert judgement

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil No data available

Sikaflex[®]-Tank N



Version 2.0	SDS Number: 000000601852	Revision Date: 31.01.2020
Other adverse effects		
Product:		
Additional ecological information	: There is no data available for this prod	luct.
SECTION 13: Disposal inform	nation	
Disposal methods		
Waste from residues	: Do not contaminate ponds, waterways	or ditches with

		chemical or used container.	
		Send to a licensed waste management company.	
Conta	minated packaging	: Empty remaining contents.	
		Dispose of as unused product.	
		Do not re-use empty containers.	

SECTION 14: Transport information

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000. International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

SECTION 16: Other information

Date format

: dd.mm.yyyy

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Sikaflex[®]-Tank N

Version 2.0

