# Sika<sup>®</sup> MicroCrete-217



Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2019
3.0	26.08.2020	00000610805	Date of first issue: 18.03.2015

#### SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier		
Product name	:	Sika <sup>®</sup> MicroCrete-217
Product code	:	000000610805
Manufacturer or supplier's o	deta	ils
Company	:	Sika Kimia Sdn. Bhd.
		Lot 689 Nilai Industrial Estate
		71800 Nilai
Telephone	:	+60 6799 1762
Telefax	:	+60 6799 1980
E-mail address	:	EHS@my.sika.com
Emergency telephone num- ber	:	-

#### **SECTION 2: Hazards identification**

Classification of the hazardous chemical			
Skin corrosion/irritation	:	Category 2	
Serious eye damage/eye irri- tation	:	Category 1	
Skin sensitisation	:	Category 1	
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)	
Label elements			
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.	
Precautionary statements	:	<b>Prevention:</b> P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection.	

# Sika<sup>®</sup> MicroCrete-217



Version	Revision Date: 26.08.2020	SDS Number:	Date of last issue: 31.01.2019
3.0		000000610805	Date of first issue: 18.03.2015
		and keep at rest in a position POISON CENTER or doctor P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER or doctor/ physic	HALED: Remove victim to fresh air on comfortable for breathing. Call a or/ physician if you feel unwell. 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON ian. on or rash occurs: Get medical ad-

# Other hazards which do not result in classification

None known.

#### SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture	:	Mixture
---------------------	---	---------

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 60
Cement, portland, chemicals	65997-15-1	>= 20 -< 30
sulfoaluminate clinker	Not Assigned	>= 1 -< 3
Fumes, silica	69012-64-2	>= 1 -< 3

#### **SECTION 4: First aid measures**

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.

# Sika<sup>®</sup> MicroCrete-217



Version 3.0	Revision Date: 26.08.2020	SDS Number: 000000610805	Date of last issue: 31.01.2019 Date of first issue: 18.03.2015
	important symptoms : ffects, both acute and ed	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more de and symptoms. Causes skin irritation. May cause an allergic skin Causes serious eye damag May cause respiratory irrita	ge.
Notes	to physician :	Treat symptomatically.	
	guishing media ble extinguishing media :	Use extinguishing measure cumstances and the surrou	es that are appropriate to local cir- unding environment.
Physi	icochemical hazards arisi	ng from the chemical	
Hazaı ucts	rdous combustion prod- :	No hazardous combustion	products are known
Spec	ial protective equipment a	and precautions for fire-figl	hters
	al protective equipment : efighters	In the event of fire, wear se	elf-contained breathing apparatus.
Speci ods	fic extinguishing meth- :	Standard procedure for che	emical fires.
SECTION	6: Accidental release me	asures	
	nal precautions, protec- :	Use personal protective eq	uipment.

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

# Sika<sup>®</sup> MicroCrete-217



Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2019
3.0	26.08.2020	000000610805	Date of first issue: 18.03.2015

### SECTION 7: Handling and storage

#### Handling

<b>Precautions for safe handlin</b> Advice on protection against fire and explosion	•			
Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products</li> </ul>			
Storage				
Conditions for safe storage, including any incompatibilities				

	,	
Conditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.

#### **SECTION 8: Exposure controls and personal protection**

#### Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable frac- tion)	0.1 mg/m3	MY PEL
		PEL (Respir- able dust)	0.1 mg/m3	MY PEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res-	0.025 mg/m3	ACGIH



# Sika<sup>®</sup> MicroCrete-217

Version 3.0	Revision Date: 26.08.2020	SDS Nu 0000006			ssue: 31.01.2019 ssue: 18.03.2015
			pirable par- ticulate mat- ter)	(Silica)	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Ceme	ent, portland, chemicals	65997-15-1	TŴA	10 mg/m3	MY PEL
			PEL (Respir- able dust)	5 mg/m3	MY PEL
			PEL (Total dust)	10 mg/m3	MY PEL
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
Fume	s, silica	69012-64-2	TWA (Res- pirable frac- tion)	2 mg/m3	MY PEL
Indivi	idual protection measur	es, such as pers	sonal protective	e equipment	
Eye/fa	ace protection			h an approved sta ent indicates this is	
Skin p	protection		nount of danger	ation to its type, to ous substances, ar	
Respi	ratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.			
Hygie	ne measures	practice. When using o When using o	lo not eat or drin lo not smoke.	od industrial hygie k. nd at the end of wo	

### **SECTION 9: Physical and chemical properties**

Appearance	: powder
Colour	: grey
	5 / 10

# Sika<sup>®</sup> MicroCrete-217



ersion .0	Revision Date: 26.08.2020		SDS Number: 000000610805	Date of last issue: 31.01.2019 Date of first issue: 18.03.2015
Odour		:	odourless	
Odour	Threshold	:	No data available	
pН		:	Not applicable	
Meltin	g point/range / Freezing	:	No data available	
point	g point/boiling range	:	No data available	
Flash		:	Not applicable	
	ration rate	:	No data available	
	nability (solid, gas)	:	No data available	
Upper	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	ir pressure	:	No data available	
Relativ	ve vapour density	:	No data available	
Densit	y	:	2.3 g/cm3 (20 °C (68 °F))	
	lity(ies) ater solubility	:	No data available	
So	lubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
	bl/water gnition temperature	:	No data available	
Decon	nposition temperature	:	No data available	
Viscos Vis	sity cosity, dynamic	:	No data available	
Vis	cosity, kinematic	:	Not applicable	
Explos	sive properties	:	No data available	
Oxidiz	ing properties	:	No data available	

#### **SECTION 10: Stability and reactivity**

Reactivity

: No dangerous reaction known under conditions of normal use.

# Sika<sup>®</sup> MicroCrete-217



Version 3.0	Revision Date: 26.08.2020		SDS Number: 000000610805	Date of last issue: 31.01.2019 Date of first issue: 18.03.2015
Chem	ical stability	:	The product is chemically	y stable.
Possil tions	bility of hazardous reac	• :	No hazards to be special	ly mentioned.
Condi	tions to avoid	:	No data available	
Incom	patible materials	:	No data available	
No de	composition if stored a	nd ap	plied as directed.	
SECTION	14. Toxicological info		lan	
SECTION	11: Toxicological info	rmat	ion	
Inform expos	nation on likely routes o sure	f:	None known.	
	e <b>toxicity</b> assified based on avail	able i	nformation.	
	corrosion/irritation es skin irritation.			
	<b>us eye damage/eye ir</b> i es serious eye damage		on	
Respi	iratory or skin sensiti	satio	n	
	sensitisation ause an allergic skin re	actio	n.	
-	i <b>ratory sensitisation</b> assified based on avail	ablei	nformation.	
	cell mutagenicity assified based on avail	ablei	nformation.	
	nogenicity assified based on avail	able i	nformation.	
-	oductive toxicity assified based on avail	able	nformation.	
STOT	- single exposure			
Maria	auga raaniratan (irritati)			

May cause respiratory irritation.

**STOT - repeated exposure** Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### Sika® MicroCrete-217



Version 3.0	Revision Date: 26.08.2020		SDS Number: 000000610805	Date of last issue: 31.01.2019 Date of first issue: 18.03.2015
SECTION	12: Ecological inform	ation		
	oxicity			
	ita available			
	<b>stence and degradabi</b> Ita available	lity		
	<b>cumulative potential</b> Ita available			
	l <b>ity in soil</b> Ita available			
Other	adverse effects			
<b>Produ</b> Additi mation	onal ecological infor-	: Т	here is no data available fo	or this product.
SECTION	13: Disposal informat	ion		
Dispo	osal methods			
Waste	e from residues	С	o not contaminate ponds, v al or used container. rend to a licensed waste ma	waterways or ditches with chemi- anagement company.
Conta	minated packaging	C	mpty remaining contents. Vispose of as unused produ	

Do not re-use empty containers.

#### **SECTION 14: Transport information**

#### **International Regulations**

**UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

**IMDG-Code** Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Sika® MicroCrete-217



Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2019
3.0	26.08.2020	00000610805	Date of first issue: 18.03.2015

#### **SECTION 15: Regulatory information**

#### Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

#### **SECTION 16: Other information**

Date format	:	dd.mm.yyyy				
Full text of other abbreviations						
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)				
MY PEL	:	Malaysia. Occupational Safety and Health (Use and Stand- ards of Exposure of Chemicals Hazardous to Health) Regula- tions 2000.				
MY PEL	:	Malaysia. Factories and Machinery (Mineral Dust) Regulations - Permissible Exposure Limit				
ACGIH / TWA	:	8-hour, time-weighted average				
MY PEL / TWA	:	Eight-hour time-weighted average airborne concentration				
MY PEL / PEL	:	Permissible exposure limit (PEL)				
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road				
CAS	:	Chemical Abstracts Service				
DNEL	:	Derived no-effect level				
EC50	:	Half maximal effective concentration				
GHS	:	Globally Harmonized System				
ΙΑΤΑ	:	International Air Transport Association				
IMDG	:	International Maritime Code for Dangerous Goods				
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)				
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)				
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978				
OEL	:	Occupational Exposure Limit				
PBT	:	Persistent, bioaccumulative and toxic				
PNEC	:	Predicted no effect concentration				
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament				
		and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency				
SVHC	:	Substances of Very High Concern				
vPvB	:	Very persistent and very bioaccumulative				

# Sika<sup>®</sup> MicroCrete-217



	te of last issue: 31.01.2019 te of first issue: 18.03.2015
--	---

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

MY / EN