Sika MonoTop®-615 SD



SECTION 1: Identification of the hazardous chemical and of the supplier

Product name : Sika MonoTop®-615 SD

Product code : 000000606184

Type of product : solid

Manufacturer or supplier's details

Company : Sika Kimia Sdn. Bhd.

Lot 689 Nilai Industrial Estate

71800 Nilai

 Telephone
 : +60 6799 1762

 Telefax
 : +60 6799 1980

 E-mail address
 : EHS@my.sika.com

Emergency telephone

number

Contact point :

SECTION 2: Hazards identification

Classification of the hazardous chemical

Skin corrosion/irritation : Category 2

Serious eye damage/eye

irritation

: Category 1

Specific target organ toxicity -

single exposure

: Category 3 (Respiratory system)

Label elements

Hazard pictograms :

T.



Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.


P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

Sika MonoTop®-615 SD





Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Quartz (SiO2)	14808-60-7	>= 30 - < 60
Cement (chromium reduced)	65997-15-1	>= 20 - < 30
aluminium oxide	1344-28-1	>= 1 - < 3
calcium dihydroxide	1305-62-0	>= 1 - < 3
calcium sulfate	7778-18-9	>= 1 - < 3

SECTION 4: First aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

irritant effects Cough

delayed

Respiratory disorder

Excessive lachrymation

Dermatitis

See Section 11 for more detailed information on health effects

and symptoms. Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

Notes to physician : Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

2/8

Sika MonoTop®-615 SD

Version 3.0 SDS Number: 000000606184 Revision Date: 03.02.2020

Suitable extinguishing media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Physicochemical hazards arising from the chemical

Hazardous combustion

products

: No hazardous combustion products are known

Special protective equipment and precautions for fire-fighters

Special protective equipment

for firefighters

Specific extinguishing

methods

: In the event of fire, wear self-contained breathing apparatus.

Standard procedure for chemical fires.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Deny access to unprotected persons.

Try to prevent the material from entering drains or water Environmental precautions

courses.

No special environmental precautions required.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Follow standard hygiene measures when handling chemical

products

Storage


Conditions for safe storage, including any incompatibilities

Conditions for safe storage Store in original container.

Keep in a well-ventilated place. Observe label precautions.

Store in accordance with local regulations.

Sika MonoTop®-615 SD





SECTION 8: Exposure controls and personal protection

Control parameters

Calcium dihydroxide Calcium dihydroxide	Components	CAS-No.	Value tree	Control	Poois	
Quartz (SiO2) 14808-60-7 (Respirable fraction) TWA (Respirable fraction) 0.1 mg/m3 (MY PEL PEL (Respirable dust) 0.1 mg/m3 (MY PEL MY PEL PEL (Respirable dust) 0.025 mg/m3 (Silica) ACGIH TWA (Respirable particulate matter) 1 TWA (Respirable particulate matter) (Silica) ACGIH TWA (Respirable particulate matter) 1 TWA (Respirable particulate matter) 0.025 mg/m3 (Silica) ACGIH Cement (chromium reduced) 65997-15-1 TWA (Respirable particulate matter) 10 mg/m3 MY PEL MY PEL Cement (chromium reduced) 65997-15-1 TWA (Respirable particulate matter containing no asbestos and +1% crystalline silica 5 mg/m3 MY PEL PEL (Respirable dust) 10 mg/m3 MY PEL MY PEL TWA (Respirable particulate matter) 1 TWA (Respirable particulate matter) 10 mg/m3 MY PEL Image: Pel (Respirable particulate matter) 1 TWA (Respirable particulate matter) 1 TWA (Respirable particulate matter) Image: Pel (Respirable particulate matter) 1 TWA (Respirable particulate matter) 1 TWA (Respirable particulate matter) Image: Pel (Respirable particulate matter) 1 TWA (Respirable particulate matter) 1 TWA (Respirable particulate matter) Image: Pel (Components	CAS-No.	Value type	Control	Basis	
Quartz (SiO2) 14808-60-7 (Respirable fraction) TWA (Respirable fraction) 0.1 mg/m3 (MY PEL) MY PEL PEL (Respirable dust) 0.1 mg/m3 (Respirable dust) MY PEL TWA (Respirable particulate matter) 0.025 mg/m3 (Silica) ACGIH TWA (Respirable particulate matter) 0.025 mg/m3 (Silica) ACGIH TWA (Respirable particulate matter) 0.025 mg/m3 (Silica) ACGIH Cement (chromium reduced) 65997-15-1 TWA (Respirable particulate matter) 10 mg/m3 MY PEL Cement (chromium reduced) 65997-15-1 TWA (Respirable particulate matter) 10 mg/m3 MY PEL PEL (Total dust) 10 mg/m3 MY PEL PEL (Total dust) 10 mg/m3 MY PEL TWA (Respirable particulate matter) 10 mg/m3 MY PEL aluminium oxide 1344-28-1 TWA (particulate matter) 10 mg/m3 MY PEL aluminium oxide 1344-28-1 TWA (particulate matter) 10 mg/m3 MY PEL calcium dihydroxide 1305-62-0 TWA 5 mg/m3 ACGIH TWA (Respirable particulate matter) 5 mg/m3 ACGIH TWA (Silica) 5 mg/m3 ACGIH			,			
Quartz (SiO2)			exposure)			
Respirable fraction PEL (Respirable dust)	Quartz (SiQ2)	14808-60-7	TWA		MY PFI	
Fraction PEL (Respirable dust) 0.1 mg/m3 MY PEL	Qualitz (0102)	14000 00 7	1	0.1 mg/mo		
PEL			'			
Respirable dust)				0.1 mg/m3	MY PEL	
dust) TWA 0.025 mg/m3 ACGIH			(Respirable	J. J.		
Respirable particulate matter)						
Particulate matter TWA			TWA	0.025 mg/m3	ACGIH	
TWA (Respirable particulate matter)						
TWA (Respirable particulate matter)						
Respirable particulate matter Silica Sili						
Description Particulate matter Particulate matter					ACGIH	
TWA (Respirable particulate matter)				(Silica)		
TWA (Respirable particulate matter)						
Cement (chromium reduced) 65997-15-1 TWA (Respirable particulate matter) 10 mg/m3 ACGIH Cement (chromium reduced) 65997-15-1 TWA 10 mg/m3 MY PEL Eurther information: The value is for particulate matter containing no asbestos and <1% crystalline silica				0.025 mg/m2	ACCILI	
particulate matter				0.025 1119/1115	ACGIT	
Matter TWA						
TWA (Respirable particulate matter)			· •			
Cement (chromium reduced) 65997-15-1 TWA 10 mg/m3 MY PEL				0.025 mg/m3	ACGIH	
Cement (chromium reduced) 65997-15-1 matter) TWA 10 mg/m3 MY PEL Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica					7.00	
Cement (chromium reduced) 65997-15-1 TWA 10 mg/m3 MY PEL Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica				,		
Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica PEL (Respirable dust) PEL (Total dust) PEL (Total dust) TWA (Respirable particulate matter) Aluminium oxide 1344-28-1 TWA (particulate) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) TWA (S mg/m3 MY PEL TWA) TWA 5 mg/m3 ACGIH			matter)			
no asbestos and <1% crystalline silica PEL (Respirable dust) PEL (Total dust) PEL (Total dust) TWA (Respirable particulate matter) Puther information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) TWA (Respirable particulate matter) TWA (Respirable particulate matter) TWA (Respirable particulate matter) TWA (Sespirable particulate matter) ACGIH	Cement (chromium reduced)					
PEL (Respirable dust) PEL (Total dust) TWA (Respirable particulate matter) Aluminium oxide 1344-28-1 TWA (particulate) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) TWA (particulate) TWA (particulate) TWA (Respirable particulate matter) TWA (Respirable particulate matter) TWA (Respirable particulate matter) TWA (Aluminium) Calcium dihydroxide 1305-62-0 TWA 5 mg/m3 MY PEL TWA 5 mg/m3 ACGIH						
(Respirable dust) PEL (Total dust) TWA (Respirable particulate matter) Aluminium oxide 1344-28-1 Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) Calcium dihydroxide 1305-62-0 TWA 5 mg/m3 MY PEL TWA 5 mg/m3 ACGIH		no asbestos a				
Description				5 mg/m3	MY PEL	
PEL (Total dust) TWA (Respirable particulate matter) aluminium oxide 1344-28-1 Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) TWA (Respirable particulate matter) TWA (Respirable particulate matter) Calcium dihydroxide 1305-62-0 TWA 5 mg/m3 MY PEL ACGIH						
dust) TWA				40/ 0	MV/ DEL	
TWA (Respirable particulate matter) aluminium oxide 1344-28-1 Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) TWA (Respirable particulate matter) Calcium dihydroxide 1305-62-0 TWA 5 mg/m3 ACGIH ACGIH TWA 5 mg/m3 ACGIH			,	10 mg/m3	MYPEL	
Calcium dihydroxide Calcium dihydroxide				1 mg/m ²	\ \CGIH	
aluminium oxide 1344-28-1 TWA (particulate) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) Calcium dihydroxide 1305-62-0 TWA 5 mg/m3 ACGIH MY PEL TWA 5 mg/m3 ACGIH				1 1119/1113	ACGIIT	
aluminium oxide 1344-28-1 TWA (particulate) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) Calcium dihydroxide 1305-62-0 TWA 5 mg/m3 ACGIH						
aluminium oxide 1344-28-1 TWA (particulate) Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) Calcium dihydroxide 1305-62-0 TWA 5 mg/m3 ACGIH MY PEL ACGIH TWA 5 mg/m3 ACGIH						
Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA (Respirable particulate matter) Calcium dihydroxide (particulate) TWA (Respirable particulate matter) TWA 5 mg/m3 MY PEL TWA 5 mg/m3 ACGIH	aluminium oxide	1344-28-1		10 mg/m3	MY PEL	
Further information: The value is for particulate matter containing no asbestos and <1% crystalline silica TWA						
no asbestos and <1% crystalline silica TWA						
(Respirable particulate matter) (Aluminium) (Aluminium) (Aluminium) (Aluminium) TWA 5 mg/m3 MY PEL TWA 5 mg/m3 ACGIH						
particulate matter) particulate matter) calcium dihydroxide 1305-62-0 TWA 5 mg/m3 MY PEL TWA 5 mg/m3 ACGIH					ACGIH	
calcium dihydroxide 1305-62-0 TWA 5 mg/m3 MY PEL TWA 5 mg/m3 ACGIH				(Aluminium)		
calcium dihydroxide 1305-62-0 TWA 5 mg/m3 MY PEL TWA 5 mg/m3 ACGIH			•			
TWA 5 mg/m3 ACGIH		1007.00.5			10/55	
	calcium dihydroxide	1305-62-0				
		7770 10 0				
calcium sulfate 7778-18-9 TWA 10 mg/m3 MY PEL (particulate)	calcium sulfate		(particulate)			
Further information: The value is for particulate matter containing		Further inform	ation: The value	is for particulate ma	tter containing	

Sika MonoTop®-615 SD



Version 3.0 SDS Number: 000000606184 Revision Date: 03.02.2020

no asb	no asbestos and <1% crystalline silica			
	TWA	10 mg/m3	ACGIH	
	(Inhalable	(Calcium)		
	particulate			
	matter)			

Individual protection measures, such as personal protective equipment

Eye/face protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling

chemical products if a risk assessment indicates this is

necessary.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

The filter class for the respirator must be suitable for the

maximum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Appearance : solid Colour : grey

Odour : characteristic
Odour Threshold : No data available

pH : Not applicable Melting point/range / Freezing : No data available

point

Boiling point/boiling range : No data available

Flash point : Not applicable Evaporation rate : No data available

Flammability : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1 g/cm3 (20 °C (68 °F) ())

Sika MonoTop®-615 SD

Version 3.0 SDS Number: 000000606184 Revision Date: 03.02.2020

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.
Possibility of hazardous : No hazards to be specially mentioned.

reactions

Conditions to avoid : No data available Incompatible materials : No data available No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Information on likely routes of : None known.

exposure

Acute toxicity

Not classified based on available information.

Components:

calcium sulfate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Sika MonoTop®-615 SD

Version 3.0 SDS Number: 000000606184 Revision Date: 03.02.2020

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

information

: There is no data available for this product.

SECTION 13: Disposal information

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

International Regulations


UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

Sika MonoTop®-615 SD



IMDG-Code

Version 3.0

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

SECTION 16: Other information

Date format : dd.mm.yyyy

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!