



MODEL [ØD-T] Tube (Metric) – Thread (R)

MODEL	ØD	R	ØP	A	B	C	E	F	G	H	X	Y	Orifice (mm)	W.G(g)	Qty/Inbox
GPT 03M3	3	M3	9	3	16.6	14.5	17.1	5.4	34.2	9	8.6	10.8	1.2	6.2	100
GPT 03M5	3	M5	9	4	16.6	14.5	17.1	4.4	34.2	9	8.6	10.8	2	6.4	100
GPT 03M6	3	M6	9	5	17.6	14.5	17.1	4.4	34.2	9	8.6	10.8	3	6.8	100
GPT 04M3	4	M3	9	3	16.6	14.5	17.1	5.4	34.2	9	8.6	10.8	1.2	6.0	100
GPT 04M5	4	M5	9	4	16.6	14.5	17.1	4.4	34.2	9	8.6	10.8	2	6.2	100
GPT 04M6	4	M6	9	5	17.6	14.5	17.1	4.4	34.2	9	8.6	10.8	3	6.7	100
GPT 0401	4	R1/8	9	8	19.8	14.5	17.1	5	34.2	10	8.6	10.8	3.2	9.5	100
GPT 0402	4	R1/4	9	11	22.8	14.5	17.1	5	34.2	14	8.6	10.8	3.2	18.7	50
GPT 0403	4	R3/8	9	12	23.8	14.5	17.1	5	34.2	17	8.6	10.8	3.2	28.0	50
GPT 06M5	6	M5	11.2	4	17.7	15.5	18	4.4	35.9	9	11	13	2	7.7	50
GPT 06M6	6	M6	11.2	5	18.7	15.5	18	4.4	35.9	9	11	13	3	8.2	50
GPT 0601	6	R1/8	11.2	8	20.9	15.5	18	5	35.9	10	11	13	4	11.0	50
GPT 0602	6	R1/4	11.2	11	23.9	15.5	18	5	35.9	14	11	13	4	20.2	50
GPT 0603	6	R3/8	11.2	12	24.9	15.5	18	5	35.9	17	11	13	4	29.5	50
GPT 0604	6	R1/2	11.2	15	28.9	15.5	18	6	35.9	21	11	13	4	51.9	25
GPT 0801	8	R1/8	13.6	8	23.5	17.8	23.6	5	47.2	10	13	15	5.5	14.9	50
GPT 0802	8	R1/4	13.6	11	26	17.8	23.6	4.5	47.2	14	13	15	5.5	23.6	50
GPT 0803	8	R3/8	13.6	12	27	17.8	23.6	4.5	47.2	17	13	15	5.5	32.9	50
GPT 0804	8	R1/2	13.6	15	31	17.8	23.6	5.5	47.2	21	13	15	5.5	55.2	25
GPT 1001	10	R1/8	16.3	8	25.8	19.4	25	6.5	50	17	16	18.5	6	26.3	25
GPT 1002	10	R1/4	16.3	11	28.8	19.4	25	6.5	50	17	16	18.5	8	31.0	25
GPT 1003	10	R3/8	16.3	12	28.3	19.4	25	5	50	17	16	18.5	9	33.0	25
GPT 1004	10	R1/2	16.3	15	31.3	19.4	25	5	50	21	16	18.5	9	52.7	25
GPT 1201	12	R1/8	19.7	8	27.5	22.4	32.2	6.5	64.4	17	19.5	22.5	6	37.0	20
GPT 1202	12	R1/4	19.7	11	30.5	22.4	32.2	6.5	64.4	17	19.5	22.5	8	41.7	20
GPT 1203	12	R3/8	19.7	12	30	22.4	32.2	5	64.4	17	19.5	22.5	9.5	43.7	20
GPT 1204	12	R1/2	19.7	15	33	22.4	32.2	5	64.4	21	19.5	22.5	9.5	63.4	20
GPT 1403	14	R3/8	23.5	12	37.45	24.4	31.9	10.5	63.8	20	23	25	11	69.1	12
GPT 1404	14	R1/2	23.5	15	39.95	24.4	31.9	10	63.8	21	23	25	12	83.4	12
GPT 1603	16	R3/8	25.6	12	38.5	25	34	10.5	68	20	24	27	11	69.8	12
GPT 1604	16	R1/2	25.6	15	41	25	34	10	68	21	24	27	13	84.1	12

*Rotating body construction after a proper installation.