


# GPH(D2)

Double Universal Elbow



MODEL [ØD-T] Tube (Metric) – Thread (R)

| MODEL       | ØD | R    | ØP   | A   | B    | C    | E    | F    | G   | H  | I    | J    | ØK   | X    | Y    | Orifice (Ømm) | W.G(g) | Qty/Inbox |
|-------------|----|------|------|-----|------|------|------|------|-----|----|------|------|------|------|------|---------------|--------|-----------|
| GPH 03M5(2) | 3  | M5   | 9    | 3.5 | 29.6 | 14.5 | 19.5 | 6.6  | 2.5 | 8  | 23.6 | 11.8 | 10   | 8.6  | 10.8 | 2             | 10.2   | 25        |
| GPH 04M5(2) | 4  | M5   | 9    | 3.5 | 29.6 | 14.5 | 19.5 | 6.6  | 2.5 | 8  | 23.6 | 11.8 | 10   | 8.6  | 10.8 | 2             | 10.2   | 25        |
| GPH 0401(2) | 4  | R1/8 | 9    | 8   | 41   | 14.5 | 21.5 | 7.3  | 2.5 | 13 | 29   | 14.5 | 14   | 8.6  | 10.8 | 3.2           | 24.7   | 25        |
| GPH 0402(2) | 4  | R1/4 | 9    | 11  | 52   | 14.5 | 24   | 9    | 3   | 17 | 36   | 18   | 19   | 8.6  | 10.8 | 3.2           | 46.9   | 25        |
| GPH 0403(2) | 4  | R3/8 | 9    | 12  | 60.8 | 14.5 | 25.7 | 10.5 | 4   | 21 | 42   | 21   | 22.4 | 8.6  | 10.8 | 3.2           | 75.2   | 25        |
| GPH 06M5(2) | 6  | M5   | 11.2 | 3.5 | 29.6 | 15.5 | 20.5 | 7.1  | 2.5 | 8  | 23.6 | 11.8 | 10   | 11   | 13   | 2             | 11.6   | 25        |
| GPH 0601(2) | 6  | R1/8 | 11.2 | 8   | 41   | 15.5 | 22.5 | 7.3  | 2.5 | 13 | 29   | 14.5 | 14   | 11   | 13   | 5             | 26.2   | 25        |
| GPH 0602(2) | 6  | R1/4 | 11.2 | 11  | 52   | 15.5 | 25   | 9    | 3   | 17 | 36   | 18   | 19   | 11   | 13   | 5             | 48.5   | 25        |
| GPH 0603(2) | 6  | R3/8 | 11.2 | 12  | 60.8 | 15.5 | 26.7 | 10.5 | 4   | 21 | 42   | 21   | 22.4 | 11   | 13   | 5             | 76.8   | 25        |
| GPH 0801(2) | 8  | R1/8 | 13.6 | 8   | 41   | 17.8 | 25.6 | 8    | 2.5 | 13 | 29   | 14.5 | 14   | 13   | 15   | 6             | 28.8   | 25        |
| GPH 0802(2) | 8  | R1/4 | 13.6 | 11  | 52   | 17.8 | 28.1 | 9    | 3   | 17 | 36   | 18   | 19   | 13   | 15   | 7             | 51.1   | 25        |
| GPH 0803(2) | 8  | R3/8 | 13.6 | 12  | 60.8 | 17.8 | 29.8 | 10.5 | 4   | 21 | 42   | 21   | 22.4 | 13   | 15   | 7             | 77.6   | 25        |
| GPH 0804(2) | 8  | R1/2 | 13.6 | 15  | 66.8 | 17.8 | 32.1 | 11   | 5   | 24 | 44   | 22   | 27   | 13   | 15   | 7             | 125.2  | 25        |
| GPH 1002(2) | 10 | R1/4 | 16.3 | 11  | 52   | 19.4 | 28.9 | 9.7  | 3   | 17 | 36   | 18   | 19   | 16   | 18.5 | 8             | 57.4   | 25        |
| GPH 1003(2) | 10 | R3/8 | 16.3 | 12  | 60.8 | 19.4 | 30.6 | 10.5 | 4   | 21 | 42   | 21   | 22.4 | 16   | 18.5 | 9             | 82.0   | 20        |
| GPH 1004(2) | 10 | R1/2 | 16.3 | 15  | 66.8 | 19.4 | 32.9 | 11   | 5   | 24 | 44   | 22   | 27   | 16   | 18.5 | 9             | 127.6  | 20        |
| GPH 1203(2) | 12 | R3/8 | 19.7 | 12  | 60.8 | 22.4 | 35.9 | 11.9 | 4   | 21 | 42   | 21   | 22.4 | 19.5 | 22.5 | 9.2           | 90.5   | 9         |
| GPH 1204(2) | 12 | R1/2 | 19.7 | 15  | 66.8 | 22.4 | 38.2 | 11.9 | 5   | 24 | 44   | 22   | 27   | 19.5 | 22.5 | 9.5           | 136.1  | 9         |

\*Rotating body construction after a proper installation.