

**Stain<sup>®</sup>**







► CRAFTSMANSHIP

**SPRAY GUN**

## SERIES HIGHLIGHTS







- ☆ Compact and lightweight ; Less operator fatigue
- ☆ Convex, dust-free air cap design ; Eliminate paint build-up and reduce maintenance time
- ☆ Optimal fan pattern for overlapping efficiency ; Great savings on air consumption and paint material used
- ☆ 100% hand-tested and calibrated performance
- ☆ Compatible with all solvent and water-based

## COLOR AIR CAPS AND USAGES

	<ul style="list-style-type: none"> <li>• High-class furniture and automotive</li> <li>• Best with base / top coat, filler and primer</li> </ul>		<ul style="list-style-type: none"> <li>• H.V.L.P (environmental-friendly)</li> <li>• Low operating pressure at 29 psi (2 bar)</li> <li>• 65% transfer efficiency, reducing overspray in work area</li> <li>• Achieves optimal performance with air manometer</li> </ul>
	<ul style="list-style-type: none"> <li>• Professional automotive</li> <li>• Best with clear coat, high-solids and heavier paint materials including metallic and pearl enamel</li> </ul>		<ul style="list-style-type: none"> <li>• Pressure feed</li> <li>• Ideal for large spraying area &amp; mass production lines</li> </ul>

### S-106 & SV-106 (Central Gravity, Full Size) 0.6L Cup

- ☆ Uni-cast gun body and head construction
  - No extra cost of baffle / packing replacement parts
  - Less leakage problem
- ☆ Fast application speed, superior atomization and finishing result







	 (Ømm)	 (PSI)	 (l/min)	 (ml/min)	 (mm)	 (kw)
S-106-141G	1.4	35 (2.5 BAR)	270 (9.5 CFM)	260~385	255 280	2.2~3.7 (3~5 HP)
S-106-201G	2.0					
SV-106-153G	1.5	29 (2.0 BAR)	370~510 (13.0~18.0 CFM)	200~300	240~280	



S-106-141G

### S-710 (Suction, Compact Size) 0.7L Cup

- ☆ Most popular model in Asia, and among people with smaller hands
- ☆ Ergonomical design, easier to operate
- ☆ Fast application speed, superior atomization and finishing result







	 (Ømm)	 (PSI)	 (l/min)	 (ml/min)	 (mm)	 (kw)
S-710-31S	1.5	35 (2.5 BAR)	225~285 (8.0~10.0 CFM)	190~245	250	2.2~3.7 (2~5 HP)



S-710-31S

### New Compact Century (Suction, Full Size) 1.0L Cup

- ☆ Ideal for automotive refinishing services
- ☆ Designed for the professionals
- ☆ High efficiency air cap

	 (Ømm)	 (PSI)	 (l/min)	 (ml/min)	 (mm)	 (kw)
S-2C-142S	1.4	35 (2.5 BAR)	285~455 (10.0~16.0 CFM)	230~390	250~310	2.2~3.7 (2~5 HP)



S-2C-142S



0.6L PL  
(STD)









0.7L AL



1.0L AL

## S-770 & SV-770 (Suction / Pressure, Full Size) 1.0L Cup

- ☆ Most popular model
- ☆ Fast application speed, superior atomization and finishing result

	 (Ømm)	 (PSI)	 (l/min)	 (m <sup>3</sup> /min)	 (mm)	 (kw)
S-770-112S	1.5	29~35 (2.0~2.5 BAR)	310 (11.0 CFM)	260~335	260	2.2~3.7 (3~5 HP)
S-770-31S	2.0	35 (2.5 BAR)	270 (9.5 CFM)	260~335	265	
S-770-41S	2.5					
SV770-113S	1.5	29 (2.0 BAR)	280 (10.0 CFM)	200	235	
S-770-00P	1.2	35 (2.5 BAR)	350 (12.5 CFM)	480 560	250 400	
S-770-01P	1.5					



S-770-31S



S-770-01P

## Pressure Pots & Tanks (For S770 Pressure Gun) 2L Tank

- ☆ Lightweight aluminum body with anodization
- ☆ Great versatility & mobility (comes with a hook)
- ☆ PU packing compatible with solvent
- ☆ Wide-mouth opening for easier cleaning
- ☆ Detachable lock ring, free from tangled hoses



2QT-S

## Pressure Pots & Tanks (For S770 Pressure Gun) 10L Tank






- ☆ One-piece body construction (Regular/Stainless Steel) and parts
- ☆ "Butterfly" locking nuts for maximum safety and durability
- ☆ Air distribution valve under lid to prevent paint splash
- ☆ Optional manual or Air-assisted motor agitator/ mixer
- ☆ Optional Aluminum or Stainless Steel interior container for easier maintenance



ST-10 HT

## For High Viscosity & Adhesives (Suction) 1.0L Pressurised Cup







- ☆ For use with 1 $\ell$  pressurized container
- ☆ VR models include a check valve to prevent depressurization after trigger-release; allowing continuous work & stability
- ☆ VR models provide separation of inlet pressure and cup pressure adjustment; allowing best combination of atomization & fluid output flow
- ☆ Ideally suited for tough-to-spray materials including high viscosity, glue, corrosive/ water-based adhesives, etc.

	 (Ømm)	 (PSI)	 (l/min)	 (mm)	 (kw)
S770V-03P	2.0	35~40	270 (9.5 CFM)	300~400	1.5~2.2



S-770V-03P

- ☆ Comes in adjustable handle
- ☆ Compatible with inks, water-color, oil-color, gouaches, enamels, thinly reduced acrylics, hobby lacquers, etc.







	 (∅mm)	 (PSI)	 (l/min)	 (m <sup>3</sup> /min)	 (mm)	 (kw)
SAP-CR02	0.2	14~43	0.3~0.5 CFM	12	22	0.2~0.4
SAP-CR03	0.3			12	22	



SAP-CR03

## Touch-Up Spray Guns (Professional Type) 0.25L Cup

- ☆ Mini S-106 type spray gun (Central-Gravity)
- ☆ Easy to handle ; perfect for detailed and finer painting jobs

	 (∅mm)	 (PSI)	 (l/min)	 (m <sup>3</sup> /min)	 (mm)	 (kw)
S106T-05G	0.5	35~50	130~150 (4.5~5.5 CFM)	125	95	0.75



S-106T-05G

## Automatic Spray Guns



# Star

**RICH STAR PRECISION INDUSTRIAL CO., LTD.**  
www.starair.com.tw

**Distributed by:**