



<b>PRODUCT SPECIFICATION</b>	Page :1
	Revised edition no : 05
<b>P-720 BRAKE &amp; CLUTCH FLUID DOT 4</b>	Effective Date: 21.5.2020

### **Description**

Brake Fluid Dot.4 is a high boiling point for Disc, Drum Brake system clutch system and others Hydraulic system. It is equivalence with US safety standard suitable for all hydraulic brake systems with the exception of those run on mineral oil brake fluid.

### **SPECIFICATION**

Safety standard	:	Equivalence meet international standard of FMVSS 116 & SAE J1703, Dot 4.
Boiling	:	> 250°C (482°F)
Vapor Pressure (mm gh)	:	N/A
PH Value	:	pH 10.0-10.5 @ 24-26.5°C
Appearance	:	Colourless or Red
Specific Gravity (H2O=1)	:	1.11-1.12 @ 28.9°C
Percent Volatile by Weight	:	N/A
Evaporation Rate (Water = 1)	:	N/A
kinematic viscosity at 27-30°C	:	31.5-40.5mm <sup>2</sup> /s

### **DIRECTION FOR USE**

Adding Brake Fluid must follow vehicle manufacturer's recommendations.

### **PRECAUTION & STORAGE**

Store Brake Fluid in original container & keep container tightly closed, clean & dry. Do not refill container and do not use for other liquid.

Keep away from children.

### **Note**

All recommendations for use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge at the time such recommendations are made. As additional information is learned, these recommendations may be updated. They may also be impacted by circumstances outside our control. Notwithstanding any such recommendations, the user shall remain responsible for satisfying himself that the product as supplied by us are suitable or his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot responsibility therefore. The user shall ensure that the intended use of the products will not infringe any third party's intellectual property rights.

---

#### **TLC-KOYA CHEMICALS MANUFACTURING SDN BHD**

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: [www.koyachemicals.com](http://www.koyachemicals.com) EMAIL: [admin@koyachemicals.com](mailto:admin@koyachemicals.com)