



PRODUCT SPECIFICATION	Page :1
	Revised edition no : 02
P-624 RIGWASH	Effective Date: 5.1.2023

Description:

P-624 Rigwash is a cost effective degreaser and emulsifier that totally dissolves grease and synthetic oil deposits, penetrates into hardened soils with amazing ease of application.

P-624 which is water soluble and alkaline, it is specially formulated for the oil and offshore industries, to clean dirtiest platforms, docks, floor and walks, on offshore and offshore oil rigs.

Features

- * Safe to use - Non-flammable, non-corrosive.
- * Versatile - May be used on metal surfaces, plastic rubber or any hard surfaces unaffected by water.
- * Biodegradable - Safe to the environment.
- * Economical - Concentrated and coat effective.

Recommended Use

Formulated for use on oil rigs for washing, deck cleaning and general degreasing purpose.

Directions For Use

P-624 Rigwash may be diluted up to 25 parts of water. The concentration may be increased, depending on the severity of the cleaning job and the water hardness, for heavily soiled area, 1 part of **P-624** to 5 parts of water is recommended. The solutions apply directly to greasy or oily surfaces. Allow a few minutes resident time, mop or scrub surface. Flush off with water.

Physical Properties

Appearance	:	Clear Solution
Colour	:	Slightly yellow
PH Value	:	14
Flash Point	:	None
Specific Gravity	:	1.15 +/- 0.5
Solubility	:	Completely

Chemical Properties

P-624 Rigwash contains highly emulsified synergistic blend of wetting, penetrating, dispersing and emulsifying agents in an alkaline solution.

Storage

Store the chemical below 35 degree Celsius and keep away from direct-violet sunlight.

Precaution

1. Not to be consumed.
2. Keep container closed when not in use.
3. Keep out of reach of children.

Packing

20 Litres, 200 Litres.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



PRODUCT SPECIFICATION	Page :2
	Revised edition no : 02
P-624 RIGWASH	Effective Date: 5.1.2023

Note

All recommendations for use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge at the time such recommendations are made. As additional information is learned, these recommendations may be updated. They may also be impacted by circumstances outside our control. Notwithstanding any such recommendations, the user shall remain responsible for satisfying himself that the product as supplied by us are suitable or his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot responsibility therefore. The user shall ensure that the intended use of the products will not infringe any third party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com