

PRODUCT SPECIFICATION

Page:1

Revised edition no: 02

Effective Date: 14-12-2015

P-622 NORMAL THINNER

Description:

P-622 Normal Thinner is a general purpose thinner for thinner low grade NC lacquer, synthetic enamel paint and use for wash painting tool etc.

Specification

Appearance : Clear liquid
Colour : Less than 5
Flash Point : 24 - 26°C
Boiling Point : 110°C

Cu Corrosion Test : No Discoloration

Physical Hazard : Highly flammable liquid, it is immiscible with and lighter than water.

(UN No.1263 Class 3)

Chemical Properties

Contains : Methyl Benzene

Metal Alcohol Ethyl Ethanoate Buthyl Ethanoate

: Ethylene Glycol Monobuthyl Ether

Precaution

Keep away from fire, spark and food. Avoid direct contact with skin, if accidentally contact with eyes, flush with plenty to clean water, seek medical if necessary.

By pumping may result in the generation of electrostatic charges.

Note

All recommendations for use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge at the time such recommendations are made. As additional information is learned, these recommendations may be updated. They may also be impacted by circumstances outside our control. Notwithstanding any such recommendations, the user shall remain responsible for satisfying himself that the product as supplied by us are suitable or his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot responsibility therefore. The user shall ensure that the intended use of the products will not infringe any third party's intellectual property rights.

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799