

Page :1

Revised edition no: 04

# P-622 NORMAL THINNER

Effective Date: 26/6/2024

## Identification of the Product and the company

Chemical Name : NORMAL THINNER

Type of product chemical family : N/A

recommend use : general purpose thinner for thinner low grade NC lacquer, synthetic enamel

paint and use for wash painting tool etc.

Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800. Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799

Emergency phone no. : See producer UN NUMBER : UN 1263 / IMO 3

#### 2 Hazard Identification







### SIGNAL WORD: DANGER/BAHAYA

Flammable liquids Category 3 Acute toxicity-oral Category 4 Acute toxicity -dermal Category 4 Acute toxicity-inhalation Category 4 Skin irritation Category 2 Reproductive toxicity Category 2 Specific Target organ Toxicity - single exposure Category 1 Specific Target organ Toxicity - single exposure (Narcotic effects) Category 3 Specific Target organ Toxicity - repeated exposure Category 2

May cause damage to organs through prolonged or repeated exposure.

## HAZARD STATEMENT

H373

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful if in contact with skin
H332	Harmful if inhaled
H315	Causes skin irritation
H336	May cause drowsiness and dizziness (narcotic effects)
H361	Suspected of damaging fertility or the unborn child.
H370	Causes damage to organs

### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page :2

Revised edition no: 04

# P-622 NORMAL THINNER

Effective Date: 26/6/2024

## Precautionary statement prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust / fume / gas / mist / vapours / spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P271 Use only outdoors or in a wellventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

#### Precautionary statement response

P314 Get medical advice / attention if you feel unwell.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment reference to supplemental first aid instruction.
P322 Specific measures reference to supplemental first aid instruction.

P330 Rinse mouth.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P303 + P361 + P353 IF ON SKIN (or hair):Remove/take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

P307 + P311 IF exposed: Call a POISON CENTER or doctor / physician.
P308 + P313 IF exposed or concerned : Get medical advice / attention.
PP332 + P313 If skin irritation occurs: Get medical advice/attention.

P370 + P378 In case of fire: Use Foam and dry chemical powder, carbon dioxide extinguisher for

extinction.

### Precautionary statement storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up

## Precautionary statement disposal

P501 Dispose of contents/container in accordance with local/regional/national/international

regulation.

### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page :3

Revised edition no: 04

Effective Date: 26/6/2024

## P-622 NORMAL THINNER

3 Composition / Information on Ingredients

Hazardous ingredients : Methyl Benzene >60%

ACGIH TLV : TWA

ACGIH STEL : 150ppm

Metyl Alcohol 10 to <30%

ACGIH TLV: 100ppm

Butan-2-one 1 to <3% 2-Butoxyethanol 1 to <3%

4 First Aid Measures

Eye Contact : Flush with cool running water, lifting the upper and lower eyelids occasionally

until discomfort is relieved.

Skin Contact : Not expected to present a significant skin hazard under anticipated condition

of normal use.

Ingestion : Not expected to present a significant ingestion hazard under anticipated

conditions of normal use.

Inhalation : Treatment base on judgment of physician in response to reaction of patient.

5 Fire-Fighting Measures

Flash Point (Tag Closed Tester) : Below 30°C

Extinguishing Media : Foam and dry chemical powder, carbon dioxide, sand or earth may be used

for small fire only.

Special Fire Fighting Produres

: Self-contained breathing apparatus are recommended for fire fighters.

Unusual Fire and Explosion Hazards

: None.

6 Accidental Release Measures

Presonal protection : Wear PVC-gloves and goggles to contain spillage.

Avoid repeated skin contact.

Environment precautions : Prevent the product contaminating soil and groundwater. Prevent the product

entering sewers and waterways.

Cfr. Section 12.

Cleaning / recovery : Large spillages : contain and pump into containers.

Small spillages: absorb on sand. Earth...and collect into containers for disposal. Disposal should always comply with local, national or EEC

regulations. Cfr. Section 13.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page:4

Revised edition no: 04

# P-622 NORMAL THINNER

Effective Date: 26/6/2024

### 7 Handling and Storage

Handling : Good industrial and personal hygiene practice should be followed. No

eating and drinking in the workplace. Ensure adequate ventilation.

Storage : Storage temperature : between +5 and +40°C.

Protect from frost and direct sunlight.

Drums and bottles: material is plastic or steel.

Bulk tanks: stainless steel, plastic coated materials... Clean bulk tanks

periodically to prevent accumulation of bacteria.

Specific use : Use the best available methods of handling our Products whereby the

employees enjoy maximum safety and whereby the environment is

minimally affected.

### 8 Exposure Controls / Personal Protection

Exposure limit values : No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

User should determine the conditions for safe use of the product. Cfr.

Section 7 "Handling and Storage".

**Exposure Controls:** 

- Occupational exposure controls : Respiratory protection : not applicable

Hand protection : waterproof PVC-gloves (CE) Eye protection : goggles or safety glasses (CE)

Skin protection: N/A

Avoid repeated skin contact.

- Environmental exposure controls : The product must not be discharge directly into drains or waterways without

treatment.

## 9 Physical and Chemical Properties

Flash Point (°C) : Bellow 30°C Cu Corrosion : No Discoloration

Appearance and odor : Clear liquid and chemical odor.

Solubility in water : Immiscible with and lighter than water.

Specific Gravity (H20=1) : 0.8 - 0.85

## 10 Stability and Reactivity

Conditions to avoid : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".

Bacterial degradation can occur if the Product is stored for an unusually

long period or is stored under unsuitable conditions. Keep away from spark, do not empty into drain.

Incompatibility (materials to avoid) : None known.

Hazardous Polymerization : Nil Materials to avoid : N/D Hazardous decomposition products : N/D

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page : 5

Revised edition no: 04

## P-622 NORMAL THINNER

Effective Date: 26/6/2024

### 11 Toxicological Information

On product : Low toxicity is indicated by available data.

Under normal industrial conditions, there is no indication that the Product

can be considered as a health risk.

Skin contact should be avoided to prevent possible long-term or short-term

sensitation.

## 12 Ecological Information

Ecotoxicity : The Product is soluble with water and as such could cover considerable

distances if spilled into waterways. Even a small spillage will whiten the

appearance of water. Water for sewage treatment, that has been

comtaminated.

with small quantities of the Product, will not affect the biomass. High

concentrations may be harmful to fish and micro organisms.

Mobility : Not established.

Persistence and degradability : There is only a slow environmental degradation of the Product.

Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

Other adverse effects : Unknown.

### 13 Disposal Considerations

- The following advice only applies to the product as supplied.

- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between livings things, plants and their environment.

### 14 Transport Information

IMO PROPER SHIPPING NAME : NORMAL THINNER

IMO U.N. CLASS : 3

IMO U.N. NUMBER : UN 1263

IMO LABEL : Flammable Liquid



### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 6

Revised edition no: 04

# P-622 NORMAL THINNER

Effective Date: 26/6/2024

### 15 Regulatory Information

Classification and labeling : Classification / symbol - R11, R20, R21, R22.

Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of

Hazardous Chemicals) Regulations 1997.

Safety advice : (May contain information in excess of requirements under applicable laws.

#### Precautionary statement prevention

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment. P240 Use explosion-proof electrical/ventilating/lighting/.../equipment. P241 P242 Use only non-sparking tools. Take precautionary measures against static discharge. P243 P260 Do not breathe dust / fume / gas / mist / vapours / spray. Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P264 Wash thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. Use only outdoors or in a wellventilated area. P271

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P281 Use personal protective equipment as required.

### Precautionary statement response

F 3 14	Get medical advice / attention if you reel driwell.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P321	Specific treatment reference to supplemental first aid instruction.
P322	Specific measures reference to supplemental first aid instruction.
P330	Rinse mouth.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353	IF ON SKIN (or hair):Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307 + P311	IF exposed: Call a POISON CENTER or doctor / physician.
P308 + P313	IF exposed or concerned : Get medical advice / attention.
PP332 + P313	If skin irritation occurs: Get medical advice/attention.
P370 + P378	In case of fire: Use Foam and dry chemical powder, carbon dioxide extinguisher for extinction.

Get medical advice / attention if you feel unwell

## Precautionary statement storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 7

Revised edition no: 04

## P-622 NORMAL THINNER

Effective Date: 26/6/2024

### Precautionary statement disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulation.

16 Other information

Further information : None
Print date : 26/6/2024

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799