

Page :1

Revised edition no: 02

P-606A CHASSIS GREASE

Effective Date: 19.6.2020

1 Identification of the Product and the company

Chemical Name : Chassis Grease

Type of product chemical family : N/A
Use : lubrication

Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799

Emergency phone nr : See producer

2 Hazard Identification

HAZARD PICTOGRAM



SIGNAL WORD: WARNING

CLASSIFICATION

Skin irritation category 2

Hazard Statement

H315 Causes skin irritation Precautionary statement-Prevention

P264 Wash thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statement-response

P302 + P352 IF ON SKIN: wash with plenty of soap and water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

3 Composition / Information on Ingredients

Hazardous ingredients : N/A
Active Ingredients : N/A

4 First Aid Measures

Inhalation : Treatment base on judgement of physician in response to reaction of

patient.

Skin Contact : Not expected to present a significant skin hazard under anticipated

condition of normal use.

Eye Contact : Flush with cool running water, lifting the upper and lower eyelids

occasionally until discomfort is relieved.

Ingestion : Not expected to present a significant ingestion hazard under anticipated

conditions of normal use.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 2

Revised edition no: 02

P-606A CHASSIS GREASE

Effective Date: 19.6.2020

5 Fire-Fighting Measures

Fire Hazard

Extinguishing media

- These products will not burn or support combustion.

- Water, powder, CO2, sand...all extinguishing media are suitable. Protective clothing and seld-contained breathing equipment should be

available for firemen.

- To prevent environmental damage, if possible collect water used to

extinguish the fire in containers.

6 Accidental Release measures

Personal protection

- Wear PVC-gloves and goggles to contain spillage.

Avoid repeated skin contact.

Environment precautions

- Prevent the product contaminating soil and groundwater. Prevent the

product enetring sewers and waterways.

Cfr.Section 12.

Cleaning / recovery

- Large spillages : contain and pump into containers

- Small spillages : absorb on sand, earth...and collect into containers for disposal. Disposal should always comply with local, national or EEC

regulations. Cfr.Section 13.

7 Handling and Storage

Handling

: Good industrial and personal hygiene practice should be followed. No eating

and drinking in the workplace. Ensure adequate ventilation.

Storage

: Storage temperature : between +5 and +40°C.

Protect from frost and direct sunlight. Drums and bottles: material is steel.

Specific use

: Use the best available methods of handling our Products whereby the

employees enjoy maximum safety and whereby the environment is

minimally affected.

8 Exposure controls / personal protection

Exposure limit values

: No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

User should determine the conditions for safe use of the product. Cfr.

Section 7 "Handling and Storage".

Exposure controls:

- Occupational exposure controls

: Respiratory protection : not applicable

Hand protection : waterproof PVC-gloves (CE) Eye protection : goggles or safety glasses (CE)

Skin protection: N/A

Avoid repeated skin contact.

- Environmental exposure controls

: The product must not be discharge directly into drains or waterways without

treatment.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 3

Revised edition no: 02

P-606A CHASSIS GREASE

Effective Date: 19.6.2020

9 Physical and chemical properties

Physical state : Semi solid at ambient temperature

Colour : Deep Green

Odour : Characteristic mineral oil

Density at 15°C (Kg/M3) : 800 Solubility in water : Negligible

10 Stabiity and reactivity

Conditions to avoid : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".

Bacterial degradation can occur if the Product is stored for an unuasually

long period or is stored under unsuitable conditions.

Materials to avoid : N/D Hazardous decomposition products : N/D

11 Toxicological information

On product : Low toxicity is indicated by available data.

Under normal industrial conditions, there is no indication that the Product

can be considered as a health risk.

Skin contact should be avoided to prevent possible long-term or short-term

sensitation.

12 Ecological information

Ecotoxicity : The Product is soluble with water and as such could cover considerable

distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been

contaminated

with small quantities of the Product, will not affect the biomass. High

concentrations may be harmful to fish and micro organisms.

Mobility : Not established.

Persistence and degradability : There is only a slow environmental degradation of the Product.

Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

Other adverse effects : Unknown

13 Disposal Considerations

- The following advice only applies to the product as supplied
- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationaship between livings things, plants and their environment.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 4

Revised edition no: 02

P-606A CHASSIS GREASE

Effective Date: 19.6.2020

14 Transport information

General information : This Product is not regulated for road/rail & sea transport.

15 Regulatory Information

Classification and labeling

Governing directive

: Classification /symbol - not regulated

: Occupational Safety and Health (Classification, Packaging and Labeling of

Hazardous Chemicals) Regulations 1997

Safety advice : (May contain information in excess of requirements under applicable laws.

S23 Do not breathe gas/fumes/vapor/spray

S24 Avoid contact with skin

S33 Take precautionary measures against static discharges

S62 If swallowed, do not induce vomiting: seek medical advice

immediately and show this container or label.

16 Other information

Further information : None
Print date : 19.6.2020

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such reommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799