

Page:1

Revised edition no: 03

P-572 INDUSTRY SPIRIT

Effective Date:13.3.2020

Identification of the Product and the company

Chemical Name : Industry Spirit

Type of product chemical family : N/A

Use : Industry Spirit

Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799

Emergency phone nr : See producer UN NUMBER : UN 1263 / IMO 3

2 Hazards Identification

Flammable liquids

Acute toxocity (oral)

Specific target organ toxicity--single exposure:narcotic effects

Acute toxicity -dermal

Acute toxicity-inhalation

Category 3

Serious eye irritation

Category 2

Category 1

Category 3

Category 3

Category 3

Category 2

Hazard Pictograms:

Signal Word: Danger/Bahaya

Hazard Statements: H226 Flammable liquid and vapour

H301 Toxic if swallowed

H311 Toxic in contact with skinH319 Cause serious eye irritation

H331 Toxic if inhaled

H370 Causes damage to organs



Tosik jika ditelan

Toksik bersentuhan dengan kulit

Toksik jika tersedut

Menyebabkan kerosakan kepada organ

Sebabkan kerengsaan mata yang serius

Precaution Statements:

P243

P264

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking.

Jauhkan daripada haba/percikan api,nyalaan terbuka,permukaan panas-dilarang merokok.

P233 Keep container tightly closed Simpan berkas yang tertutup

P240 Ground/bond container and receiving equipments.

lkat berkas dan peralatan yang diterima.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

Menggunakan elektrikkalis letupan/pengalih udara/peralatan pencahayaan.

P242 Use only non-sparking tools.

Hanya menggunakan peralatan yang bukan percikan. Take precautionary measures against static discharge.

Sila ambil langkah-langkah keselamatan terhadap pelepasan statik.

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

Wash hands thoroughly after handling.

Jangan menghirup debu / asap / gas / kabus / wap / semburan.

Basuh tangan dengan teliti selepas mengendalikan.

P270 Do not eat, drink, or smoke when using this product.

Jangan makan, minum, atau asap semasa menggunakan produk ini.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page:2

Revised edition no: 03

P-572 INDUSTRY SPIRIT

Effective Date:13.3.2020

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Memakai peralatan perlindungan seperti sarung tangan/pakaian pelindung/mata dan pelindung muka.

P312 Call a POISON CENTER or doctor / physician if feel unwell.

Hubungi PUSAT POISON atau doktor / doktor jika merasa tidak sihat.

P321 Specific treatment.

Specific measures P322

Langkah-langkah khusus

Rawatan khusus.

Rinse mouth P330

Bilas mulut

P361 Remove immediately all contaminated clothing.

Buang serta-merta semua pakaian yang tercemar.

P363 Wash contaminated clothing before reuse.

Basuh pakaian yang tercemar sebelum digunakan semula.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

JIKA TERLENGKAP: Segera hubungi PUSAT POISON atau doktor / doktor.

P302+P352 IF ON SKIN: Gently wash with plenty of soap and water.

JIKA PADA KULIT: Basuh dengan perlahan-lahan dengan sabun dan air.

IF ON SKIN(or hair): Remove/take off immediately all contaminated clothing. Rinse skin with P303+P361+P353

water/shower.

JIKA PADA KULIT (atau rambut): Buang / lepaskan semua pakaian yang tercemar. Bilas kulit

dengan air / mandi.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

JIKA DALAM MATA: Bilas dengan berhati-hati dengan air selama beberapa minit. Keluarkan

kanta lekap, jika ada dan mudah dilakukan. Teruskan bilas.

P307 + P311 IF exposed: Call a POISON CENTER or doctor / physician.

JIKA terdedah: Panggil PUSAT POISON atau doktor / doktor.

P321 Specific treatment reference to supplemental first aid instruction. Rujukan rawatan khusus untuk tambahan arahan pertolongan cemas.

P337+P313 If eye irritation persists: Get medical advice/attention.

Jika kerengsaan mata berterusan: Dapatkan nasihat / perhatian perubatan.

P370+P378 In case of fire: Use Foam and dry chemical powder, carbon dioxide extinguisher for extinction.

Jika berlaku kebakaran: Gunakan busa dan serbuk kimia kering, karbon dioksida untuk pemadam

P403+P235 Store in a well-ventilated place. Keep cool.

Simpan di tempat yang mempunyai pengudaraan yang baik. Tetap tenang.

P405 Store locked up.

Simpan dalam keadaan berkunci

P501 Dispose of contents and container to appropriate waste site in accordance

with local and national regulations.

Menguruskan bahan / bekal menurut/ negara / internationa serantau tempatan I peraturan

Composition / Information on ingredients

Hazardous Decomposition Products: Methyl Alcohol Isopropanol

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



Page:3

Revised edition no: 03

P-572 INDUSTRY SPIRIT

Effective Date:13.3.2020

4 First Aid Measures

Eye Contact : Flush with cool running water, lifting the upper and lower eyelids

occasionally until discomfort is relieved.

Skin Contact : Not expected to present a significant skin hazard under anticipated

condition of normal use.

Ingestion : Not expected to present a significant ingestion hazard under anticipated

conditions of normal use.

Inhalation : Treatment base on judgment of physician in response to reaction of

patient.

5 Fire-Fighting Measures

Flash Point (Tag Closed Tester) : Below 30°C

Extinguishing Media : Foam and dry chemical powder, carbon dioxide, sand or earth may be

used for small fire only.

Special Fire Fighting Procedures : Self-contained breathing apparatus are recommended for fire fighters.

Unusual Fire and Explosion Hazards: None.

6 Accidental Release Measures

Personal protection : Wear PVC-gloves and goggles to contain spillage.

Avoid repeated skin contact.

Environment precautions : Prevent the product contaminating soil and groundwater. Prevent the

product enetring sewers and waterways.

Cfr. Section 12

Cleaning / recovery : Large spillages : contain and pump into containers.

Small spillages: absord on sand, earth...and collect into containers for disposal. Disposal should always comply with local, national or EEC

regulations. Cfr. Section 13.

7 Handling and Storage

Handling : Good industrial and personal hygiene practice should be followed. No eating

and drinking in the workplace. Ensure adequate ventilation.

Storage : Storage temperature : between +5 and +40°C.

Protect from frost and direct sunlight.

Drums and bottles: material is plastic or steel.

Bulk tank: stainless steel, plastic coated materials...Clean bulk tanks

periodically to prevent accumulation of bacteria.

Specific use : Use the best available methods of handling our Products whereby the

employees enjoy maximum safety and whereby the environment is

minimally affected.

8 Exposure Controls / Personal Protection

Exposure limit values : No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

User should determine the conditions for safe use of the product. Cfr.

Section 7 "Handling and Storage".

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page:4

Revised edition no: 03

P-572 INDUSTRY SPIRIT

Effective Date:13.3.2020

Exposure controls:

- Occupational exposure controls : Respiratory protection : not applicable.

Hand protection: waterproof PVC-gloves (CE) Eye protection: goggles or safety glasses (CE)

Skin protection: N/A

Avoid repeated skin contact.

- Environmental exposure controls : The product must not be discharge directly into drains or waterways without

treatment.

9 Physical and Chemical Properties

Flash Point (°C) : Below 30°C

Vapor Pressure (mm hg) : N/A Vapor Density (Air=1) : >1

Appearance and odor : Clear liquid and odorless
Solubility in water : Negligible and lighter than water

Specific Gravity (H2O=1) : 0.73
Percent Volatile by Weight : 99.9
Evaporation Rate (Water=1) : 99.9

10 Stability and Reactivity

Conditions to avoid : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".

Bacterial degradation can occur if the Product is stored for an unuasually

long period or is stored under unsuitable conditions. Keep away from spark, do not empty into drain.

Materials to avoid : N/D Hazardous decomposition products : N/D

11 Toxicological Information

On product : Low toxicity is indicated by available data.

Under normal industrial conditions, there is no indication that the Product

can be considered as a health risk.

Skin contact should be avoided to prevent possible long-term or short-term

sensitation.

12 Ecological Information

Ecotoxicity : The Product is soluble with water and as such could cover considerable

distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been

contaminated.

with small quantities of the Product, will not affect the biomass. High

concentrations may harmful to fish and micro organisms.

Mobility : Not established.

Persistence and degradability : There is only a slow environmental degradation of the Product.

Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

Other adverse effects : Unknown.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page :5

Revised edition no: 03

P-572 INDUSTRY SPIRIT

Effective Date:13.3.2020

13 Disposal Considerations

- The following advice only applies to the product as supplied.
- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably quanlified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationaship between livings things, plants and their environment.

14 Transport Information

IMO PROPER SHIPPING NAME : NORMAL THINNER

IMO U.N. CLASS : 3

IMO U.N. NUMBER : UN 1263

IMO LABEL : Flammable Liquid



15 Regulatory Information

Classification and labeling : Classification / symbol - not regulated

Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of

Hazardous Chemicals) Regulations 1997.

Safety advice : May contain information in excess of requirements under applicable laws.

S23 Do not breathe gas/fumes/vapor/spray.

S24 Avoid contact with skin.

S33 Take precautionary measures against static discharges.
S62 If swallowed, do not induce vomiting: seek medical advice

immediately and show this container or label.

16 Other information

Further information : None
Print date : 13.3.2020

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such reommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

