

SAFETY DATA SHEET

Page:1

Revised edition no: 00

P-539 WETTING AGENT

Effective Date: 28.9.2023

Identification of the Product and the company

Chemical Name : Wetting Agent Type of product chemical family : Wetting Agent

: TLC-KOYA CHEMICALS MANUFACTURING SDN BHD Producer

> No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799

Emergency phone no : See producer

Hazard Identification

Pictogram:

SIGNAL WORD: Danger

Acute Toxicity (dermal) Skin Corrosion or Irritation

Serious eye damage or eye irritation

Carcinogenicity

Category 3 Category 2 Category 1

Category 1B

HAZARD STATEMENT

H311: Toxic if in contact with skin H315: Causes skin irritation

H318: Causes serious eye damage

H350: May cause cancer

PRECAUTIONARY STATEMENT

Obtain special instructions before use. P201

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, P305 + P351 + P338

if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER or doctor/physician P310 P312 Call a POISON CENTER or doctor/physician if you feel unwell. Specific treatment reference to supplemental first aid instruction. P321

P322 Specific measures

P332+P313 If skin irritation occurs: Get medical advice/attention P361 Take off contaminated clothing and wash before reuse.

P362 Wash contaminated clothing before reuse. Wash contaminated clothing before reuse P363

P405 Store locked up

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

3 Composition / Information on Ingredients

< 1% Hazardous Chemicals: Formaldehyde

Linear Alkylbenzene Sulfonic Acid 3 to <5%

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



MATERIAL SAFETY DATA SHEET

Page :2

Revised edition no: 00

P-539 WETTING AGENT

Effective Date: 28.9.2023

4 First Aid Measures

Eye Contact : Flush eyes for 30 minutes with cool water, if irritation developed, consult

a physician immediately.

Inhalation : Remover patient to a clean atmosphere and administer oxygen if it

necessary. Consult a physician immediately.

Ingestion : Do not induce vomiting. Have patient drink large amounts of water or milk.

Consult a physician immediately.

Skin Contact : Wash with plenty of water, if irritation developed, consult a physician

immediately.

5 Fire-Fighting Measures

Extinguishing media

Fire Hazard - Product is water based and in wet form, its fire hazard is low. The dried

product is combustible, decomposition products can be toxic. - Water, powder, CO2, sand...all extinguishing media are suitable.

Water, powder, CO2, sand...all extinguishing media are suitable.
 Protective clothing and self-contained breathing equipment should be available for firemen.

- To prevent environmental damage, if possible collect water used to

extinguish the fire in containers.

6 Accidental Release measures

Personal protection - Wear PVC-gloves and goggles to contain spillage.

Avoid repeated skin contact.

Environment precautions - Prevent the product contaminating soil and groundwater. Prevent the

product entering sewers and waterways.

Cfr.Section 12.

Cleaning / recovery - Large spillages : contain and pump into containers

 Small spillages: absorb on sand, earth...and collect into containers for disposal. Disposal should always comply with local, national or EEC

regulations. Cfr.Section 13.

7 Handling and Storage

Handling : Good industrial and personal hygiene practice should be followed. No eating

and drinking in the workplace. Ensure adequate ventilation.

Storage : Storage temperature : between +5 and +40°C.

Protect from frost and direct sunlight.

Drums and bottles: material is plastic or steel.

Bulk tanks: stainless steel, plastic coated materials... Clean bulk tanks

periodically to prevent accumulation of bacteria.

Specific use : Use the best available methods of handling our Products whereby the

employees enjoy maximum safety and whereby the environment is

minimally affected.

8 Exposure controls / personal protection

Exposure limit values : No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

User should determine the conditions for safe use of the product. Cfr.

Section 7 "Handling and Storage".

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



MATERIAL SAFETY DATA SHEET

Page:3

Revised edition no: 00

P-539 WETTING AGENT Effective Date: 28.9.2023

Exposure controls:

- Occupational exposure controls : Respiratory protection : not applicable

Hand protection: waterproof PVC-gloves (CE) Eye protection: goggles or safety glasses (CE)

Skin protection : N/A

Avoid repeated skin contact.

- Environmental exposure controls : The product must not be discharge directly into drains or waterways without

treatment.

9 Physical and chemical properties

Appearance : Liquid Colour : Light Blue

pH value : 7.5 - 8.5 @24 - 26°C Specific Gravity : 1.0 @ 28.9°C

Viscosity : 2000 - 4000 mm²/s @ 26°C

10 Stabiity and reactivity

Conditions to avoid : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".

Bacterial degradation can occur if the Product is stored for an unuasually

long period or is stored under unsuitable conditions.

Materials to avoid : N/D Hazardous decomposition products : N/D

11 Toxicological information

On product : Low toxicity is indicated by available data.

Under normal industrial conditions, there is no indication that the Product

can be considered as a health risk.

Skin contact should be avoided to prevent possible long-term or short-term

sensitation.

12 Ecological information

Ecotoxicity : The Product is soluble with water and as such could cover considerable

distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been

contaminated.

with small quantities of the Product, will not affect the biomass. High

concentrations may be harmful to fish and micro organisms.

Mobility : Not established.

Persistence and degradability : There is only a slow environmental degradation of the Product.

Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

Other adverse effects : Unknown

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



MATERIAL SAFETY DATA SHEET

Page :4

Revised edition no: 00

P-539 WETTING AGENT Effective Date: 28.9.2023

- The following advice only applies to the product as supplied
- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between livings things, plants and their environment.

14 Transport information

13 Disposal Considerations

General information : This Product is not regulated for road/rail & sea transport.

15 Regulatory Information

Classification and labeling : Classification /symbol - not regulated

Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of

Hazardous Chemicals) Regulations 1997

Safety advice : (May contain information in excess of requirements under applicable laws.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P321 Specific treatment reference to supplemental first aid instruction.

P322 Specific measures

P332+P313 If skin irritation occurs: Get medical advice/attention
P361 Take off contaminated clothing and wash before reuse.

P362 Wash contaminated clothing before reuse. P363 Wash contaminated clothing before reuse

P405 Store locked up

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

16 Other information

Further information : None
Print date : 28.9.2023

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com