



| | |
|-----------------------------------|--------------------------|
| PRODUCT SPECIFICATION | Page :1 |
| | Revised edition no : 03 |
| P-503 OIL SPILL DISPERSANT | Effective Date: 5.1.2023 |

Description:

P-503 Oil Spill Dispersant is a concentrated mixture of surfactants and solvents, it does not contain any caustics, chloride, fluoride compounds. It will also not attack metals, rubber or plastics if used correctly. It does not cause any precipitation of calcium or magnesium from sea water.

Uses

P-503 is a specially formulated as a oil dispersant for oil spill on sea and also general purpose degreaser and particularly as a bilge cleaner, for the removal of difficult soils such as baked oils, engine varnishes, greases, sludges and soft carbons.

Direction for Use

This depends entirely on the extent of soil present in the system, but as a general guidance a concentration of 100% or 50% v/v in kerosene or dieseling is recommended. On application it is allowed to dwell and then rinsed off by a jet of water.

Physical Properties

- Eye contact : Severely irritating
- Skin contact : Irritating, avoid frequent or prolonged skin contact
- Inhalation : In high concentrations vaporous are irritating to eyes and mucous membrane
- Ingestion : Low order of toxicity

Precautions

- 1) Keep containers closed.
- 2) Do not get in eyes.
- 3) Keep away from heat, sparks and flames.
- 4) Avoid prolonged skin contact.

Specific Technical Information

- | | |
|----------------------------------|----------------|
| Appearance : Clear mobile liquid | PH Value : 5.8 |
| Specific Gravity : 0.876g/cm3 | UN NO. : 1299 |

Storage

Store in dry and cool (below 40 deg. C). Keep away from direct sunlight. Keep away from food and children.

Packing

20 Ltr and 200 Ltr

Note

All recommendations for use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge at the time such recommendations are made. As additional information is learned, these recommendations may be updated. They may also be impacted by circumstances outside our control. Notwithstanding any such recommendations, the user shall remain responsible for satisfying himself that the product as supplied by us are suitable or his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot responsibility therefore. The user shall ensure that the intended use of the products will not infringe any third party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com