



# SAFETY DATA SHEET

Page :1

Revised edition no : 04

## P-109 BLEACH

Effective Date: 24/5/2024

### 1 Identification of the Product and the company

Chemical Name : Bleach  
Type of product chemical family : Alkaline Cleaner  
Use : Bleaching compound  
Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD  
No.22 & 23, Jalan Maju 1,  
Cemerlang Industrial Estate,  
81800 Ulu Tiram, Johor, Malaysia.  
Tel: 607-8675798 Fax: 607-8675799  
Website: www.koyachemicals.com Email: admin@koyachemicals.com

Emergency phone number : See producer

### 2 Hazard Identification



Pictogram :

SIGNAL WORD: Danger

Acute Toxicity (Oral)	Category 3
Skin Corrosion or irritation	Category 1
Serious eye damage or eye irritation	Category 1
Skin sensitization	Category 1
Germ Cell Mutagenicity	Category 1
Carcinogenicity	Category 1
Reproductivity toxicity	Category 1
Specific target organ toxicity-repeated exposure	Category 1
Hazardous to the aquatic environment-acute hazard	Category 1
Hazardous to the aquatic environment-chronic hazard	Category 3

#### **HAZARD STATEMENT**

H314 : causes severe skin burns and eye damage  
H318 : causes serious eye damage  
H301 : toxic if swallowed  
H340 : may cause genetic defects  
H350 : may cause cancer  
H360 : may damage fertility or the unborn child  
H372 : may cause damage to organ  
H400 : very toxic to aquatic life  
H412 : harmful to aquatic life with long lasting effects

#### **Precautionary statement-prevention**

P201 obtain special instruction before use  
P202 do not handle until all safety precautions have been read and understood  
P260 do not breathe dust/fume/gas/mist/vapours/spray  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray  
P264 Wash thoroughly after handling.  
P270 do not eat, drink, or smoke when using this products  
P272 contaminated work clothing shall not be allowed out of the workplace.

#### **TLC-KOYA CHEMICALS MANUFACTURING SDN BHD**

No.22 &amp; 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



<b>SAFETY DATA SHEET</b>	Page :2
	Revised edition no : 04
<b>P-109 BLEACH</b>	Effective Date: 24/5/2024

P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P281 use personal protective equipment as required.

**Precautionary statement response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P302+P352 IF ON SKIN : wash with plenty of soap and water  
P303+P361+P353 IF ON SKIN (or hair) : remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED : remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
P308+P313 IF exposed or concerned : Get medical advice/attention.  
P310 Immediately call a POISON CENTER or doctor/physician  
P314 Get medical advice/attention if you feel unwell  
P321 Specific treatment  
P330 Rinse mouth  
P333+P313 If skin irritation or rash occurs : Get medical advice / attention  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage

**Precautionary-statement storage**

P405 Store locked up

**Precautionary-statement disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

**3 Composition / Information on Ingredients**

Hazardous ingredients : Sodium Hypochloride 5 to <10% within 1 year

**4 First Aid Measures**

For eye contact : Flush eyes for 30 minutes with cool water. If irritation developed, consult a physician immediately.  
For inhalation : Remove patient to a clean atmosphere and administer oxygen if it necessary. Consult a physician immediately.  
For ingestion : Do not induce vomiting. Have patient drink large amounts of water or milk. Consult a physician immediately.

**5 Fire-Fighting Measures**

Fire Hazard - Product is water based and in wet form, its fire hazard is low. The dried product is combustible, decomposition products can be toxic.  
Extinguishing media - Water, powder, CO<sub>2</sub>, sand...all extinguishing media are suitable.  
Protective clothing and self-contained breathing equipment should be available for firemen.  
- To prevent environmental damage, if possible collect water used to extinguish the fire in containers.

**TLC-KOYA CHEMICALS MANUFACTURING SDN BHD**

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.  
Tel: 607-8675798 Fax: 607-8675799  
Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



# SAFETY DATA SHEET

Page :3

Revised edition no : 04

## P-109 BLEACH

Effective Date: 24/5/2024

### 6 Accidental Release measures

- Personal protection : - Wear PVC-gloves and goggles to contain spillage.  
Avoid repeated skin, eyes and clothing contact.  
Ensure adequate ventilation.
- Environment precautions : - Prevent the product contaminating soil and groundwater. Prevent the product entering sewers and waterways.  
Cfr. Section 12.
- Cleaning / recovery : - Large spillages : contain and pump into containers  
- Small spillages : absorb on sand, earth... and collect into containers for disposal. Disposal should always comply with local, national or EEC regulations. Cfr. Section 13.

### 7 Handling and Storage

- Handling : Good industrial and personal hygiene practice should be followed. No eating and drinking in the workplace. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing.
- Storage : Storage temperature : between +5 and +40°C.  
Protect from frost and direct sunlight.  
Drums and bottles : material is plastic or steel.  
Bulk tanks : stainless steel, plastic coated materials. Clean bulk tanks periodically to prevent accumulation of bacteria.
- Specific use : Use the best available methods of handling our Products whereby the employees enjoy maximum safety and whereby the environment is minimally affected.

### 8 Exposure controls / personal protection

- Exposure limit values : No danger in normal ambient conditions.  
There are no specific limiting values for professional exposure.  
There are no biological limiting values.  
User should determine the conditions for safe use of the product. Cfr. Section 7 "Handling and Storage".
- Exposure controls:
- Occupational exposure controls : Respiratory protection : not applicable  
Hand protection : waterproof PVC-gloves (CE)  
Eye protection : goggles or safety glasses (CE)  
Skin protection : N/A  
Avoid repeated skin contact.
  - Environmental exposure controls : The product must not be discharge directly into drains or waterways without treatment.

### 9 Physical and chemical properties

- Appearance and odor : Clear liquid and a chemical odour
- Solubility in water : Complete soluble in water.
- pH value : 12.5 - 13.5
- Specific Gravity (H<sub>2</sub>O = 1) : 1.11 - 1.13 @ 28.9°C
- Stability : one year

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 &amp; 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



# SAFETY DATA SHEET

Page :4

Revised edition no : 04

## P-109 BLEACH

Effective Date: 24/5/2024

### 10 Stability and reactivity

Conditions to avoid	: Stable under the recommended storage conditions. Cfr. Section 7 "Storage". Bacterial degradation can occur if the Product is stored for an unusually long period or is stored under unsuitable conditions.
Materials to avoid	: N/D
Hazardous decomposition products	: N/D

### 11 Toxicological information

On product	: Low toxicity indicated by available data. Under normal industrial conditions, there is no indication that the Product can be considered as a health risk. Skin contact should be avoided to prevent possible long-term or short-term sensitization. Eye contact should be avoided to prevent severe damage to eyes.
------------	--

### 12 Ecological information

Ecotoxicity	: The Product is soluble with water and as such could cover considerable distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been contaminated. with small quantities of the Product, will not affect the biomass. High concentrations may be harmful to fish and micro organisms.
Mobility	: Not established.
Persistence and degradability	: There is only a slow environmental degradation of the Product.
Bioaccumulative potential	: There is seemingly no tendency for bioaccumulation.
Other adverse effects	: Unknown

### 13 Disposal Considerations

- The following advice only applies to the product as supplied
- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between living things, plants and their environment.

### 14 Transport information

General information	: This Product is not regulated for road/rail & sea transport.
---------------------	--

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 &amp; 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



# SAFETY DATA SHEET

Page : 5

Revised edition no : 04

## P-109 BLEACH

Effective Date: 24/5/2024

### 15 Regulatory Information

Classification and labeling	: Classification /symbol - not regulated
Governing directive	: Occupational Safety and Health (Classification, Packaging and Labeling of Hazardous Chemicals) Regulations 1997
Safety advice	: (May contain information in excess of requirements under applicable laws.
<b><u>Precautionary statement prevention</u></b>	
P201	obtain special instruction before use
P202	do not handle until all safety precautions have been read and understood
P260	do not breathe dust/fume/gas/mist/vapours/spray
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling.
P270	do not eat, drink, or smoke when using this products
P272	contaminated work clothing shall not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	use personal protective equipment as required.
<b><u>Precautionary statement response</u></b>	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P302+P352	IF ON SKIN : wash with plenty of soap and water
P303+P361+P353	IF ON SKIN (or hair) : remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED : remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned : Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician
P314	Get medical advice/attention if you feel unwell
P321	Specific treatment
P330	Rinse mouth
P333+P313	If skin irritation or rash occurs : Get medical advice / attention
P363	Wash contaminated clothing before reuse.
P391	Collect spillage
<b><u>Precautionary-statement storage</u></b>	
P405	Store locked up
<b><u>Precautionary-statement disposal</u></b>	
P501	Dispose of contents/container in accordance with local/regional/national /international regulation

### 16 Other information

Further information	: None
Print date	: 24/5/2024

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 &amp; 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET	Page : 6
	Revised edition no : 04
P-109 BLEACH	Effective Date: 24/5/2024

N/A - Not Applicable

N/D - Not Determined

---

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

---

**TLC-KOYA CHEMICALS MANUFACTURING SDN BHD**

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: [www.koyachemicals.com](http://www.koyachemicals.com) EMAIL: [admin@koyachemicals.com](mailto:admin@koyachemicals.com)