

Page:1

Revised edition no: 02

P-583 SILICON EMULSION HV

Effective Date: 28.4.2021

1 Identification of the Product and the company

Chemical Name : Silicon Emulsion HV

Type of product chemical family : N/A

Use : Protectant and shine

Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799

Emergency phone nr : See producer

2 Hazard Identification

Pictogram:

SIGNAL WORD: Danger

Serious eye damage or eye irritation

Skin Sensitization Carcinogenicity

Category 1 Category 1 Category 1B

HAZARD STATEMENT

H318: Causes serious eye damage

H317: May cause an allergic skin reaction

H350 May Cause cancer

PRECAUTIONARY STATEMENT

P201 Obtain special instruction before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing shall not be allowed out of the workplace P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment reference to supplemental first aid instruction

P363 Wash contaminated clothing before reuse

P302 + P352 IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 + P-313 IF exposed or concerned: Get medical advice/attention

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention

P405 Store locked up

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 2

Revised edition no: 02

Effective Date: 28.4.2021

P-583 SILICON EMULSION HV

Composition / Information on Ingredients

Hazardous ingredients : Polydimethylsiloxane emulsion

CAS No.: Mixture

Active Ingredients : > 60%

4 First Aid Measures

Inhalation : No emergency care anticipated.

Skin Contact : Wash skin with soap and water.

Eye Contact : Flush eyes thoroughly with water for several minutes.

Notes to Physician : There is no specific antidote. Treatment of overexposure should be directed

at the control of symptoms and the clinical condition of the patient.

5 Fire-Fighting Measures

Fire Hazard - Product is water based and in wet form, its fire hazard is low. The dried

product is combustible, decomposition products can be toxic.

Extinguishing media - Non-flammable (aqueous solution)

After water evaporates, the remaining material will burn. Use alcohol-type or all-purpose-type foams applied by manufacturer's recommended techniques for large fires. Use carbon dioxide or dry chemical media for

small fires.

6 Accidental Release measures

Personal protection - Wear PVC-gloves and goggles to contain spillage.

Avoid repeated skin contact.

Environment precautions - Prevent the product contaminating soil and groundwater. Prevent the

product entering sewers and waterways.

Cfr.Section 12.

Cleaning / recovery - Large spillages : contain and pump into containers

- Small spillages: absorb on sand, earth...and collect into containers for disposal. Disposal should always comply with local, national or EEC

regulations. Cfr.Section 13.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 3

Revised edition no: 02

P-583 SILICON EMULSION HV

Effective Date: 28.4.2021

7 Handling and Storage

Handling : Good industrial and personal hygiene practice should be followed. No eating

and drinking in the workplace. Ensure adequate ventilation.

Storage : Storage temperature : > +4°C

Protect from frost and direct sunlight.

Drums and bottles: material is plastic or steel.

Bulk tanks: stainless steel, plastic coated materials... Clean bulk tanks

periodically to prevent accumulation of bacteria.

Specific use : Use the best available methods of handling our Products whereby the

employees enjoy maximum safety and whereby the environment is

minimally affected.

8 Exposure controls / personal protection

Exposure limit values : No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

User should determine the conditions for safe use of the product. Cfr.

Section 7 "Handling and Storage".

Exposure controls:

- Occupational exposure controls : Respiratory protection : not applicable

Hand protection: waterproof PVC-gloves (CE) Eye protection: goggles or safety glasses (CE)

Skin protection: N/A

Avoid repeated skin contact.

- Environmental exposure controls : The product must not be discharge directly into drains or waterways without

treatment.

9 Physical and chemical properties

Appearance : Cream Colour : White

pH Value : pH 8-9 @ 24.0-26.5 degree celcius

Kinematic Viscosity : 20000cst-40000cst @ 26.0 degree celcius

10 Stabiity and reactivity

Conditions to avoid : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".

Bacterial degradation can occur if the Product is stored for an unusually

long period or is stored under unsuitable conditions.

Materials to avoid : N/D Hazardous decomposition products : N/D

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 4

Revised edition no: 02

P-583 SILICON EMULSION HV

Effective Date: 28.4.2021

11 Toxicological information

On product : Low toxicity is indicated by available data.

Under normal industrial conditions, there is no indication that the Product

can be considered as a health risk.

Skin contact should be avoided to prevent possible long-term or short-term

sensitization.

12 Ecological information

Ecotoxicity : The Product is soluble with water and as such could cover considerable

distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been

contaminated.

with small quantities of the Product, will not affect the biomass. High

concentrations may be harmful to fish and micro organisms.

Mobility : Not established.

Persistence and degradability : There is only a slow environmental degradation of the Product.

Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

Other adverse effects : Unknown

13 Disposal Considerations

- The following advice only applies to the product as supplied

- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationaship between livings things, plants and their environment.

14 Transport information

General information : This Product is not regulated for road/rail & sea transport.

15 Regulatory Information

Classification and labeling : Classification /symbol - not regulated

Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of

Hazardous Chemicals) Regulations 1997

Safety advice : (May contain information in excess of requirements under applicable laws.

S23 Do not breathe gas/fumes/vapor/spray

S24 Avoid contact with skin

S33 Take precautionary measures against static discharges

S62 If swallowed, do not induce vomiting: seek medical advice

immediately and show this container or label.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page: 5

Revised edition no: 02

P-583 SILICON EMULSION HV

Effective Date: 28.4.2021

16 Other information

Further information : None Print date : 25.4.2021

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such reommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799