



SAFETY DATA SHEET

Page :1

Revised edition no : 07

P-132 BRAKE FLUID DOT 3

Effective Date: 13/3/2026

1 Identification of the Product and the company

Chemical Name : Brake Fluid Dot.3
Type of product chemical family : N/A
Use : Used for transferring force into pressure, and to amplify braking force
Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD
No.22 & 23, Jalan Maju 1,
Cemerlang Industrial Estate,
81800 Ulu Tiram, Johor, Malaysia.
Tel: 607-8675798 Fax: 607-8675799
Website: www.koyachemicals.com Email: admin@koyachemicals.com
Emergency phone number : See producer

2 Hazard Identification

HAZARD PICTOGRAM



SIGNAL WORD: WARNING

CLASSIFICATION

Acute toxicity (Oral) Category 4

Hazard Statement

H302 Harmful if swallowed

Precautionary statement-Prevention

P264 Wash thoroughly after handling.
P270 Do not eat, drink, or smoke when using this product

Precautionary statement-Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P321 Specific treatment reference to supplemental first aid instruction.
P330 Rinse mouth

Precautionary statement-Storage

P405 Store locked up.

Precautionary statement-Disposal

P501 Dispose of contents and container to appropriate waste site in accordance with local and national regulations.

3 Composition / Information on Ingredients

MATERIAL	CAS NUMBER	CONCENTRATION
Diethylene glycol	111-46-6	>60%

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET

Page :2

Revised edition no : 07

P-132 BRAKE FLUID DOT 3

Effective Date: 13/3/2026

4 First Aid Measures

Inhalation	:	Remove from exposure and get fresh air.
Skin Contact	:	Treatment based on judgement of physician in response to reaction of patient. Remove contaminated clothing. Flush affected area with large amounts of water, then use soap or mild detergent and large amounts of water to cleanse area.
Eye Contact	:	Flush with cool running water, lifting the upper and lower eyelids occasionally until discomfort is relieved. Seek medical attention.
Ingestion	:	Immediately rinse mouth with water. Do not induce vomiting unless instructed by medical personnel. Seek immediate medical attention.

5 Fire-Fighting Measures

Extinguishing media	:	- Water, powder, CO ₂ , and sand. All extinguishing media are suitable. - Protective clothing and self-contained breathing equipment should be available for firemen. - To prevent environmental damage, if possible collect water used to extinguish the fire in containers.
Fire hazards	:	- Not combustible. However, following evaporation of aqueous component, residual material can burn if ignited. While burning, it will emit toxic fumes including carbon monoxide and carbon dioxide.

6 Accidental Release measures

Personal protection	:	- Wear PVC-gloves and goggles to contain spillage. - Avoid repeated skin contact.
Environment precautions	:	- Prevent the product contaminating soil and groundwater. - Prevent the product entering sewers and waterways. Cfr.Section 12.
Cleaning / recovery	:	- Large spillages : contain and pump into containers - Small spillages : absorb on absorbent material and collect into containers for disposal. Disposal should always comply with local, national or EEC regulations. Cfr.Section 13.

7 Handling and Storage

Handling	:	Good industrial and personal hygiene practice should be followed. No eating and drinking in the workplace. Avoid contact with eyes, skin and clothing. Wash contaminated clothing and other protective equipment before storage or re-use. Ensure adequate ventilation.
Storage	:	Storage temperature : between +5 and +40°C. Protect from frost and direct sunlight. Drums and bottles : material is plastic or steel. Bulk tanks : stainless steel, plastic coated materials. Clean bulk tanks periodically to prevent accumulation of bacteria.
Specific use	:	Use the best available methods of handling our Products whereby the employees enjoy maximum safety and whereby the environment is minimally affected.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET

Page :3

Revised edition no : 07

P-132 BRAKE FLUID DOT 3

Effective Date: 13/3/2026

8 Exposure controls / personal protection

- Exposure limit values : No danger in normal ambient conditions.
There are no specific limiting values for professional exposure.
There are no biological limiting values.
User should determine the conditions for safe use of the product. Cfr. Section 7 "Handling and Storage".
- Exposure controls:
- Occupational exposure controls : Respiratory protection : not applicable
Hand protection : waterproof PVC-gloves (CE)
Eye protection : goggles or safety glasses (CE)
Skin protection : N/A
Avoid repeated skin contact.
 - Environmental exposure controls : The product must not be discharged directly into drains or waterways without treatment.

9 Physical and chemical properties

- Appearance : Clear Liquid
pH Value : 7.0-11.5 @24.0-26°C
Specific Gravity (H₂O=1) : 1.10-1.12 @28.9°C
Viscosity : min. 0.2 dPas @26°C ± 0.5°C
Initial Boiling Point : min. 240°C

10 Stability and reactivity

- Chemical stability : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".
Conditions to avoid : Bacterial degradation can occur if the product is stored for an unusually long period or is stored under unsuitable conditions.
- Materials to avoid : N/D
Hazardous decomposition products : N/D

11 Toxicological information

- On product : Under normal industrial conditions, there is no indication that the product can be considered as a health risk.
: Repeated skin contact should be avoided to prevent possible long-term or short-term sensitisation.
: Eye contact causes irritation and pain.
: Irritating to respiratory tract. Exposure to high concentrations over an extended period of time may result in discomfort.

12 Ecological information

- Ecotoxicity : The product is soluble with water and as such could cover considerable distances if spilled into waterways.
Water for sewage treatment, that has been contaminated.
With small quantities of the product, will not affect the biomass. High concentration may be harmful to fish and microorganisms.
- Mobility : Not established.
Persistence and degradability : There is only a slow environmental degradation of the product.
Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.
Other adverse effects : Unknown

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET

Page :4

Revised edition no : 07

P-132 BRAKE FLUID DOT 3

Effective Date: 13/3/2026

13 Disposal Considerations

- The following advice only applies to the product as supplied.
- Combination with other materials may well indicate another route of disposal. If in doubt, contact TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between living things, plants and their environment.

14 Transport information

General information : This product is not regulated for road/rail & sea transport.

15 Regulatory Information

Classification and labeling : Classification /symbol - not regulated
Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of Hazardous Chemicals) Regulations 1997
Safety advice : (May contain information in excess of requirements under applicable laws.

Precautionary statement-Prevention

P264 Wash thoroughly after handling.
P270 Do not eat, drink, or smoke when using this product

Precautionary statement-Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P321 Specific treatment reference to supplemental first aid instruction.
P330 Rinse mouth

Precautionary statement-Storage

P405 Store locked up.

Precautionary statement-Disposal

P501 Dispose of contents and container to appropriate waste site in accordance with local and national regulations.

16 Other information

Further information : None
Print date : 13/3/2026

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com