

Page:1

Revised edition no: 06

P-131 RADIATOR COOLANT

Effective Date: 19.7.2023

1 Identification of the Product and the company

Chemical Name : Radiator Coolant

Type of product chemical family : Coolant

Use : Radiator Cooling

Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799

Emergency phone no : See producer

2 Hazard Identification

Pictogram:





SIGNAL WORD: Danger

Skin Corrosion or skin Irritation Serious eye damage or eye irritation

Reproductivity toxicity

Category 1
Category 1

Category 1

Hazard Statement:

H314: Cause severe skin burns and eye damage

H318: Cause serious eye damage

H360: May damage fertility or the unborn child.

Precautionary statement prevention

P201 obtain special instrction before use

P202 do not handle until all safety recautions have been read and understood

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 use personal protective equipment as required.

Precautionary statement response

P301 + P330 + P331 IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304 + P340 IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned : Get medical advice/attention.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page:2

Revised edition no: 06

Effective Date: 19.7.2023

P-131 RADIATOR COOLANT

Immediately call a POISON CENTER or doctor/physician P321 Specific treatment reference to supplemental first aid instruction.

P363 Wash contaminated clothing before reuse.

Precautionary statement storage

P405 Store locked up.

Precautionary statement disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

Composition / Information on Ingredients

Hazardous ingredients : MEG 10 to <30%

> : Corrosion inhibitor 1 to <3% : Borax decahydrate 1 to <3%

First Aid Measures

Inhalation : Remove patient to a clean atmosphere and administer oxygen if it is

becessary. Consult a physician immediately.

Skin Contact : Flush exposed are with cool water, if irritation persists, consult a physician

immediately.

Eye Contact : Flush eyes for 30 minutes with cool water, if irritation developed, consult

a physician immediately.

: Do not induce vomiting. Have patient drink large amounts of water or milk. Ingestion

Consult a physician immediately.

Fire-Fighting Measures

Fire Hazard - Product is water based and in wet form, its fire hazard is low. The dried

product is combustible, decomposition products can be toxic. Extinguishing media

- Water, powder, sand...all extinguishing media are suitable.

Protective clothing and self-contained breathing equipment should be

available for firemen.

- To prevent environmental damage, if possible collect water used to

extinguish the fire in containers.

Accidental Release measures

- Wear PVC-gloves and goggles to contain spillage. Personal protection

Avoid repeated skin contact.

Environment precautions - Prevent the product contaminating soil and groundwater. Prevent the

product entering sewers and waterways.

Cfr.Section 12.

Cleaning / recovery - Large spillages : contain and pump into containers

> - Small spillages: absorb on sand, earth...and collect into containers for disposal. Disposal should always comply with local, national or EEC

regulations. Cfr.Section 13.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



Page:3

Revised edition no: 06

P-131 RADIATOR COOLANT

Effective Date: 19.7.2023

7 Handling and Storage

Handling : Good industrial and personal hygiene practice should be followed. No eating

and drinking in the workplace. Ensure adequate ventilation.

Storage : Storage temperature : between +5 and +40°C.

Protect from frost and direct sunlight.

Drums and bottles: material is plastic or steel.

Bulk tanks: stainless steel, plastic coated materials... Clean bulk tanks

periodically to prevent accumulation of bacteria.

Specific use : Use the best available methods of handling our Products whereby the

employees enjoy maximum safety and whereby the environment is

minimally affected.

8 Exposure controls / personal protection

Exposure limit values : No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

User should determine the conditions for safe use of the product. Cfr.

Section 7 "Handling and Storage".

Exposure controls:

- Occupational exposure controls : Respiratory protection : not applicable

Hand protection : waterproof PVC-gloves (CE) Eye protection : goggles or safety glasses (CE)

Skin protection: N/A

Avoid repeated skin contact.

- Environmental exposure controls : The product must not be discharge directly into drains or waterways without

treatment.

9 Physical and chemical properties

Boiling Point ($^{\circ}$ C) : 97.3 $^{\circ}$ C Freezing Point ($^{\circ}$ C) : - 5 $^{\circ}$ C PH of concentrate : 9 +/- 0.5

Appearance : Fluorescent green

Solubility in water : This product is completely soluble in water.

Specific Gravity (H²0=1) : 1.2 Density : 1.0

10 Stabiity and reactivity

Conditions to avoid : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".

Bacterial degradation can occur if the Product is stored for an unuasually

long period or is stored under unsuitable conditions.

Materials to avoid : N/D Hazardous decomposition products : N/D

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page:4

Revised edition no: 06

P-131 RADIATOR COOLANT

Effective Date: 19.7.2023

11 Toxicological information

On product : Low toxicity is indicated by available data.

Under normal industrial conditions, there is no indication that the Product

can be considered as a health risk.

Skin contact should be avoided to prevent possible long-term or short-term

sensitation.

12 Ecological information

Ecotoxicity : The Product is soluble with water and as such could cover considerable

distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been

contaminated.

with small quantities of the Product, will not affect the biomass. High

concentrations may be harmful to fish and micro organisms.

Mobility : Not established.

Persistence and degradability : There is only a slow environmental degradation of the Product.

Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

Other adverse effects : Unknown

13 Disposal Considerations

- The following advice only applies to the product as supplied

- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between livings things, plants and their environment.

14 Transport information

General information : This Product is not regulated for road/rail & sea transport.

15 Regulatory Information

Classification and labeling : Classification /symbol - not regulated

Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of

Hazardous Chemicals) Regulations 1997

Safety advice : (May contain information in excess of requirements under applicable laws.

P201 obtain special instrction before use

P202 do not handle until all safety recautions have been read and understood

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 use personal protective equipment as required.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799



Page:5

Revised edition no: 06

Effective Date: 19.7.2023

P-131 RADIATOR COOLANT

P303 + P361 + P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned : Get medical advice/attention.
P310 Immediately call a POISON CENTER or doctor/physician
P321 Specific treatment reference to supplemental first aid instruction.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

16 Other information

Further information : None
Print date : 19.7.2023

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799