

Page :1

Revised edition no: 04

Q-2625 CONCRETE CLEANER

Effective Date: 15.8.2019

1 Identification of the Product and the company

Chemical Name : Concrete Cleaner

Type of product chemical family : N/A

Use : Acidic Cleaner

Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799

Emergency phone no : See producer

2 Hazard Identification

HAZARD PICTOGRAM





SIGNAL WORD: DANGER

CLASSIFICATION

Skin CorrosionCategory 1Serious eye damage or eye irritationCategory 1Respiratory sensitizationCategory 1Specific target organ toxicity-single exposureCategory 3

Hazard Statement

H314: Causes severe skin burns and eye damage Menyebabkan lecuran kulit dan kerosakan mata

H318: Causes serious eye damage

Menyebabkan kerosakan mata yang serius

H334: May cause allergic or asthma symptoms or breathing difficulties if inhaled Boleh menyebabkan gejala alahan atau asma atau kesukaran bernafas jika tersedut

H335: May cause respiratory irritation (respitactory tract irritation)

Boleh menyebabkan kerengsaan pernafasan (kerengsaan saluran pernafasan)

Precautionary statement-Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

Jangan sedut habuk / wasap / gas / kabut / wap / semburan Avoid breathing dust / fume / gas / mist / vapours / spray.

Elakkan bernafas habuk / asap / gas / kabus / wap / semburan.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

P261

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET Page :2 Revised edition no : 04 Q-2625 CONCRETE CLEANER Effective Date: 15.8,2019

P264 Wash thoroughly after handling.

Basuh tangan bersih-bersih selepas mengendalikan bahan.

P271 Use only outdoors or in a well-ventilated area.

Gunakan hanya di luar atau dalam kawasan pengudaraan yang baik.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Memakai peralatan perlindungan seperti sarung tangan/pakaian pelindung/mata dan pelindung muka.

P285 In case of inadequate ventilation wear respiratory protection.

Sekiranya pengudaraan yang tidak mencukupi memakai perlindungan pernafasan.

Precautionary statement-response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

JIKA TERTELAN: Bilas mulut. JANGAN paksa muntah.

P303 + P361 + P353 IF ON SKIN (or hair): Remove /take off immediately all contaminated clothing. Rinse skin with

water/shower.

JIKA TERKENA KULIT (atau rambut): Remover / mengambil dengan segera semua pakaian yang tercemar. Bilas kulit

dengan air / pancuran mandian.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

JIKA TERSEDUT: Pindahkan mangsa ke tempat udara segar dan biarkan berehat dalam kedudukan yang selesa untuk

bernafas.
P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

JIKA INHALED: Jika bernafas sukar, lepaskan korban ke udara segar dan simpan dalam posisi yang nyaman untuk

bernafas.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

JIKA MATA: Bilas berhati-hati dengan air selama beberapa minit. Tanggalkan kanta lekap, jika ada dan mudah untuk dilakukan. Teruskan membilas.

P310 Immediately call a POISON CENTER or doctor/physician.

Hubungi PUSAT RACUN atau doktor / pakar perubatan.

P312 call a POISON CENTER or doctor/physician if you feel unwell.

hubungi PUSAT POISON atau doktor / doktor jika anda merasa tidak sihat.

P321 Specific treatment reference to supplemental first aid instruction.

Rujukan rawatan khusus untuk tambahan arahan pertolongan cemas.

P342+P311 If experiencing respiratory symptoms: call a POISON CENTER or doctor / physician.

Jika mengalami gejala pernafasan: hubungi PUSAT POISON atau doktor / doktor.

P363 Wash contaminated clothing before reuse.

Basuh pakaian tercemar sebelum digunakan semula.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Simpan di tempat yang mempunyai pengudaraan yang baik. Simpan bekas dengan ketat ditutup.

P405 Store locked up.

Simpan dalam keadaan berkunci.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

Menguruskan bahan / bekal menurut peraturan antarabangsa / tempatan / kawasan / negara

Composition / Information on Ingredients

Hazardous ingredients : HCL < 9%

: Phosphoric Acid 5-10%

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

We b site: www.koyachemicals.com >>>> EMAIL: admin@koyachemicals.com



Page:3

Revised edition no: 04

Q-2625 CONCRETE CLEANER

Effective Date: 15.8.2019

4 First Aid Measures

Inhalation : Treatment base on judgement of physician in response to reaction of

patient.

Skin Contact : Not expected to present a significant skin hazard under anticipated

condition of normal use.

Eye Contact : Flush with cool running water, lifting the upper and lower eyelids

occasionally until discomfort is relieved.

Ingestion : Not expected to present a significant ingestion hazard under anticipated

conditions of normal use.

5 Fire-Fighting Measures

Fire Hazard - Product is water based and in wet form, its fire hazard is low. The dried

product is combustible, decomposition products can be toxic.

Extinguishing media - Water, powder, CO2, sand...all extinguishing media are suitable.

Protective clothing and self-contained breathing equipment should be

available for firemen.

- To prevent environmental damage, if possible collect water used to

extinguish the fire in containers.

6 Accidental Release measures

Personal protection - Wear PVC-gloves and goggles to contain spillage.

Avoid repeated skin contact.

Environment precautions - Prevent the product contaminating soil and groundwater. Prevent the

product entering sewers and waterways.

Cfr.Section 12.

Cleaning / recovery - Large spillages : contain and pump into containers

- Small spillages: absorb on sand, earth...and collect into containers for

disposal. Disposal should always comply with local, national or EEC

regulations. Cfr.Section 13.

7 Handling and Storage

Handling : Good industrial and personal hygiene practice should be followed. No eating

and drinking in the workplace. Ensure adequate ventilation.

Storage : Storage temperature : between +5 and +40°C.

Protect from frost and direct sunlight.

Drums and bottles: material is plastic or steel.

Bulk tanks: stainless steel, plastic coated materials... Clean bulk tanks

periodically to prevent accumulation of bacteria.

Specific use : Use the best available methods of handling our Products whereby the

employees enjoy maximum safety and whereby the environment is

minimally affected.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com

. .



Page:4

Revised edition no: 04

Q-2625 CONCRETE CLEANER

Effective Date: 15.8.2019

8 Exposure controls / personal protection

Exposure limit values : No danger in normal ambient conditions.

There are no specific limiting values for professional exposure.

There are no biological limiting values.

User should determine the conditions for safe use of the product. Cfr.

Section 7 "Handling and Storage".

Exposure controls:

- Occupational exposure controls : Respiratory protection : not applicable

Hand protection : waterproof PVC-gloves (CE) Eye protection : goggles or safety glasses (CE)

Skin protection: N/A

Avoid repeated skin contact.

- Environmental exposure controls : The product must not be discharge directly into drains or waterways without

treatment.

9 Physical and chemical properties

PH of concentrate : 2+/-0.5 Appearance : Clear liquid

Solubility in water : This product is completely soluble in water.

Specific Gravity (H²0=1) : 1.12

10 Stabiity and reactivity

Conditions to avoid : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".

Bacterial degradation can occur if the Product is stored for an unuasually

long period or is stored under unsuitable conditions.

Materials to avoid : N/D Hazardous decomposition products : N/D

11 Toxicological information

On product : Low toxicity is indicated by available data.

Under normal industrial conditions, there is no indication that the Product

can be considered as a health risk.

Skin contact should be avoided to prevent possible long-term or short-term

sensitization.

12 Ecological information

Ecotoxicity : The Product is soluble with water and as such could cover considerable

distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been

contaminated.

with small quantities of the Product, will not affect the biomass. High

concentrations may be harmful to fish and micro organisms.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



Page:5

Revised edition no: 04

Q-2625 CONCRETE CLEANER

Effective Date: 15.8.2019

Mobility : Not established.

Persistence and degradability : There is only a slow environmental degradation of the Product.

Bioaccumulative potential : There is seemingly no tendency for bioaccumulation.

Other adverse effects : Unknown

13 Disposal Considerations

- The following advice only applies to the product as supplied

- Combination with other materials may well indicate another route of disposal. If in doubt, contact TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between livings things, plants and their environment.

14 Transpo	rt info	rmation
------------	---------	---------

General information : This Product is not regulated for road/rail & sea transport.

15 Regulatory Information

Classification and labeling : Classification /symbol - not regulated

Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of

Hazardous Chemicals) Regulations 1997

Safety advice : (May contain information in excess of requirements under applicable laws.

S23 Do not breathe gas/fumes/vapor/spray

S24 Avoid contact with skin

S33 Take precautionary measures against static discharges
S62 If swallowed, do not induce vomiting; seek medical advice

immediately and show this container or label.

16 Other information

Further information : None
Print date : 15.8.2019

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com