

# PRODUCT SPECIFICATION P-636 "KOYANAILS" CONSTRUCTION ADHESIVE

Page :1

Revised edition no : 03

Effective Date: 24/7/2024

## **Characteristics**

- ADB-AS-2001 is a one-component, ready to use, water based acrylic sealant with good adhesion performance on various kinds of substrates.
- The product is almost odour free and is not corrosive towards metals.
- After application, this product provides permanent flexible rubber for gap filler by evaporation of water out of the sealant.

## **Typical Properties**

Property	Value
Consistency	No sagging
Density	1.62 ± 0.05 g/cm <sup>3</sup>
Solid content	80 ± 2%
Skin forming time	5-15 min
Application temperature	5 - 35°C
Hardhess (Shore A)	15 - 45
Paintable after curing	Yes

# **Application**

- Joints in the building industry between wooden and metal window frames and concrete and brickwork.
- Joints between stairs and walls, between concrete and ceiling elements, between wall and ceiling , skirting boards and windowsills.

## **Limitations**

- Among others not recommended for continuous water emersion and not for PE, PP, Teflon and bituminous surfaces.
- Painting over with highly filled emulsion paints can cause cracks in the paint film.
- Not recommend for outdoor application.

## **Storage**

- Store in dry and cool place below 35°C
- Use within 12 months from date of manufacturing .

Every endeavor has been made to ensure that the information given herien is true and reliable but it is given only for the guidance of our customers. The company cannot accept any responsibility for loss or damage that may result from the use of the information, due to the possibility of variations of processing or working conditions and of workmanship outside our control. Users are adviced to confirm suitability of this product by their own test.

## TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com