



SAFETY DATA SHEET

Page :1

Revised edition no : 05

P-534 CEMENT & STAIN REMOVER

Effective Date: 25/7/2024

1 Identification of the Product and the company

Chemical Name : Cement & Stain Remover
Type of product chemical family : N/A
Use : Acidic Cleaner
Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD
No.22 & 23, Jalan Maju 1,
Cemerlang Industrial Estate,
81800 Ulu Tiram, Johor, Malaysia.
Tel: 607-8675798 Fax: 607-8675799
Website: www.koyachemicals.com Email: admin@koyachemicals.com

Emergency phone no : See producer

2 Hazard Identification

HAZARD PICTOGRAM



SIGNAL WORD: DANGER

CLASSIFICATION

Skin Corrosion or irritation	Category 1
Serious eye damage or eye irritation	Category 1
Respiratory sensitization	Category 1
Specific target organ toxicity-single exposure	Category 3
Hazardous to the aquatic environment-chronic hazard	Category 2

Hazard Statement

H314: Causes severe skin burns and eye damage
H318: Causes serious eye damage
H334: May cause allergic or asthma symptoms or breathing difficulties if inhaled
H335: May cause respiratory irritation (respiratory tract irritation)
H411: Toxic to aquatic life with long lasting effects

Precautionary statement-Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P285 In case of inadequate ventilation wear respiratory protection.

Precautionary statement-response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove /take off immediately all contaminated clothing. Rinse skin with water /shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.
Tel: 607-8675798 Fax: 607-8675799
Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET

Page :2

Revised edition no : 05

P-534 CEMENT & STAIN REMOVER

Effective Date: 25/7/2024

P310	Immediately call a POISON CENTER or doctor/physician.
P312	call a POISON CENTER or doctor/physician if you feel unwell.
P321	Specific treatment reference to supplemental first aid instruction.
P342+P311	If experiencing respiratory symptoms: call a POISON CENTER or doctor / physician.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage

Precautionary statement-storage

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary statement-disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulation
------	---

3 Composition / Information on Ingredients

Hydrochloric Acid	: 5 to <10%
Phosphoric Acid	: 3 to <5%
Nonyphenoxy ethanol	: 3 to <5%

4 First Aid Measures

Inhalation	: Remove from exposure and get fresh air.
	: Treatment based on judgement of physician in response to reaction of patient.
Skin Contact	: Remove contaminated clothing. Flush affected area with large amounts of water, then use soap or mild detergent and large amounts of water to cleanse area.
Eye Contact	: Flush with cool running water, lifting the upper and lower eyelids occasionally until discomfort is relieved. Seek medical attention.
Ingestion	: Immediately rinse mouth with water. Do not induce vomiting unless instructed by medical personnel. Seek immediate medical attention.

5 Fire-Fighting Measures

Extinguishing media	:	- Water, powder, CO ₂ , and sand. All extinguishing media are suitable. - Protective clothing and self-contained breathing equipment should be available for firemen. - To prevent environmental damage, if possible collect water used to extinguish the fire in containers.
Fire hazards	:	- Not combustible. However, following evaporation of aqueous component, residual material can burn if ignited. While burning, it will emit toxic fumes including carbon monoxide and carbon dioxide.

6 Accidental Release measures

Personal protection	:	- Wear PVC-gloves and goggles to contain spillage. - Avoid repeated skin contact.
Environment precautions	:	- Prevent the product contaminating soil and groundwater. - Prevent the product entering sewers and waterways. Cfr.Section 12.
Cleaning / recovery	:	- Large spillages : contain and pump into containers - Small spillages : absorb on absorbent material and collect into containers for disposal. Diaposal should always comply with local, national or EEC regulations. Cfr.Section 13.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET

Page :3

Revised edition no : 05

P-534 CEMENT & STAIN REMOVER

Effective Date: 25/7/2024

7 Handling and Storage

- Handling : Good industrial and personal hygiene practice should be followed. No eating and drinking in the workplace. Avoid contact with eyes, skin and clothing. Wash contaminated clothing and other protective equipment before storage or re-use. Ensure adequate ventilation.
- Storage : Storage temperature : between +5 and +40°C.
Protect from frost and direct sunlight.
Drums and bottles : material is plastic or steel.
Bulk tanks : stainless steel, plastic coated materials. Clean bulk tanks periodically to prevent accumulation of bacteria.
- Specific use : Use the best available methods of handling our Products whereby the employees enjoy maximum safety and whereby the environment is minimally affected.

8 Exposure controls / personal protection

- Exposure limit values : No danger in normal ambient conditions.
There are no specific limiting values for professional exposure.
There are no biological limiting values.
User should determine the conditions for safe use of the product. Cfr. Section 7 "Handling and Storage".
- Exposure controls:
- Occupational exposure controls : Respiratory protection : not applicable
Hand protection : waterproof PVC-gloves (CE)
Eye protection : goggles or safety glasses (CE)
Skin protection : N/A
Avoid repeated skin contact.
 - Environmental exposure controls : The product must not be discharged directly into drains or waterways without treatment.

9 Physical and chemical properties

- Appearance : Clear liquid
- PH of concentrate : -1 +/- 1
- Odour : Acid odour
- Solubility in water : Completely soluble in water.
- Specific Gravity (H₂O=1) : 1.20

10 Stability and reactivity

- Chemical stability : Stable under the recommended storage conditions. Cfr. Section 7 "Storage".
- Conditions to avoid : Bacterial degradation can occur if the product is stored for an unusually long period or is stored under unsuitable conditions.
- Materials to avoid : N/D
- Hazardous decomposition products : N/D

11 Toxicological information

- On product : Under normal industrial conditions, there is no indication that the product can be considered as a health risk.
: Repeated skin contact should be avoided to prevent possible long-term or short-term sensation.
: Eye contact causes irritation and pain.
: Irritating to respiratory tract. Exposure to high concentrations over an extended period of time may result in discomfort.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET

Page : 4

Revised edition no : 05

P-534 CEMENT & STAIN REMOVER

Effective Date: 25/7/2024

12 Ecological information

Ecotoxicity	: The product is soluble with water and as such could cover considerable distances if spilled into waterways. Water for sewage treatment, that has been contaminated. With small quantities of the product, will not affect the biomass. High concentration may be harmful to fish and microorganisms.
Mobility	: Not established.
Persistence and degradability	: There is only a slow environmental degradation of the product.
Bioaccumulative potential	: There is seemingly no tendency for bioaccumulation.
Other adverse effects	: Unknown

13 Disposal Considerations

- The following advice only applies to the product as supplied.
- Combination with other materials may well indicate another route of disposal. If in doubt, contact TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between living things, plants and their environment.

14 Transport information

General information : This product is not regulated for road/rail & sea transport.

15 Regulatory Information

Classification and labeling	: Classification /symbol - not regulated
Governing directive	: Occupational Safety and Health (Classification, Packaging and Labeling of Hazardous Chemicals) Regulations 1997
Safety advice	: (May contain information in excess of requirements under applicable laws.

Precautionary statement-Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P285	In case of inadequate ventilation wear respiratory protection.

Precautionary statement-response

P301 + P330 + P331	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove /take off immediately all contaminated clothing. Rinse skin with water /shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	call a POISON CENTER or doctor/physician if you feel unwell.
P321	Specific treatment reference to supplemental first aid instruction.
P342+P311	If experiencing respiratory symptoms: call a POISON CENTER or doctor / physician.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET	Page : 5
	Revised edition no : 05
P-534 CEMENT & STAIN REMOVER	Effective Date: 25/7/2024

Precautionary statement-storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Precautionary statement-disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulation

16 Other information

Further information : None
Print date : 25/7/2024

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com