

Revised edition no : 04

404 MP SOLVENT

Effective Date: 26/6/2024

# Identification of the Product and the company

Chemical Name	: MP SOLVENT
Type of product chemical family	: N/A
recommend use	: general purpose thinner for thinner low grade NC lacquer, synthetic enamel paint and use for wash painting tool etc.
Producer	: TLC-KOYA CHEMICALS MANUFACTURING SDN BHD
	No.22 & 23, Jalan Maju 1,
	Cemerlang Industrial Estate,
	81800. Ulu Tiram, Johor, Malaysia.
	Tel: 607-8675798 Fax: 607-8675799
	Website: www.koyachemicals.com E-mail: admin@koyachemicals.com
Emergency phone no.	: See producer
UN NUMBER	: UN 1263 / IMO 3

### 2 Hazard Identification



SIGNAL WORD: DANGER/BAHAYA

Flammable liquids	Category 3
Acute toxicity-oral	Category 4
Acute toxicity -dermal	Category 4
Acute toxicity-inhalation	Category 4
Skin irritation	Category 2
Reproductive toxicity	Category 2
Specific Target organ Toxicity - single exposure	Category 1
Specific Target organ Toxicity - single exposure (Narcotic effects)	Category 3
Specific Target organ Toxicity - repeated exposure	Category 2

### HAZARD STATEMENT

- H226 Flammable liquid and vapour
- H302 Harmful if swallowed
- H312 Harmful if in contact with skin
- H332 Harmful if inhaled
- H315 Causes skin irritation
- H336 May cause drowsiness and dizziness (narcotic effects)
- H361 Suspected of damaging fertility or the unborn child.
- H370 Causes damage to organs
- H373 May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

Page :2



# 404 MP SOLVENT

Revised edition no : 04

Effective Date: 26/6/2024

### **Precautionary statement - prevention**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dust / fume / gas / mist / vapours / spray.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink, or smoke when using this product.
- P271 Use only outdoors or in a wellventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P281 Use personal protective equipment as required.

### Precautionary statement - response

<u>I reoducional y stateme</u>	
P314	Get medical advice / attention if you feel unwell.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P321	Specific treatment reference to supplemental first aid instruction.
P322	Specific measures reference to supplemental first aid instruction.
P330	Rinse mouth.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353	IF ON SKIN (or hair):Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307 + P311	IF exposed: Call a POISON CENTER or doctor / physician.
P308 + P313	IF exposed or concerned : Get medical advice / attention.
PP332 + P313	If skin irritation occurs: Get medical advice/attention.
P370 + P378	In case of fire: Use Foam and dry chemical powder, carbon dioxide extinguisher for extinction.

### Precautionary statement - storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up

### Precautionary statement disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulation.



Revised edition no : 04

Effective Date: 26/6/2024

# 404 MP SOLVENT

3	Composition / Information on Ingredien	nts
	Hazardous ingredients	: Methyl Benzene >60% ACGIH TLV : TWA ACGIH STEL : 150ppm
		Metyl Alcohol 10 to <30%
		ACGIH TLV : 100ppm
		Butan-2-one 1 to <3%
		2-Butoxyethanol 1 to <3%
4	First Aid Measures	
	Eye Contact	: Flush with cool running water, lifting the upper and lower eyelids occasionally until discomfort is relieved.
	Skin Contact	: Not expected to present a significant skin hazard under anticipated condition of normal use.
	Ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
	Inhalation	: Treatment base on judgment of physician in response to reaction of patient.
5	Fire-Fighting Measures	
	Flash Point (Tag Closed Tester)	: Below 30°C
	Extinguishing Media	: Foam and dry chemical powder, carbon dioxide, sand or earth may be used for small fire only.
	Special Fire Fighting Produres	: Self-contained breathing apparatus are recommended for fire fighters.
	Unusual Fire and Explosion Hazards	: None.
6	Accidental Release Measures	
	Presonal protection	: Wear PVC-gloves and goggles to contain spillage. Avoid repeated skin contact.
	Environment precautions	: Prevent the product contaminating soil and groundwater. Prevent the product entering sewers and waterways. Cfr. Section 12.
	Cleaning / recovery	: Large spillages : contain and pump into containers. Small spillages : absorb on sand. Earthand collect into containers for disposal. Disposal should always comply with local, national or EEC regulations. Cfr. Section 13.



Revised edition no : 04

404 MP SOLVENT

Effective Date: 26/6/2024

# ' Handling and Storage

Handling	: Good industrial and personal hygiene practice should be followed. No eating and drinking in the workplace. Ensure adequate ventilation.
Storage	: Storage temperature : between +5 and +40°C.
	Protect from frost and direct sunlight.
	Drums and bottles : material is plastic or steel. Bulk tanks : stainless steel, plastic coated materials Clean bulk tanks
	periodically to prevent accumulation of bacteria.
Specific use	: Use the best available methods of handling our Products whereby the
	employees enjoy maximum safety and whereby the environment is minimally affected.
8 Exposure Controls / Personal Protec	tion
Exposure limit values	: No danger in normal ambient conditions.
	There are no specific limiting values for professional exposure.
	There are no biological limiting values.
	User should determine the conditions for safe use of the product. Cfr. Section 7 "Handling and Storage".
Exposure Controls:	Section 7 Handling and Storage .
- Occupational exposure controls	: Respiratory protection : not applicable
	Hand protection : waterproof PVC-gloves (CE)
	Eye protection : goggles or safety glasses (CE)
	Skin protection : N/A
	Avoid repeated skin contact.
- Environmental exposure controls	: The product must not be discharge directly into drains or waterways without treatment.
0 Developed and Chamical Dropartice	
9 Physical and Chemical Properties	
Flash Point (°C)	: Bellow 30°C
Cu Corrosion	: No Discoloration
Appearance and odor	: Clear liquid and chemical odor.
Solubility in water	: Immiscible with and lighter than water.
Specific Gravity (H <sub>2</sub> O=1)	: 0.8 - 0.85
10 Stability and Reactivity	
Conditions to avoid	· Stoble under the recommended stores conditions. Of Castier 7 "Stores"
Conditions to avoid	: Stable under the recommended storage conditions. Cfr. Section 7 "Storage". Bacterial degradation can occur if the Product is stored for an unusually
	long period or is stored under unsuitable conditions.
、	Keep away from spark, do not empty into drain.
Incompatibility (materials to avoid)	: None known.
Hazardous Polymerization	: Nil
Materials to avoid	: N/D
Hazardous decomposition products	: N/D



Revised edition no : 04

# 404 MP SOLVENT

Effective Date: 26/6/2024

### 11 Toxicological Information

On product	: Low toxicity is indicated by available data. Under normal industrial conditions, there is no indication that the Product can be considered as a health risk. Skin contact should be avoided to prevent possible long-term or short-term sensitation.
12 Ecological Information	
Ecotoxicity	<ul> <li>The Product is soluble with water and as such could cover considerable distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been comtaminated.</li> <li>with small quantities of the Product, will not affect the biomass. High concentrations may be harmful to fish and micro organisms.</li> </ul>
Mobility	: Not established.
Persistence and degradability	: There is only a slow environmental degradation of the Product.
Bioaccumulative potential Other adverse effects	: There is seemingly no tendency for bioaccumulation. : Unknown.
	. UTIKHUWH.

### 13 Disposal Considerations

- The following advice only applies to the product as supplied.
- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between livings things, plants and their environment.

## 14 Transport Information

IMO PROPER SHIPPING NAME IMO U.N. CLASS IMO U.N. NUMBER IMO LABEL : MP SOLVENT : 3 : UN 1263 : Flammable Liquid





# SAFETY DATA SHEET

Page : 6

Revised edition no : 04

# 404 MP SOLVENT

Effective Date: 26/6/2024

## 15 Regulatory Information

Classification and labelir	ng : Classification / symbol - R11, R20, R21, R22.
Governing directive	: Occupational Safety and Health (Classification, Packaging and Labeling of
	Hazardous Chemicals) Regulations 1997.
Safety advice	: (May contain information in excess of requirements under applicable laws.
Precautionary stateme	nt prevention
P201 Obtain spe	cial instructions before use.
	ndle until all safety precautions have been read and understood.
	/ from heat/sparks/open flames/hot surfaces – No smoking.
P233 Keep conta	ainer tightly closed.
	nd container and receiving equipment.
•	sion-proof electrical/ventilating/lighting//equipment.
-	on-sparking tools.
	autionary measures against static discharge.
P260 Do not brea	athe dust / fume / gas / mist / vapours / spray.
P261 Avoid brea	thing dust/fume/gas/mist/vapours/spray.
P264 Wash thore	oughly after handling.
P270 Do not eat,	, drink, or smoke when using this product.
	utdoors or in a wellventilated area.
•	ective gloves/protective clothing/eye protection/face protection.
P281 Use persor	nal protective equipment as required.
	***
Precautionary stateme P314	
P314 P312	Get medical advice / attention if you feel unwell. Call a POISON CENTER or doctor/physician if you feel unwell.
P312 P321	Specific treatment reference to supplemental first aid instruction.
P321 P322	
P322 P330	Specific measures reference to supplemental first aid instruction. Rinse mouth.
P362	
P362 P363	Take off contaminated clothing and wash before reuse.
P303 P301 + P312	Wash contaminated clothing before reuse.
P301 + P312 P302 + P352	IF SWALLOWED: Call a POISON CENTER or doctor / physician if you feel unwell.
P302 + P352 P303 + P361 + P353	IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair):Remove/take off immediately all contaminated clothing. Rinse skin
P303 + P301 + P353	with water/shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
F 304 + F 340	breathing.
P307 + P311	IF exposed: Call a POISON CENTER or doctor / physician.
P308 + P313	IF exposed or concerned : Get medical advice / attention.
PP332 + P313	If skin irritation occurs: Get medical advice/attention.
P370 + P378	In case of fire: Use Foam and dry chemical powder, carbon dioxide extinguisher for
10/0110/0	extinction.

## Precautionary statement storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up

# TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia. Tel: 607-8675798 Fax: 607-8675799 Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com

С КО YA	

Revised edition no : 04

404 MP SOLVENT

Effective Date: 26/6/2024

## Precautionary statement disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulation.

Further information	: None	
Print date	: 26/6/2024	
N/A - Not Applicable	N/D - Not Determined	

test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.