

**MATERIAL SAFETY DATA SHEET**

Page :1

**P-555 ELECTRIC MOTOR &**

Revised edition no : 01

**EQUIPMENT CLEANER**

Effective Date: 1-7-2014

**1 Identification of the Product and the company**

Chemical Name : Electric Motor & Equipment Cleaner  
Type of product chemical family : Solvent Cleaner  
Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD  
No.22 & 23, Jalan Maju 1,  
Cemerlang Industrial Estate,  
81800 Ulu Tiram, Johor, Malaysia.  
Tel: 607-8675798 Fax: 607-8675799  
Website: www.koyachemicals.com Email: admin@koyachemicals.com

Emergency phone nr : See producer

**2 Hazard Identification**

Hazard Identification : Colourless liquid. Irritating odor. Toxic fumes are released in fire situations. Harmful if inhaled, can cause death if too much is breathed. Clear all personal from spill area. Wear full protected equipment. Contain liquid to prevent contamination of soil surface water or ground water.

By Skin Contact : Contact of this product upon the skin can cause irritation. There is also a possibility of defecting of the skin due to the removal of the skins natural oils.

By Eye Contact : Contact of this product upon the skin can cause irritation of the eyes and eyelids.

By Ingestion : When concentrated solution of this product are swallowed, it can cause irritation to the mouth, esophagus and stomach.

By Inhalation : Fumes from this product are toxic and can cause irritation of the nose, nasal passages and lungs.

**3 Composition / Information on Ingredients**

Hazardous Ingredients : Trichloroethylene 1 80 - 98%  
2-Butyleneoxide 0.5%

**4 First Aid Measures**

For Eye Contact : Flush eyes for 30 minutes with cool water, if irritation developed, consult a physician immediately.

For Skin Contact : Flush exposed area with like warm water. If irritation persists consult a physician immediately.

For Inhalation : Remove patient to a clean atmosphere and administer oxygen if it is necessary. Consult a physician immediately.

For Ingestion : Do not induce vomiting. Have patient drink large amounts of water or milk. Consult a physician immediately.

**5 Fire-Fighting Measures**

Flash Point (Tag Closed Tester) : None.

Extinguishing media : Sand, Dry Chemical, Dry Foam, Halon, Water.

Special Fire Fighting Procedures : -

Wear goggles and self-contained breathing apparatus. Use water to keep fire-exposed containers cool and to flush spills away from fire. In the case of large fires, also cool surrounding equipment and structures with water.

Unusual Fire & Explosion hazards : Not known.

**TLC-KOYA CHEMICALS MANUFACTURING SDN BHD**

No.22 &amp; 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



<b>MATERIAL SAFETY DATA SHEET</b>	Page :2
<b>P-555 ELECTRIC MOTOR &amp; EQUIPMENT CLEANER</b>	Revised edition no : 01
	Effective Date: 1-7-2014

#### 6 Accidental Release Measures

Personal protection	: Wear PVC-gloves and goggles to contain spillage. Avoid repeated skin contact.
Environment precautions	: Prevent the product contaminating soil and groundwater. Prevent the product entering sewers and waterways. Cfr. Section 12.
Cleaning / recovery	: large spillages : contain and pump into containers. Small spillages : absorb on sand, earth...and collect into containers for disposal. Disposal should always comply with local, national or EEC regulations. Cfr. Section 13.

#### 7 Handling and Storage

Handling	: Good industrial and personal hygiene practice should be followed. No eating and drinking in the workplace. Ensure adequate ventilation.
Storage	: Storage temperature : between +5 and +40°C. Protect from frost and direct sunlight. Drums and bottles : material is plastic or steel. Bulk tanks : stainless steel, plastic coated materials... Clean bulk tanks periodically to prevent accumulation of bacteria.
Specific use	: Use the best available methods of handling our Product whereby the employees enjoy maximum safety and whereby the environment is minimally affected.

#### 8 Exposure Controls / Personal Protection

Exposure limit values	: No danger in normal ambient conditions. There are no specific limiting values for professional exposure. There are no biological limiting values. User should determine the conditions for safe use of the product. Cfr. Section 7 "Handling and Storage".
Exposure controls: - Occupational exposure controls	: Respiratory protection : not applicable Hand protection : waterproof PVC-gloves (CE) Eye protection : goggles or safety glasses (CE) Skin protection : N/A Avoid repeated skin contact.
- Environmental exposure controls	: The product must be discharge directly into drains or waterways without treatment.

#### 9 Physical and Chemical Properties

Boiling point (°F)	: 100
Vapor Pressure (mm hg)	: N/D
Vapor Density (Air=1)	: N/D
PH of concentrate	: 6 +/- 0.5
Appearance and odor	: Clear Liquid & strong chemical odor.
Solubility in water	: Not soluble in water.
Density	: 1.73
Percent Volatile by Weight	: 100
Evaporation Rate (Water=1)	: 100

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



<b>MATERIAL SAFETY DATA SHEET</b>	Page :3
<b>P-555 ELECTRIC MOTOR &amp;</b>	Revised edition no : 01
<b>EQUIPMENT CLEANER</b>	Effective Date: 1-7-2014

#### 10 Stability and Reactivity

Stability	: Stable
Condition to avoid	: Heat, Flames, and Ignition sources.
Incompatibility (materials to avoid)	: Strong oxidizing and reducing agent.
Hazardous Decomposition Products	: Acid smoke. Organic compounds on combustion. Carbon monoxide and carbon dioxide on combustion.
Hazardous Polymerization	: Will not occur.

#### 11 Toxicological Information

On product	: Low toxicity is indicated by available data. Under normal industrial conditions, there is no indication that the Product can be considered as a health risk. Skin contact should be avoided to prevent possible long-term or short-term sensitisation.
------------	--

#### 12 Ecological Information

Ecotoxicity	: The Product is soluble with water and as such could cover considerable distances if spilled into waterways. Even a small spillage will whiten the appearance of water. Water for sewage treatment, that has been contaminated. with small quantities of the Product, will not affect the biomass. High concentrations may be harmful to fish and micro organisms.
Mobility	: Not established.
Persistence and degradability	: There is only a slow environmental degradation of the Product.
Bioaccumulative potential	: There is seemingly no tendency for bioaccumulation.
Other adverse effects	: Unknown

#### 13 Disposal Considerations

- The following advice only applies to the product as supplied.
- Combination with other materials may well indicate another route of disposal. If in doubt, contact local TLC-KOYA CHEMICALS MANUFACTURING SDN BHD or local authorities.
- Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor.
- Care should in any case be taken to ensure compliance with national and local regulations.
- This product is not suitable for disposal by either landfill or via municipal sewers, drains, and natural streams, rivers or seas, they will effect the relationship between livings things, plants and their environment.



<b>MATERIAL SAFETY DATA SHEET</b>	Page :4
<b>P-555 ELECTRIC MOTOR &amp;</b>	Revised edition no : 01
<b>EQUIPMENT CLEANER</b>	Effective Date: 1-7-2014

#### 14 Transport Information

General information : This Product is not regulated for road/rail & sea transport.

#### 15 Regulatory Information

Classification and labeling : Classification / symbol - not regulated.  
Governing directive : Occupational Safety and Health (Classification, Packaging and Labeling of Hazardous Chemicals) Regulations 1997.  
Safety advice : May contain information in excess of requirements under applicable laws.  
S23 Do not breathe gas/fumes/vapor/spray  
S24 Avoid contact with skin  
S33 Take precautionary measures against static discharges  
S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

#### 16 Other information

Further information : None  
Print date : 1-7-2014

N/A - Not Applicable      N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

---

#### TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com