

LANDWELL®

Beijing Landwell Electron Technology Co., Ltd

Cloud Guard Tour System G-100




About G-100

G100 proximity guard tour patrol applies for **RFID** technology, professionally designed for guard patrolling. It effectively supervises, manages and assesses the working conditions of patrol personnel and strengthen safety management. The system can be widely used in community, property patrols; railway, oil pipeline, power and public security inspections.

System Description



Hardware

- ❖ Windows, NET 4.0
- ❖ USB Interface
- ❖ Resolution: Minimum 1366*768 Maximum: 1020*1080 display

Material	Plastic + Rubber	
Alert	Vibration and luminescence (LCD)	
Record Allowed	40000	
Communication	Magnetic / drive-free USB2.0 full speed	
Battery	1800mAH	
Charging Time	2-3 hrs	
Stand-by	> 1 month	
Low Battery Alarm	Power reminder	
Protection Grade	IP68	
Size	48.7mm*26.5mm*150mm	
Weight	222g ± 4g	
Brightness	400lm	

Accessories


Location Button

Item No.: ID-EM-10	
Size: 70mm*32mm * 8mm	
Temperature: -25℃~65℃	
Material: Engineering plastic polycarbonate	
Frequency: 125KHZ	
The round holes on both sides can be fixed on the object with 6mm screws, and the internal is encapsulated with epoxy engineering resin, which is time-resistant and anti-corrosion and suitable for poor environment.	
	


Since 1999

Was Awarded As "Guard Tour System National Standard" Enterprise.

Personnel Button

Item No.: ID-EM-P2	
Frequency: 125KHZ	
Temperature: -25°C~65°C	
Size: 50mm*35mm	
Technical indicators: according to the specific name of the patrol personnel, assign the corresponding name to the personnel button.	

Magnetic Charging Cable

Delay: 5.02NS/m	
Impedance: 107-110hm	
Length: 1M	
Description: Magnetic drive-free charging	