

# Spandeck

Walkways & Platform Systems



**INSTANT**

QUALITY & STRENGTH YOU CAN TRUST

# SPANDECK

**Spandeck** is a lightweight aluminium walkway bridge, work platform and staging system in one versatile unit.

Thanks to its unique reversible design and double side hooks **Spandeck** can be used individually as a walkway or side by side as staging.

High strength aluminium alloy construction ensures **Spandeck** is lightweight and remains maintenance free whilst integral toeboards enable it to be used safely as a walkway. Guardrail posts and guardrails are fitted to provide a safe working environment.

## Staging

**Spandeck** can be inverted and used in multiple combinations to provide decks and work platforms of virtually unlimited dimensions. The unique hook design allows **Spandeck** to be positively connected for multi-width use and also provide a positive location between towers or traditional scaffold systems.



Towers can be bridged with **Spandeck** to provide large safe working areas.

## Walkways

With almost 50 years in the business of getting people safely to high level work locations, Instant Uplight are one of the most respected manufacturers of access equipment in the world.

**Spandeck** Modular Walkway Systems provide the simple, cost-effective and safe answer to all your high level access requirements. Using just a small number of standard components, the system is easy to specify yet is versatile enough for the most demanding of locations. Installation is quick and simple and thanks to the light weight, the need for expensive cranes is reduced.

Because **Spandeck** Walkways are designed specifically for this application they not only give you higher performance, but in most cases actually cost you considerably less than traditional site-fabricated products.

Providing full compliance, where applicable, with BS6399 (part 1) 1996 and BS5395 (part 2) 1995, subject to detailed specification, **Spandeck** Walkway systems are manufactured using procedures approved to ISO 9001. Our list of Worldwide client references speaks for itself, so if you need the highest quality and best price for a walkway make sure you contact us first.



Walkways can be installed on roofs to provide mobile Access Services.



Custom designed steps can be provided to cater for alterations or changes in level.



Four way intersection each piece are a standard option.

Deck systems are designed for use with standing seam roofing system clips.



John Lewis Partnership - Access to truck parking conveyor system in warehouses.



Wall bracket mounted access to tall pipes above bus Garage/Bus - City College, London.



Access over gabled roof to air conditioning plant - Bath University



The permanent installation of a suspended Operadeck walkway in the Royal Signals Museum provides access to roof work areas such as air conditioning without closing exhibition to the public.



Double width walkway in industrial laundry provides maintenance access to sewerage and prevents debris falling into machinery below.




Glasgow Rangers F.C. Stadium Roof Walkway

Manufacture Town Hall - walkway over fragile roof

SPACED MODULAR  
GALLERY SYSTEMS

MANUFACTURED BY  
**INSTANT  
UPRIGHT**  
[www.instantupright.com](http://www.instantupright.com)



Double width walkway with Sparadeck. Holes drilled and telescopic.



## Roofing

**Spandeck** has become the first choice for specifiers of roof access thanks to Instant Upright's programme of ongoing development to improve safety whilst working at height.

In conjunction with major roofing contractors and safety officers, we have a number of safety products designed to ensure safe roof access without hindering work progress.

Extensive mobile runs are created by linking **Spandeck** together and becomes mobile by unhooking the **Spandeck** flooring rollers and pushing the unit to the desired location.

Your safety harness simply clips to the horizontal safety line.



## Spantrack

**Spantrack** is an innovative rare continuous safety harness track - simply clip your harness to **spantrack** to provide uninterrupted movement along the length of your **Spandeck**.

Trailing edge protection frames are securely fixed to the **Spandeck** by means of 'quick-fit' fixing brackets.



## Leading & Trailing Edge Protection

Instant Upright have developed a method of protecting personnel on both leading and trailing edge. Leading edge protection is provided by double guardrails while trailing edge protection is provided by the innovative trailing edge system.



Lightweight trailing edge protection frames offer safe and easy manoeuvrability.

**SAFETY TRAINING COURSES**

**SPANDECK + SAFE ROOF WORK**

Other safety training courses are available.

Components	Part No.	Description	Weight kg
PLATFORMS	88012	1.2m (39") Deck Length	30
	88014	4.2m (14') Deck Length	94
	88016	1.2m (39") Deck Length	39
	88018	1.2m (39") Deck Length	41
	88020	6.1m (20') Deck Length	67
	88022	6.1m (20') Deck Length	71
	88024	7.3m (24') Deck Length	79
	88026	8.1m (27') Deck Length	88
	88210	6.1m (20') Two Scaffolds	92
	STAIRCASE POLES	88040	1.2m High
88042		2.4m High	3.8
88044		3.6m High	5.2
HANDRAILS	88046	For 1.2m Scaffolds	4.1
		For 2.4m Scaffolds	4.8
		For 3.6m Scaffolds	5.5
		For 4.8m Scaffolds	6.1
		For 6.1m Scaffolds	6.8
		For 7.3m Scaffolds	7.2
		For 8.1m Scaffolds	8.0
		For 9.1m Scaffolds	10.2
TIE BARS	88084	6m (19m 10") Flat Top	1.8
	88086	6m (19m 10") Flat Top	2.0
	88088	6m (19m 10") Long	3.2
	88090	6m (19m 10") Long	3.2
ACCESSORIES	88028	Full Platform with 4 x 6 Studs	4.4
	88010	Step-Away Brack	3.2
	88014	Long Base Brack	3.9
	3009	Spacelock Roofing Tractor	8.0
	370-81	1/4" Bracket	2.0
	370-82	1/2" Bracket	2.0
	370-1-43	Trailing Edge Bracket	7.0
	3007	Low Connector	0.3
	3005	High Angle Coupler	0.8

**ACCESSORIES**

- Integral Horizontal Safety Line system (requires frames)
- Trailing Edge Protection
- Spacelock Roofing Tractor
- Spacelock Continuous Safety Line (requires frames)

**STANDARD FEATURES**

- Quick and easy to install
- Lightweight and durable
- Non slip self draining surface integral footboards

# SUPERB ACCESS

**SUPERB ACCESS SOLUTIONS SDN BHD**  
(Co. No. 925344-F)

Tel: (+603) 5636 7687 & 5637 7687

Fax: (+603) 5638 7687

Contact Person: Chris Chin


Mobile: +019 3672379

Email: sales@superb-access.com

chris.chin@superb-access.com

chrischin3@gmail.com

Website: www.superb-access.com.my



**SAFE WORKING LOADS**

Part No.	SWL
88012	900 KG DISTRIBUTED
88014	775 KG DISTRIBUTED
88016	875 KG DISTRIBUTED
88018	900 KG DISTRIBUTED
88020	540 KG DISTRIBUTED
88022	480 KG DISTRIBUTED
88024	450 KG DISTRIBUTED
88026	450 KG DISTRIBUTED
88210	400 KG DISTRIBUTED

MANUFACTURED BY  
**INSTANT UPRIGHT**  
www.instantupright.com

Superb Access® design without holes. Photo not shown if the surface is to penetrate. Superb Access, with its extensive product range is proudly produced in Malaysia. All products are made in Malaysia. All equipment is subject to inspection and approval by the relevant authorities. All equipment is subject to inspection and approval by the relevant authorities. All equipment is subject to inspection and approval by the relevant authorities.