

LUXURY LAMINATED FLOORING



8MM

Ash Oak

LAMINATED

Back To Nature Environment, Happiness, Healthy, Lifestyle.

FLOORING 8MM




197 x 1218 mm
DIMENSION

8.00mm
THICKNESS

AC3
FEATURES

EMBOSED
SURFACE

V-GROOVE DESIGN



CLICK SYSTEM



Napoli Grey



- 8.00mm THICKNESS
- AC3 FEATURES
- EMBOSED SURFACE
- V-GROOVE DESIGN



Easy Installation



Eco-Friendly



Hickory Maple



- 8.00mm THICKNESS
- AC3 FEATURES
- EMBOSED SURFACE
- V-GROOVE DESIGN

 Easy Installation

 Eco-Friendly



Ash Oak



- 8.00mm
THICKNESS
- AC3
FEATURES
- EMBOSSED
SURFACE
- V-GROOVE DESIGN



Easy Installation



Eco-Friendly



Belgium Teak




- 8.00mm THICKNESS
- AC3 FEATURES
- EMBOSSED SURFACE
- V-GROOVE DESIGN



Easy Installation



Eco-Friendly



Snowy White



- 8.00mm THICKNESS
- AC3 FEATURES
- EMBOSSED SURFACE
- V-GROOVE DESIGN



Easy Installation



Eco-Friendly



Waterproof




PVC Skirting

TWO PVC Skirting Size

- 2440mm (L) x 70mm (W) x 14mm (T)
- 2440mm (L) x 95mm (W) x 14mm (T)



Dark Walnut
(95PVC001)




Walnut
(95PVC002)



Maple
(95PVC003)



Light Oak
(95PVC004)



Teak
(95PVC005)



Matt White
(95PVC006)




Grey
(95PVC007)

Profile & Accessories




Adaptation



F.Norsing



End Moulding



L.Profile



Transition



COLOUR



Dark Walnut



Light Oak



White



Grey



Teak




Walnut



Maple

Aluminum Profile



Foam

AP Profile



Rose Gold

L Profile



Silver

MTP Profile



Black



Pe foam



Eva foam



Foam underlay is an entry level underlay for wood and laminate flooring, having basic thermal and sound proofing qualities. Can also be used in conjunction with other underlays for additional sound proofing.