

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

JPC-INTAN SDN. BHD.
BATU 57, JALAN JOHOR
AIR HITAM
86100 KLUANG
JOHOR, MALAYSIA



ACB 001

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

VITRIFIED CLAY PIPES (JACKING PIPE)

Please refer to detail in the SCHEDULE



sebagai mematuhi keperluan
as complying with

BS EN 295-7 : 2013



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

JPC-INTAN SDN. BHD.



SIRIM

Trade Mark : JPC-INTAN, CLAYTAN
 Model : CRUSHING STRENGTH: FN 72 kN/m (UNGLAZED)
 Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
 Size : DN 225 X 1.0m, DN 225 X 2.0m (JACKING STRENGTH: FJ 3.4 MN)



ACB 001

Trade Mark : JPC-INTAN, CLAYTAN
 Model : CRUSHING STRENGTH: FN 80 kN/m (UNGLAZED)
 Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
 Size : DN 250 X 1.0m, DN 250 X 2.0m (JACKING STRENGTH: FJ 4.8 MN)



Trade Mark : JPC-INTAN, CLAYTAN
 Model : CRUSHING STRENGTH: FN 96 kN/m (UNGLAZED)
 Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
 Size : DN 300 X 1.0m, DN 300 X 2.0m (JACKING STRENGTH: FJ 6.5 MN)

Trade Mark : JPC-INTAN, CLAYTAN
 Model : CRUSHING STRENGTH: FN 100 kN/m (UNGLAZED)
 Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
 Size : DN 375 X 1.0m, DN 375 X 2.0m (JACKING STRENGTH: FJ 6.5 MN)

Trade Mark : JPC-INTAN, CLAYTAN
 Model : CRUSHING STRENGTH: FN 100 kN/m (UNGLAZED)
 Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
 Size : DN 400 X 1.0m, DN 400 X 2.0m (JACKING STRENGTH: FJ 7.3 MN)

Trade Mark : JPC-INTAN, CLAYTAN
 Model : CRUSHING STRENGTH: FN 100 kN/m (UNGLAZED)
 Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
 Size : DN 450 X 1.0m, DN 450 X 2.0m (JACKING STRENGTH: FJ 9.6 MN)

Trade Mark : JPC-INTAN, CLAYTAN
 Model : CRUSHING STRENGTH: FN 100 kN/m (UNGLAZED)
 Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
 Size : DN 500 X 1.0m, DN 500 X 2.0m (JACKING STRENGTH: FJ 10.5 MN)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6400
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 November 2006

Certified Since

Sah Sehingga : 27 November 2024

Valid Until

Tarikh Dikeluarkan : 12 October 2023

Issue Date

No Siri : 090317

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

JPC-INTAN SDN. BHD.



SIRIM

Trade Mark : JPC-INTAN, CLAYTAN
Model : CRUSHING STRENGTH: FN 100 kN/m (UNGLAZED)
Rating : JOINTING SYSTEM - PROFILED RUBBER SEAL RING WITH STAINLESS STEEL SLEEVE (SS304 OR SS316)
Size : DN 600 X 1.0m, DN 600 X 2.0m (JACKING STRENGTH: FJ 16.7 MN)

End of page



ACB 001



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 November 2006

Certified Since

Sah Sehingga : 27 November 2024

Valid Until

Tarikh Dikeluarkan : 12 October 2023

Issue Date

No Siri : 090317

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.