



No Lesen : PS112002

Licence No :

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

SPIND MALAYSIA SDN. BHD.
NO. 3, JALAN BP 5/5
BANDAR BUKIT PUCHONG
47100 PUCHONG
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

GULLIES FOR BUILDING

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

BS EN 1253-1 : 2015

Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

Tarikh Mula Pensijilan : 12 April 2006

Certified Since

Sah Sehingga : 12 April 2025

Valid Until

Tarikh Dikeluarkan : 26 February 2024

Issue Date

No Siri : 095224

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SPIND MALAYSIA SDN. BHD.



Trade Mark : SPIND
 Model : SPIND; FLOOR GULLY WITH TRAP
 Rating : LOADING STRENGTH: K 3
 Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
 Size : NOMINAL SIZE OUTLET (DN/ID): 50 mm AND 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 60 mm; NUMBER OF SIDE INLET: 4

Trade Mark : SPIND
 Model : SPIND II; FLOOR GULLY WITH TRAP
 Rating : LOADING STRENGTH: K 3
 Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
 Size : NOMINAL SIZE OUTLET (DN/ID): 50 mm AND 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 50 mm; NUMBER OF SIDE INLET: 2

Trade Mark : SPIND
 Model : SPIND III; FLOOR GULLY WITH TRAP
 Rating : LOADING STRENGTH: K 3
 Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
 Size : NOMINAL SIZE OUTLET (DN/ID): 50 mm AND 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 50 mm; NUMBER OF SIDE INLET: 4

Trade Mark : SPIND
 Model : SPIND IV; FLOOR GULLY WITH TRAP
 Rating : LOADING STRENGTH: K 3
 Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
 Size : NOMINAL SIZE OUTLET (DN/ID): 50 mm AND 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 60 mm; NUMBER OF SIDE INLET: 2

Trade Mark : SPIND
 Model : SPIND 6; FLOOR GULLY WITH TRAP
 Rating : LOADING STRENGTH: K 3
 Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
 Size : NOMINAL SIZE OUTLET (DN/ID): 50 mm AND 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 50 mm; NUMBER OF SIDE INLET: 4

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 12 April 2006

Certified Since

Sah Sehingga : 12 April 2025

Valid Until

Tarikh Dikeluarkan : 26 February 2024

Issue Date

No Siri : 095224

Serial No

Lesen ini dianugerahkan tertakuk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SPIND MALAYSIA SDN. BHD.



Trade Mark : SPIND
Model : SPIND 'SF' (SIDE FLOW); FLOOR GULLY WITH TRAP
Rating : LOADING STRENGTH: K 3
Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
Size : NOMINAL SIZE OUTLET (DN/ID): 50 mm AND 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 60 mm; NUMBER OF SIDE INLET: 3

Trade Mark : SPIND
Model : SPIND MINI; FLOOR GULLY WITH TRAP
Rating : LOADING STRENGTH: K 3
Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
Size : NOMINAL SIZE OUTLET (DN/ID): 50 mm AND 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 50 mm; NUMBER OF SIDE INLET: 2

Trade Mark : SPIND
Model : SPIND 8
Rating : LOADING STRENGTH: K 3
Type : FLOOR GULLY WITH SIDE INLET; TYPE II; WITHOUT MEMBRANE THERMAL BEHAVIOUR: CLASS A
Size : NOMINAL SIZE OUTLET (DN/ID): 75 mm; NOMINAL SIZE SIDE INLET (DN/ID): 43 mm; DEPTH OF WATER SEAL: 60 mm; NUMBER OF SIDE INLET: 4

Factory Name and Location :
SYSTRONIX MAJU SDN. BHD.
30 - 32, LINTANG SUNGAI KERAMAT 6B
TAMAN KLANG UTAMA
42100 KLANG
SELANGOR, MALAYSIA

End of page