



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-012972
Licence No : PC004633

Date : 17/07/2024

NAN YA HARDWARE SDN. BHD.
LOT 4846, JALAN KPB 11A
KAWASAN PERINDUSTRIAN KAMPUNG BARU BALAKONG
43300 SERI KEMBANGAN
SELANGOR, MALAYSIA

Attn : MR. TAN YONG QING

Tel No : 03-89611666

Fax No : 03-89619911

Dear Sir/Madam,

Product Certification Licence

Product : STAINLESS STEEL FITTING
Standard : MS 2495 : 2012

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : ROSLAN AZIZAN
Contact No : 03-55445895
Email : aroslan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

NAN YA HARDWARE SDN. BHD.
LOT 4846, JALAN KPB 11A
KAWASAN PERINDUSTRIAN KAMPUNG BARU BALAKONG
43300 SERI KEMBANGAN
SELANGOR, MALAYSIA



ACB 001

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

STAINLESS STEEL FITTING

Please refer to detail in the **SCHEDULE**

sebagai mematuhi keperluan
as complying with

MS 2495 : 2012



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

NAN YA HARDWARE SDN. BHD.



SIRIM

Trade Mark : NYM
 Model : ELBOW; E1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4 , 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3 AND 4



ACB 001

Trade Mark : NYM
 Model : MALE AND FEMALE ELBOW; E4
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4 , 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2 , 3 and 4



Trade Mark : NYM
 Model : SOCKET; S2
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4 , 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3 AND 4

Trade Mark : NYM
 Model : HEXAGON NIPPLE; N1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4 , 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3 AND 4

Trade Mark : NYM
 Model : REDUCING BUSHES; B1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/4 x 1/8 , 3/8 x 1/8 , 3/8 x 1/4 , 1/2 x 1/4 , 1/2 x 3/8, 3/4 x 1/4, 3/4 x 3/8 , 3/4 x 1/2, , 1 x 1/4, 1 x 3/8 , 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2, 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2 , 1 1/2 x 3/4, 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1 1/4, 2 x 1/2 , 2 x 3/4 , 2 x 1, 2 x 1 1/2, 2 1/2 x 1/2 , , 2 1/2 x 1 , 2 1/2 x 1 1/4 , 2 1/2 x 3/4 , 2 1/2 x 1 1/2, 2 1/2 x 2, 3 x 1/2 , 3 x 3/4 , 3 x 1 , 3 x 1 1/4 , 3 x 1 1/2 , 3 x 2, 3 x 2 1/2, 4 x 1 , 4 x 1 1/4 , 4 x 1 1/2 , 4 x 2 , 4 x 2 1/2 AND 4 x 3

Trade Mark : NYM
 Model : REDUCING ELBOW; E2
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/4 x 1/8 , 3/8 x 1/8 , 3/8 x 1/4 , 1/2 x 1/4 , 1/2 x 3/8, 3/4 x 1/4 , 3/4 x 3/8 , 3/4 x 1/2, 1 x 1/4 , 1 x 3/8, 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2 , 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2 , 1 1/2 x 3/4 , 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1/2 , 2 x 3/4 , 2 x 1, 2 x 1 1/4 , 2 x 1 1/2, 2 1/2 x 1/2 , 2 1/2 x 3/4 , 2 1/2 x 1 , 2 1/2 x 1 1/4 , 2 1/2 x 1 1/2 , 2 1/2 x 2, 3 x 1/2 , 3 x 3/4 , 3 x 1 , 3 x 1 1/4 , 3 x 1 1/2 , 3 x 2 , 3 x 2 1/2 , 4 x 1 , 4 x 1 1/4 , 4 x 1 1/2 , 4 x 2 , 4 x 2 1/2 AND 4 x 3

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 September 2019

Certified Since

Sah Sehingga : 27 September 2025

Valid Until

Tarikh Dikeluarkan : 17 July 2024

Issue Date

No Siri : 100319

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

NAN YA HARDWARE SDN. BHD.



Trade Mark : NYM
 Model : TEE; T1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4 , 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3 AND 4.



Trade Mark : NYM
 Model : REDUCING SOCKET; S3
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/4 x 1/8 , 3/8 x 1/8 , 3/8 x 1/4 , 1/2 x 1/4 , 1/2 x 3/8 , 3/4 x 1/4 , 3/4 x 3/8, 3/4 x 1/2 , 1 x 1/4 , 1 x 3/8 , 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2, 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2 , 1 1/2 x 3/4 , 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1/2 , 2 x 3/4 , 2 x 1, 2 x 1 1/4, 2 x 1 1/2, 2 1/2 x 1/2 , 2 1/2 x 3/4 , 2 1/2 x 1 , 2 1/2 x 1 1/4 , 2 1/2 x 1 1/2, 2 1/2 x 2, 3 x 1/2 , 3 x 3/4 , 3 x 1 , 3 x 1 1/4 , 3 x 1 1/2, 3 x 2, 3 x 2 1/2, 4 x 1 , 4 x 1 1/4 , 4 x 1 1/2 , 4 x 2, 4 x 2 1/2 AND 4 x 3



Trade Mark : NYM
 Model : CAP; C1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4 , 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2 , 3 AND 4

Trade Mark : NYM
 Model : UNION; U1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4 , 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3 AND 4

Trade Mark : NYM
 Model : CROSS; X1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8 , 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3 AND 4

Trade Mark : NYM
 Model : 45° ELBOW; E3
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = 1/8" , 1/4" , 3/8", 1/2, 3/4, 1, 1 1/4, 1 1/2 , 2, 2 1/2, 3 AND 4

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 27 September 2019

Certified Since

Sah Sehingga : 27 September 2025

Valid Until

Tarikh Dikeluarkan : 17 July 2024

Issue Date

No Siri : 100319

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

NAN YA HARDWARE SDN. BHD.



Trade Mark : NYM
 Model : REDUCING TEE; T2
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = $\frac{1}{4}$ x $\frac{1}{8}$, $\frac{3}{8}$ x $\frac{1}{8}$, $\frac{3}{8}$ x $\frac{1}{4}$, $\frac{1}{2}$ x $\frac{1}{4}$, $\frac{1}{2}$ x $\frac{3}{8}$, $\frac{3}{4}$ x $\frac{1}{4}$, $\frac{3}{4}$ x $\frac{3}{8}$, $\frac{3}{4}$ x $\frac{1}{2}$, 1 x $\frac{1}{4}$, 1 x $\frac{3}{8}$, 1 x $\frac{1}{2}$, 1 x $\frac{3}{4}$, 1 $\frac{1}{4}$ x $\frac{1}{2}$, 1 $\frac{1}{4}$ x $\frac{3}{4}$, 1 $\frac{1}{4}$ x 1 , 1 $\frac{1}{2}$ x $\frac{1}{2}$, 1 $\frac{1}{2}$ x $\frac{3}{4}$, 1 $\frac{1}{2}$ x 1 , 1 $\frac{1}{2}$ x 1 $\frac{1}{4}$, 2 x $\frac{1}{2}$, 2 x $\frac{3}{4}$, 2 x 1 , 2 x 1 $\frac{1}{4}$, 2 $\frac{1}{2}$ x $\frac{1}{2}$, 2 $\frac{1}{2}$ x $\frac{3}{4}$, 2 $\frac{1}{2}$ x 1 , 2 $\frac{1}{2}$ x 1 $\frac{1}{4}$, 2 x 1 $\frac{1}{2}$, 2 $\frac{1}{2}$ x 1 $\frac{1}{4}$, 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 2 $\frac{1}{2}$ x 2 , 3 x $\frac{1}{2}$, 3 x $\frac{3}{4}$, 3 x 1 , 3 x 1 $\frac{1}{4}$, 3 x 1 $\frac{1}{2}$, 3 x 2 , 3 x 2 $\frac{1}{2}$, 4 x 1 , 4 x 1 $\frac{1}{4}$, 4 x 1 $\frac{1}{2}$, 4 x 2 , 4 x 2 $\frac{1}{2}$ AND 4 x 3



Trade Mark : NYM
 Model : REDUCING NIPPLES; N2
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = $\frac{1}{4}$ x $\frac{1}{8}$, $\frac{3}{8}$ x $\frac{1}{8}$, $\frac{3}{8}$ x $\frac{1}{4}$, $\frac{1}{2}$ x $\frac{1}{4}$, $\frac{1}{2}$ x $\frac{3}{8}$, $\frac{3}{4}$ x $\frac{1}{4}$, $\frac{3}{4}$ x $\frac{3}{8}$, $\frac{3}{4}$ x $\frac{1}{2}$, 1 x $\frac{1}{4}$, 1 x $\frac{3}{8}$, 1 x $\frac{1}{2}$, 1 x $\frac{3}{4}$, 1 $\frac{1}{4}$ x $\frac{1}{2}$, 1 $\frac{1}{4}$ x $\frac{3}{4}$, 1 $\frac{1}{4}$ x 1 , 1 $\frac{1}{2}$ x $\frac{1}{2}$, 1 $\frac{1}{2}$ x $\frac{3}{4}$, 1 $\frac{1}{2}$ x 1 , 1 $\frac{1}{2}$ x 1 $\frac{1}{4}$, 2 x $\frac{1}{2}$, 2 x $\frac{3}{4}$, 2 x 1 , 2 x 1 $\frac{1}{4}$, 2 x 1 $\frac{1}{2}$, 2 $\frac{1}{2}$ x $\frac{1}{2}$, 2 $\frac{1}{2}$ x $\frac{3}{4}$, 2 $\frac{1}{2}$ x 1 , 2 $\frac{1}{2}$ x 1 $\frac{1}{4}$, 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$, 2 $\frac{1}{2}$ x 2 , 3 x $\frac{1}{2}$, 3 x $\frac{3}{4}$, 3 x 1 , 3 x 1 $\frac{1}{4}$, 3 x 1 $\frac{1}{2}$, 3 x 2 , 3 x 2 $\frac{1}{2}$, 4 x 1 , 4 x 1 $\frac{1}{4}$, 4 x 1 $\frac{1}{2}$, 4 x 2 , 4 x 2 $\frac{1}{2}$ AND 4 x 3



Trade Mark : NYM
 Model : PLUG; P1
 Rating : MATERIAL: GX5CrNi 19-9
 Size : THREAD SIZE (INCHES) = $\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$, 1 , 1 $\frac{1}{4}$, 1 $\frac{1}{2}$, 2 , 2 $\frac{1}{2}$, 3 and 4

Factory Name and Location :
LINYI HUAMING MACHINERY CO. LTD.
LINYI HIGH TECH ZONE
SHANDONG PROVINCE
LINYI
SHANDONG, CHINA

End of page