



State Water Authority
Certificate of Approval for Water Supply Product

The State Water Authority of Sarawak hereby gives approval for this water supply product to be used in the Water Supply Authority areas within Sarawak, under the powers vested in Part III Regulation 9 of the Water Supply Regulations 1995:

<p>Name of Water: FITTINGS (STAINLESS STEEL (SS))</p> <p>Supply Product: FITTINGS -THREADED FITTINGS</p> <p>Type: Fitting</p> <p>Brand: NYM</p> <p>Standard: MS 2495:2012</p> <p>Class & Size: See schedule on the reverse page</p> <p>Validity Period: <u>08/09/2023</u> to <u>27/09/2024</u></p> <p>Date of Issue: 08/09/2023</p>	<p>Name & Address of Certificate Holder: NAN YA HARDWARE SDN BHD LOT 4846 , JALAN KPB 11A, KAWASAN PERINDUSTRIAN KAMPUNG BARU BALAKONG, 43300 SERI KEMBANGAN, SELANGOR.</p> <p>Nature of Business Entity of Certificate: Supplier</p> <p>Name & Address of Manufacturer: LINYI HUAMING MACHINERY CO.LTD Linyi High Tech Zone, Shandong Province ,Linyi ,Shandong , China.</p> <p>Name & Address of Principal: NAN YA HARDWARE SDN BHD LOT 4846 , JALAN KPB 11A, KAWASAN PERINDUSTRIAN KAMPUNG BARU BALAKONG, 43300 SERI KEMBANGAN, SELANGOR.</p>
--	---

This approval is given subject to the following:

- i. The State Water Authority of Sarawak reverses the right to withdraw this approval at anytime and shall not be obliged to give any reason whatsoever.
- ii. The specifications for the water supply products shall not differ from that originally submitted in the application for approval.
- iii. There should not be any unsuitability in the use of this product.
- iv. This certificate of approval shall not be used for any advertisement purpose. However, a copy can be used as evidence of approval only.
- v. This certificate of approval shall become invalid upon expiry of SPAN Product Certificate Registration or SIRIM Licence or IKRAM Bhd Certification or other internationally recognized certification of the product, whichever is earlier.



Schedule

COMPANY NAME: NAN YA HARDWARE SDN BHD

PRODUCT: FITTINGS (STAINLESS STEEL (SS) FITTINGS -THREADED FITTINGS

VALIDITY PERIOD: 08/09/2023 - 27/09/2024

CERTIFICATE NUMBER: SWA/F/0818

Model	Series	Description
45 ELBOW ; E3	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
CAP ; C1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
CROSS TEE ; X1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
ELBOW ;E1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
HEXAGON NIPPLE ; N1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
MALE AND FEMALE ELBOW ;E4	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
PLUG ; P1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
REDUCING BUSHES ; B1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/4 x 1/8, 3/8 x 1/8, 3/8 x 1/4, 1/2 x 1/4, 1/2 x 3/8, 3/4 x 1/4, 3/4 x 3/8, 3/4 x 1/2, 1 x 1/4, 1 x 3/8, 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2, 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2, 1 1/2 x 3/4, 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1/2, 2 x 3/4, 2 x 1, 2 x 1 1/4, 2 x 1 1/2, 2 1/2 x 1/2, 2 1/2 x 3/4, 2 1/2 x 1, 2 1/2 x 1 1/4, 2 1/2 x 1 1/2, 2 1/2 x 2, 3 x 1/2, 3 x 3/4, 3 x 1, 3 x 1 1/4, 3 x 1 1/2, 3 x 2, 3 x 2 1/2, 4 x 1, 4 x 1 1/4, 4 x 1 1/2, 4 x 2, 4 x 2 1/2 AND 4 x 3
REDUCING ELBOW ; E2	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/4 x 1/8, 3/8 x 1/8, 3/8 x 1/4, 1/2 x 1/4, 1/2 x 3/8, 3/4 x 1/4, 3/4 x 3/8, 3/4 x 1/2, 1 x 1/4, 1 x 3/8, 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2, 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2, 1 1/2 x 3/4, 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1/2, 2 x 3/4, 2 x 1, 2 x 1 1/4, 2 x 1 1/2, 2 1/2 x 1/2, 2 1/2 x 3/4, 2 1/2 x 1, 2 1/2 x 1 1/4, 2 1/2 x 1 1/2, 2 1/2 x 2, 3 x 1/2, 3 x 3/4, 3 x 1, 3 x 1 1/4, 3 x 1 1/2, 3 x 2, 3 x 2 1/2, 4 x 1, 4 x 1 1/4, 4 x 1 1/2, 4 x 2, 4 x 2 1/2 AND 4 x 3
REDUCING NIPPLES ; N2	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/4 x 1/8, 3/8 x 1/8, 3/8 x 1/4, 1/2 x 1/4, 1/2 x 3/8, 3/4 x 1/4, 3/4 x 3/8, 3/4 x 1/2, 1 x 1/4, 1 x 3/8, 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2, 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2, 1 1/2 x 3/4, 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1/2, 2 x 3/4, 2 x 1, 2 x 1 1/4, 2 x 1 1/2, 2 1/2 x 1/2, 2 1/2 x 3/4, 2 1/2 x 1, 2 1/2 x 1 1/4, 2 1/2 x 1 1/2, 2 1/2 x 2, 3 x 1/2, 3 x 3/4, 3 x 1, 3 x 1 1/4, 3 x 1 1/2, 3 x 2, 3 x 2 1/2, 4 x 1, 4 x 1 1/4, 4 x 1 1/2, 4 x 2, 4 x 2 1/2 AND 4 x 3
REDUCING SOCKET ; S3	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/4 x 1/8, 3/8 x 1/8, 3/8 x 1/4, 1/2 x 1/4, 1/2 x 3/8, 3/4 x 1/4, 3/4 x 3/8, 3/4 x 1/2, 1 x 1/4, 1 x 3/8, 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2, 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2, 1 1/2 x 3/4, 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1/2, 2 x 3/4, 2 x 1, 2 x 1 1/4, 2 x 1 1/2, 2 1/2 x 1/2, 2 1/2 x 3/4, 2 1/2 x 1, 2 1/2 x 1 1/4, 2 1/2 x 1 1/2, 2 1/2 x 2, 3 x 1/2, 3 x 3/4, 3 x 1, 3 x 1 1/4, 3 x 1 1/2, 3 x 2, 3 x 2 1/2, 4 x 1, 4 x 1 1/4, 4 x 1 1/2, 4 x 2, 4 x 2 1/2 AND 4 x 3

Model	Series	Description
REDUCING TEE ; T2	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/4 x 1/8, 3/8 x 1/8, 3/8 x 1/4, 1/2 x 1/4, 1/2 x 3/8, 3/4 x 1/4, 3/4 x 3/8, 3/4 x 1/2, 1 x 1/4, 1 x 3/8, 1 x 1/2, 1 x 3/4, 1 1/4 x 1/2, 1 1/4 x 3/4, 1 1/4 x 1, 1 1/2 x 1/2, 1 1/2 x 3/4, 1 1/2 x 1, 1 1/2 x 1 1/4, 2 x 1/2, 2 x 3/4, 2 x 1, 2 x 1 1/4, 2 x 1 1/2, 2 1/2 x 1/2, 2 1/2 x 3/4, 2 1/2 x 1, 2 1/2 x 1 1/4, 2 1/2 x 1 1/2, 2 1/2 x 2, 3 x 1/2, 3 x 3/4, 3 x 1, 3 x 1 1/4, 3 x 1 1/2, 3 x 2, 3 x 2 1/2, 4 x 1, 4 x 1 1/4, 4 x 1 1/2, 4 x 2, 4 x 2 1/2 AND 4 x 3
SOCKET ; S2	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
TEE ; T1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4
UNION ; U1	GX5CrNi 19-9	THREAD SIZE (INCHES) = 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/2, 3, AND 4

End of Page
