

Laboratory Refrigerator



Technical Parameters

Model	BPR-5V628F	BPR-5V1008F
Volume	628L	1008L
Type (shelf/drawer)	5 layers, 10 pcs shelves, S.S.	
Refrigeration Mode	Air-cooled	
Defrosting Mode	Automatic	
Refrigerant/g	R290, 150g	
Noise	60dB(A)	
Ambient Temp.	10~32°C	
Temp. Range	5±3°C	
Temp. Accuracy	0.1°C	
Humidity Accuracy	5°C	
Evaporator	Copper tube and aluminum fin	
Condenser	Bundy tube	Copper tube and aluminum fin
Sensor	NTC	
Thermostat	Electronic thermostat	
Door	Foamed cyclopentane	
Display	LED	
Interface	USB (Optional 485 port)	
Power Supply	110~220V/50~60Hz	
Power	296W	
Current	1.4A	
Internal Material	Sprayed steel plate	
External Material	Sprayed steel plate	
Lagging	Foamed polyurethane cyclopentane	
Standard Accessories	High and low temperature alarm, Power fault alarm, Thermostat fault alarm, Door open alarm	
Net Weight	181kg	204kg
Gross Weight	227kg	254kg
Internal Size(W*D*H)	1100×454×1305mm	1100×684×1360mm
External Size(W*D*H)	1220×598×1886mm	1220×828×1886mm
Package Size(W*D*H)	1340×750×2100mm	1340×980×2100mm