



**e-max**

**CARBIDE END MILL**

# e-max

## Carbide End Mill 4 Flute - Coated



CODE No. 4 Flute	DIAMETER mm	SHANK DIAMETER mm	FLUTE LENGTH mm	O.A.L. mm
E-SE 4010	1.0	4	3	50
E-SE 4015	1.5	4	4	50
E-SE 4020	2.0	4	6	50
E-SE 4025	2.5	4	7	50
E-SE 4030	3.0	3	8	50
E-SE 4040	4.0	4	11	50
E-SE 4050	5.0	5	13	57
E-SE 4060	6.0	6	15	50
E-SE 4080	8.0	8	20	60
E-SE 4100	10.0	10	30	75
E-SE 4120	12.0	12	30	75
E-SE 4140	14.0	14	35	100
E-SE 4160	16.0	16	40	100
E-SE 4200	20.0	20	40	100

# e-max

## Carbide Ball End Mill 2 Flute - Coated



CODE No. 2 Flute	RADIUS R	DIAMETER mm	SHANK DIAMETER mm	FLUTE LENGTH mm	O.A.L. mm
E-SB 20050	R0.5	1.0	4	2	50
E-SB 20075	R0.75	1.5	4	4	50
E-SB 20100	R1	2.0	4	5	50
E-SB 20125	R1.25	2.5	4	6	50
E-SB 20150	R1.5	3.0	3	6	50
E-SB 20200	R2	4.0	4	8	50
E-SB 20250	R2.5	5.0	5	10	54
E-SB 20300	R3	6.0	6	12	54
E-SB 20400	R4	8.0	8	14	60
E-SB 20500	R5	10.0	10	20	75
E-SB 20600	R6	12.0	12	24	75

# e-max

## Carbide High Helix Standard End Mill

3 Flute - Uncoated



<b>CODE No.</b> 3 Flute	<b>DIAMETER</b> mm	<b>SHANK DIAMETER</b> mm	<b>FLUTE LENGTH</b> mm	<b>O.A.L.</b> mm
EHHSE 3010	1.0	4	3	50
EHHSE 3015	1.5	4	5	50
EHHSE 3020	2.0	4	6	50
EHHSE 3025	2.5	4	8	50
EHHSE 3030	3.0	3	11	56
EHHSE 3040	4.0	4	13	56
EHHSE 3050	5.0	5	13	57
EHHSE 3060	6.0	6	17	57
EHHSE 3080	8.0	8	22	63
EHHSE 3100	10.0	10	30	75
EHHSE 3120	12.0	12	32	73
EHHSE 3160	16.0	16	40	100
EHHSE 3200	20.0	20	45	100