

This site uses cookies to provide you with a better user experience. By continuing to use this site you agree that we can save cookies on your device, unless you have disabled them. You can change your Cookie Settings at any time, but parts of our site may not function correctly without them.



POWERED BY SALSIFY

Accept

[Americas PDS Database](#) > [K&W Super Turbo Engine Oil Stop Leak](#)



K&W Super Turbo Engine Oil Stop Leak

ATTRIBUTES

Item Number

1006096

Legacy Number

402715

Case Number

1006097

Product Description

Stops engine oil leaks by rejuvenating worn or aged engine seals & gaskets. Ideal for all motor oils, gasoline or diesel engines in car, truck, boat or tractor.

Applications

Automobiles, boats, tractors, trucks

Unit Package Description

16 Ounce Bottle

Brand

K&W

Net Fill

15 Fl Oz

Unit Dimensions

7.5H x 3.13W x 1.75D in

Units Per Case

6

UPC Code

78372027154

Case Dimensions

6.75H x 8W x 10.75D in

Appearance

Red Liquid

Flash point (F)

>315°F

Flash point (C)

>157°C

Flammability Class - CPSC

None

KB Value

N/A

Plastic Safe

Yes

Film Thickness

N/A

Evaporation Rate

Slow

Dielectric Strength

N/A

Timken Ok Load (lbs)

N/A

Propellant

None

Aerosol Flammability Level

N/A

DOT Proper Shipping Name

Not Regulated

4 Ball EP

N/A

4 Ball Wear

N/A

Drop Point

N/A

NLGI Grade

N/A

Water Washout

N/A

VOC % (Consumer Product def)

0

VOC g/L (Consumer Product def)

0

VOC lbs/gal (Consumer Prod def)

0

VOC Category

Not Regulated