

S.S.M.

PARTS CATALOG 2026



Bedknives



Reels



Blades



Tines



Rollers



Screws



**Lapping
Compound**



Buggy Parts



**TURFGRASS MAINTENANCE
BLADES & TINES MANUFACTURER.**

www.ssmgolf.my

WhatsApp: +6012-511 9168, +6016-215 6646
Fax: +605-527 7080 Email: ssmgolf88@gmail.com

Contact: +605-528 1163
Website: www.ssmgolf.my

ABOUT US:

S.S.M. GOLF & TURF PARTS SDN BHD is a company that manufactures a wide range of golf & turf equipment and parts. Our head office is situated in Ipoh, Perak, Malaysia.

The company specializes in supplies bedknives, cutting reel, roller, tines, blades, club car parts, etc. We also provide golf course maintenance service.


We are committed to deliver the best service, products, and consultation to our customer. Feel free to browse through our website for more details.




Browse to our website.

www.ssmgolf.my

TABLE OF CONTENTS

	Page No.
Bedknives:	1
Fit Toro	2
Fit Jacobsen	4
Fit John Deere	6
Fit Shibaura	7
	Bedknives
 Reels:	9
Fit Toro	10
Fit Jacobsen	14
Fit John Deere	17
Fit Shibaura	20
	Reels
 Blades:	22
Fit Toro Rotary Blades	23
Fit John Deere Rotary Blades	24
	Blades
Fit Toro Verti-Cut Blades	24
Fit Jacobsen Verti-Cut Blades	25
Fit John Deere Verti-Cut Blades	26
Fit Ryan Verti-Cut Blades	26
	Blades

Tines:**27****Solid Tines:** Mount $\varnothing 5\text{mm}$ (.197")**28****Solid Tines:** Mount $\varnothing 8\text{mm}$ (.315")**28****Solid Tines:** Mount $\varnothing 9.5\text{mm}$ (.375")**29****Solid Tines:** Mount $\varnothing 12\text{mm}$ (.472")**31****Solid Tines:** Mount $\varnothing 12.7\text{mm}$ (.500")**31****Solid Tines:** Mount $\varnothing 16\text{mm}$ (.625")**32****Solid Tines:** Mount $\varnothing 19\text{mm}$ (.750")**33****Solid Tines:** Mount $\varnothing 22\text{mm}$ (.875")**34****Side Eject Tines:** Mount $\varnothing 9.5\text{mm}$ (.375")**35****Side Eject Tines:** Mount $\varnothing 19\text{mm}$ (.750")**36****Hollow Top Eject Tines:** Mount $\varnothing 19\text{mm}$ (.750")**37****Hollow Side Eject Tines:** Mount $\varnothing 19\text{mm}$ (.750")**40****Cross Tines:** Mount $\varnothing 16\text{mm}$ (.625")**41****Cross Tines:** Mount $\varnothing 9.5\text{mm}$ (.375")**41****Cross Tines:** Mount $\varnothing 19\text{mm}$ (.750")**42****Spoon Tines:** Mount $\varnothing 19\text{mm}$ (.750")**42****Spoon Tines:** Mount $\varnothing 22\text{mm}$ (.875")**42****Slicing Knife Tines:** Mount $\varnothing 19\text{mm}$ (.750")**43****Slicing Knife Tines:** Mount $\varnothing 16\text{mm}$ (.625")**43****Deep Tines:** Mount $\varnothing 12\text{mm}$ (.472")**43****Deep Tines:** Mount $\varnothing 17.8\text{mm}$ (.700")**45****Deep Tines:** Mount $\varnothing 19\text{mm}$ (.750")**45****Tines**

Rollers:**Fit Toro****Fit John Deere****Fit Jacobsen****Fit Shibaura****Rollers****Screws:****Fit Toro****Fit John Deere****Fit Jacobsen****Screws****Lapping Compound:****80 Grit****120 Grit****220 Grit****Lapping
Compound****Buggy Parts:****Buggy Parts**



BEDKNIVES

About Bedknives Hardness


Our bedknives are using HRC 48 - 55 hardness process that make our blade tough & hard wearing and unlikely to break or snap.

S.S.M. Bedknives

Our bedknives are made from high carbon steel with surface ground on top & front edge. All our bedknives are packed with oil for rust prevention.



www.ssmgolf.my




S 93-4262 SSM Bedknives



S 93-4263 SSM Bedknives



S 93-4264 SSM Bedknives



S 94-6392 SSM Bedknives



S 63-8600 SSM Bedknives



S 63-8610 SSM Bedknives



S 93-9774 SSM Bedknives



S 110-4084 SSM Bedknives



S 104-1810 SSM Bedknives



S 108-9096 SSM Bedknives



S 62-5180 SSM Bedknives



S 114-9388 SSM Bedknives

Bedknives



S 114-9389 SSM Bedknives

Fit Toro



S 47-6680 SSM Bedknives

Bedknives



S 503477 SSM Bedknives



S 503478 SSM Bedknives



S 503479 SSM Bedknives



S 5002887 SSM Bedknives



S 503460 SSM Bedknives



S 503654 SSM Bedknives



S 554284 SSM Bedknives



S 503550 SSM Bedknives



S 411-8902 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
7350	18" Low Cut HOC Min .079"	11	<i>Walk-Behind Greens Mower</i> 180A, 180B, 180C

S 7350 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
4846	18" Tournament Cut HOC Min .098"	11	<i>Walk-Behind Greens Mower</i> 180A, 180B, 180C

S 4846 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
7351	22" Low Cut HOC Min .079"	13	<i>Greens Mower</i> 220, 220A, 220B, 220C, 220SL, 220 E-Cut Hybrid, 2243, 2500, 2500A, 2500B, 2500E, 2500 E Hybrid, 2700, 2700 E-Cut, 2400, 2550, 2550 E-Cut, 2750 E-Cut <i>Reel Mower</i> 3215B, 3225B, 3225C, 3235B, 3235C, 6500A, 7500, 7500A, 8500

S 7351 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
17534	22" Tournament Cut HOC Min .098"	13	<i>Greens Mower</i> 220, 220A, 220B, 220C, 220SL, 220 E-Cut Hybrid, 2243, 2500, 2500A, 2500B, 2500E, 2500 E Hybrid, 2700, 2700 E-Cut, 2400, 2550, 2550 E-Cut, 2750 E-Cut <i>Reel Mower</i> 3215B, 3225B, 3225C, 3235B, 3235C, 6500A, 7500, 7500A, 8500

S 17534 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
17533	22" Standard Cut HOC Min .126"	13	<i>Greens Mower</i> 220, 220A, 220B, 220C, 220SL, 220 E-Cut Hybrid, 2243, 2500, 2500A, 2500B, 2500E, 2500 E Hybrid, 2700, 2700 E-Cut, 2400, 2550, 2550 E-Cut, 2750 E-Cut <i>Reel Mower</i> 3215B, 3225B, 3225C, 3235B, 3235C, 6500A, 7500, 7500A, 8500

S 17533 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
17767	22" Fairway High Cut HOC Min .299"	13	<i>Greens Mower</i> 2243, 2400, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700 E-Cut, 2750 E-Cut <i>Reel Mower</i> 3215, 3215A, 3215B, 3225B, 3235C, 3235, 3235A, 3235B, 3235C, 6500A, 7500, 7500A, 7500A E-Cut Hybrid, 7500 E-Cut Hybrid, 8500, 8500 E-Cut

S 17767 SSM Bedknives

Bedknives



S 17751 SSM Bedknives



S 1928 SSM Bedknives



S 17752 SSM Bedknives



S 16755 SSM Bedknives

Bedknives



S 70430331 SSM Bedknives



S 70430060 SSM Bedknives

Fit John Deere



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
70430291	Tournament	13	Replace Shibaura G-Flow 22

S 70430291 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
70430301	Low Cut	13	Replace Shibaura G-Flow 22

S 70430301 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
70430311	3.5mm Cut	13	Replace Shibaura G-Flow 22

S 70430311 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
70430281	4.5mm Cut	13	Replace Shibaura G-Flow 22

S 70430281 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
70430170	Length 22" HOC 8mm	7	Replace Shibaura SR525

S 70430170 SSM Bedknives



Replace OEM P/N	Description:	Holes Qty:	Fits Models:
70430190	Length 26" Cutting Height 9.6mm	9	Replace Shibaura SR370

S 70430190 SSM Bedknives



CUTTING REEL

Our Innovation


14 / 15 blade cutting reel

from **SSM** with more blades and optimal reel speed, the 14-15 blade cutting reel provides a crisper, more consistent cut.


This reel offer the ability to produce smooth, clean cut that increase the playability of the putting surface. By adding more blades and keeping reel - speed constant found that the grass blades to be metered into the reel more efficiently and sheared off more cleanly, raising the height of cut minimizes damaged and stress on the turf which all help promote optimum turf health.

With this lower frequency of clips allows customers to better meet the demands of each golf course and provide superior cut quality and playability.







S 119-4103 SSM Cutting Reels



S 119-4104 SSM Cutting Reels




S 137-8512 SSM Cutting Reels




S 119-4105 SSM Cutting Reels




S 137-8513 SSM Cutting Reels




S 107-7634 SSM Cutting Reels




S 107-7635 SSM Cutting Reels




S 115-4289 SSM Cutting Reels




S 93-6097, 132-7313 SSM Cutting Reels




S 105-5793 SSM Cutting Reels



S 105-5792 SSM Cutting Reels



S 14-0649 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
108-9071	8	5"	22"	<i>Reelmaster</i> 5210-D, 5410-D, 5410G

S 108-9071 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
117-3793	11	5"	22"	<i>Reelmaster</i> 5210-D, 5410-D, 5410G

S 117-3793 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
95-2770	7	7"	22"	<i>Reelmaster</i> 5500-D, 6500D, 6700D

S 95-2770 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
94-4338	11	7"	22"	<i>Reelmaster</i> 5500-D, 6500D, 6700D

S 94-4338 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
108-9073	8	7"	22"	<i>Reelmaster</i> 5410-D, 5510-D, 5510-G, 5610-D, 6500D, 6700D

S 108-9073 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
108-9074	11	7"	22"	<i>Reelmaster</i> 5410-D, 5510-D, 5510-G, 5610-D, 6500D, 6700D

S 108-9074 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
137-8445	8	7"	22"	<i>Reelmaster</i> 3575-D, 5010-H, 5510-D, 5510-G, 5610-D

S 137-8445 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
137-8455	11	7"	22"	<i>Reelmaster</i> 3575-D, 5010-H, 5510-D, 5510-G, 5610-D

S 137-8455 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
99-3483 94-3630	8	7"	27"	<i>Reelmaster</i> 2000D, 2300D, 3100-D

S 99-3483, 94-3630 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
105-6768	11	7"	27"	<i>Reelmaster</i> 2000D, 2300D, 3100-D

S 105-6768 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
115-8275	8	7"	27"	<i>Reelmaster</i> 3100-D, 7000-D

S 115-8275 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
137-8470	8	7"	27"	<i>Reelmaster</i> 3100-D, 7000-D

S 137-8470 SSM Cutting Reels

Reels


Fit Toro




S 115-8286 SSM Cutting Reels

Reels


Fit Jacobsen




S 4225505 SSM Cutting Reels



S 4269791 SSM Cutting Reels



S 4119513 SSM Cutting Reels



S 2810471 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
2810472	11	7"	22"	LF-135, LF-3400, LF-3407, LF-3800, LF-4677, LF-570

S 2810472 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5002762	11	7"	22"	LF-135, LF-3400, LF-3407, LF-3800, LF-4677, LF-570

S 5002762 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5002087	7	7"	26"	Tri-King 1471, 1670, 1671, 1671D, 1671G, 1672D, 1684D, 1800G, 1900D

S 5002087 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5002088	7	7"	26"	Tri-King 1471, 1670, 1671, 1671D, 1671G, 1672D, 1684D, 1800G, 1900D

S 5002088 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
2500575	9	5"	22"	PGM 22

S 2500575 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5002605	11	5"	22"	PGM 22

S 5002605 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
4284053	15	5"	22"	PGM 22

S 4284053 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5000148	11	5"	22"	Greens King 522

S 5000148 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
4284069	15	5"	22"	Greens King 522

S 4284069 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5003053	7	5"	22"	E-Plex, E-Plex II, Greens King IV & IV Plus, G-PLex III, GP400, LF-100, LF-123, LF-128, LF-135, LF-3400, LF-3407, LF-3800, LF-4675, LF-4677, LF-550

S 5003053 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5003054	7	5"	22"	Greens King IV & IV Plus, Greens King V & VI, LF-100, LF-123, LF-128, LF-135, LF-3400, LF-3407, LF-3800, LF-4675, LF-4677, LF-550


S 5003054 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
5001099	9	5"	22"	Greens King IV & IV Plus, Eclipse 322, GP400, G-PLex, & E-Plex

S 5001099 SSM Cutting Reels


Reels



S 5001100 SSM Cutting Reels




S 5001101 SSM Cutting Reels




S 5001102 SSM Cutting Reels

Reels



S AMT2904 SSM Cutting Reels



S AMT2886, AMT537 SSM Cutting Reels

Fit John Deere



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
TCA23623	14	5"	22"	<i>Walk-Behind Greens Mower</i> 220SL

S TCA23623 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
AMT2883 AET11237	7	5"	22"	<i>Greens Mower</i> 2243, 2500, 2500A, 2500B, 2500E, 2500E Hybrid; <i>Reel Mower</i> 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7500, 8500

S AMT2883, AET11237 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
AMT2885 AMT538	11	5"	22"	<i>Greens Mower</i> 2243, 2500, 2500A, 2500B, 2500E, 2500E Hybrid; <i>Reel Mower</i> 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7500, 8500

S AMT2885, AMT538 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
TCA19350	7	5"	22"	<i>Greens Mower</i> 220 E-Cut Hybrid, 2400, 2500B, 2500E, 2500E Hybrid; 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; <i>Reel Mower</i> 6500A, 6500A E-Cut, 7500, 7500 E-Cut Hybrid, 7500A, 7500A E-Cut Hybrid, 8500, 8500 E-Cut Hybrid

S TCA19350 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
TCA19351	11	5"	22"	<i>Greens Mower</i> 220 E-Cut Hybrid, 2400, 2500B, 2500E, 2500E Hybrid; 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; <i>Reel Mower</i> 6500A, 6500A E-Cut, 7500, 7500 E-Cut Hybrid, 7500A, 7500A E-Cut Hybrid, 8500, 8500 E-Cut Hybrid

S TCA19351 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
TCA23621	14	5"	22"	<i>Greens Mower</i> 220 E-Cut Hybrid, 2400, 2500B, 2500E, 2500E Hybrid; 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; <i>Reel Mower</i> 7500 E-Cut Hybrid, 7500A, 7500A E-Cut Hybrid, 8500 E-Cut Hybrid

S TCA23621 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
TCA19353	8	7"	22"	<i>Reel Mower</i> 6700A, 7700, 7700A, 8700, 8700A

S TCA19353 SSM Cutting Reels




Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
TCA19354	10	7"	22"	<i>Reel Mower</i> 6700A, 7700, 7700A, 8700, 8700A

S TCA19354 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
AMT2893	8	7"	22"	<i>Reel Mower</i> 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7700, 8700

S AMT2893 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
AMT2894	10	7"	22"	<i>Reel Mower</i> 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7700, 8700

S AMT2894 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
AMT2871 AMT1016	8	7"	26"	<i>Reel Mower</i> 2653, 2653A, 2653B

S AMT2871, AMT1016 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
TCA19356	8	7"	26"	<i>Reel Mower</i> 2653B, 7200, 7200A, 8900A

S TCA19356 SSM Cutting Reels

Cutting Reels

Fit Shibaura



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151500	11	5"	22"	G-Flow 22

S 70151500 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70150130	11	5"	22"	G-EXE 22

S 70150130 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151360	7	5"	22"	MG70

S 70151360 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151420	9	5"	22"	MG70

S 70151420 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151400	11	5"	22"	MG70

S 70151400 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151140	7	7"	22"	SR525, SR525HP-BL

S 70151140 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151160	9	7"	22"	SR525, SR525HP-BL

S 70151160 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151180	11	7"	22"	SR525, SR525HP-BL

S 70151180 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151280	5	7"	26"	SR370

S 70151280 SSM Cutting Reels



Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151300	7	7"	26"	SR370

S 70151300 SSM Cutting Reels





Replace OEM P/N	Blades Qty:	Outer Diameter:	Blades Length:	Fits Models:
70151320	9	7"	26"	SR370

S 70151320 SSM Cutting Reels




Blades







S 110-0621-03, 110-0621 SSM Blades




S 108-7395-03 SSM Blades




S 108-9026-03 SSM Blades



S 107-0235, 107-0235-03 SSM Blades




S 107-0214, 107-0214-03, 104-1303 SSM Blades




S 114-0435, 114-0435-03 SSM Blades

Rotary Blades




S TCU15882, M143749 SSM Blades




S TCU27401, TCA19891 SSM Blades


Verti-Cut Blades




S 171590 SSM Blades



S 20-7380, 20-7380-01 SSM Blades



S 95-5719 SSM Blades



S 106-5422, GCC-002 SSM Blades


Verti-Cut Blades

Fit Toro




Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
106-6355 TCU26776 GCC-003	Carbide	.079" 2.0mm	5.00" 127mm	<i>Greensmaster</i> 1000, 1010, 2000, 3, 300, 3000, 3050, 3100, 3150-Q, 3200 & 3200-D, 3250-D; <i>Reelmaster</i> 223D, 5010-H, 5100-D, 5210-D, 5300-D, 5400D, 5410-D, 5410G

S 106-6355, TCU26776, GCC-003 SSM Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
119-1128	Carbide	.079" 2.0mm	5.00" 127mm	<i>Greensmaster</i> 3050, 3120, 3150-Q, 3250-D, TriFlex 3300, TriFlex 3320, TriFlex 3400, TriFlex 3420, eTriFlex 3360

S 119-1128 SSM Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
117-6824	Carbide	.047" 1.2mm	5.00" 127mm	<i>Greensmaster</i> 3050, 3120, 3150-Q, 3250-D, TriFlex 3300, 3320, 3400, 3420, eTriFlex 3360

S 117-6824 SSM Blades


Verti-Cut Blades

Fit Jacobsen



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
335449	-	-	-	GP400, Green King IV, Greens King V & VI, LF-100, LF-123, LF-128


S 335449 SSM Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
365230	-	-	-	E-Plex, E-Plex II, GP400, Greens King 422, 518, 522, 526, II, IV, V & VI


S 365230 SSM Blades

Verti-Cut Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
ET14707	-	-	-	Walk-Behind Greens Mower 180A, 180B, 180C, 220A, 220B; Greens Mowers 220, 220B, 2243; Riding Greens Mower 2500, 2500A, 2500B, 2500E, 2500 Hybrid, 2700, 2700 E-Cut, 2750 E-Cut

S ET14707 SSM Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
AMT2703 ET17719	-	-	5.00"	Greens Mowers 2243; Riding Greens Mower 2500, 2500A, 2500B, 2500E, 2500E Hybrid; Reel Mowers 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7500, 8500

S AMT2703, ET17719 SSM Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
TCU26776 106-6355 GCC-003	Carbide	2mm	-	Riding Greens Mower 2400, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; Reel Mowers 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 6080A, 6500A, 6080A E-Cut Hybrid, 7500, 7500A, 7500 E-Cut Hybrid, 7500A E-Cut Hybrid, 8500, 8500 E-Cut Hybrid


S TCU26776, 106-6355, GCC-003 SSM Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
MT6987	-	-	-	Reel Mowers 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 6700A, 7700, 7700A, 8700, 8700A, 8900A


S MT6987 SSM Blades

Verti-Cut Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
516901	-	.039" 1mm	7.28" 185mm	Mataway, Ren-O-Thin, Spike-Aire

S 516901 SSM Blades



Replaces OEM P/N	Tips Type:	Tips Width:	O.D.:	Fits Models:
516900	-	.063" 1.6mm	7.28" 185mm	Mataway, Ren-O-Thin, Spike-Aire

S 516900 SSM Blades

Fit John Deere

Fit Ryan



Quality Tines


S.S.M. tines are manufactured from the finest materials & guaranteed for life against breakage, due to defects in material & workmanship under normal use for the life of the tines.

Our tines are heat treated to RC45 - 48 in our own heat treatment facility. They are available in all standard sizes, but are especially popular in the smaller diameter for aerating in summer months to relieve stress on greens by allowing water, air & nutrients to easily flow in to the root zone.




www.ssmgolf.my

Solid Tines




S 201423 SSM Tines

Mount ø5mm (.197")




S 9990054 SSM Tines

Solid Tines




S 1180255 SSM Tines


Mount ø8mm (.315")



S 1191939 SSM Tines




S 9990035 SSM Tines



S 9990058 SSM Tines

Solid Tines


Mount ø8mm (.315")




S 9990059 SSM Tines

Solid Tines


Mount ø9.5mm (.375")




S 100-3622 SSM Tines



S 108-9230 SSM Tines




S 108-9231 SSM Tines




S 108-9232 SSM Tines

Solid Tines


Mount ø9.5mm (.375")




S 108-9233 SSM Tines




S 108-9234 SSM Tines



S 108-9235 SSM Tines




S 108-9236 SSM Tines




S 108-9237 SSM Tines

Solid Tines


Mount ø12mm (.472")



S 9990031 SSM Tines




S 9990025 SSM Tines




S 2381838 SSM Tines

Solid Tines

Mount ø12.7mm (.500")




S 112-1329 SSM Tines



S 201330 SSM Tines

Solid Tines


Mount ø12.7mm (.500")




S 156 SSM Tines

Solid Tines


Mount ø16mm (.625")




S 201413 SSM Tines



S 201412 SSM Tines




S 201411 SSM Tines




S 366432 SSM Tines

Solid Tines


Mount ø19mm (.750")




S 108-9211 SSM Tines




S 108-9212 SSM Tines




S 100-3628 SSM Tines



S 100-3629 SSM Tines




S 100-3630 SSM Tines




S 108-9213 SSM Tines

Solid Tines


Mount ø19mm (.750")



S 108-9214 SSM Tines




S 108-9210 SSM Tines




S 108-9245 SSM Tines

Solid Tines

Mount ø22mm (.875")




S 201501 SSM Tines




S 201409 SSM Tines

Solid Tines


Mount ø22mm (.875")




S 201418 SSM Tines



S 108-9246 SSM Tines



S 12875 SSM Tines



S 14875 SSM Tines

Side Eject Tines

Mount ø9.5mm (.375")




S Ninja Tine SSM Tines



S 108-9109 SSM Tines

Side Eject Tines

Mount ø9.5mm (.375")




Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
108-9108	.375" 9.5mm	5.00" 127mm	0.250" 6.4mm	<i>Toro</i> ProCore 440, 648, 660, 864, 880, 1298, 648s

S 108-9108 SSM Tines

Side Eject Tines

Mount ø19mm (.750")




Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
201521	.750" 19mm	4.50" 114mm	.250" 6.4mm	<i>Jacobsen</i> GA-24; <i>John Deere</i> Aercore 800, 1000, 1500, 2000; <i>Ryan</i> GA30, Greensaire II; <i>Toro</i> Greens Aerator, ProCore 440, 648, 660, 864, 880, 1298, 648s

S 201521 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
201522	.750" 19mm	4.75" 121mm	.250" 6.4mm	<i>John Deere</i> Aercore 800, 1000, 1500, 2000; <i>Toro</i> Greens Aerator, ProCore 440, 648, 660, 864, 880, 1298, 648s

S 201522 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
201523	.750" 19mm	4.75" 121mm	.300" 7.6mm	<i>Jacobsen</i> GA-24; <i>Ryan</i> Greensaire II; <i>Toro</i> Greens Aerator

S 201523 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
201524	.750" 19mm	4.75" 121mm	.400" 10.2mm	<i>Jacobsen</i> GA-24; <i>Ryan</i> Greensaire II; <i>Toro</i> Greens Aerator

S 201524 SSM Tines

Side Eject Tines


Mount ø19mm (.750")



S 201525 SSM Tines



S 201535 SSM Tines




S 201536 SSM Tines



S 201537 SSM Tines

Hollow Top Eject Tines

Mount ø19mm (.750")



S 201584 SSM Tines



S 108-9128 SSM Tines

Hollow Top Eject Tines


Mount ø19mm (.750")




S 108-9129 SSM Tines



S 108-9130 SSM Tines




S TCU17644, 201588 SSM Tines



S TCU17336, 201589 SSM Tines



S TCU17335, 201587 SSM Tines



S 108-9132 SSM Tines

Hollow Top Eject Tines

Mount ø19mm (.750")



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
108-9133	.750" 19mm	5.75" 146mm	.400" 10.2mm	<i>Toro</i> Fairway Aerator; ProCore 440, 648, 660, 864, 880, 1298, 648s

S 108-9133 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
108-9134	.750" 19mm	5.75" 146mm	.500" 12.7mm	<i>Toro</i> Fairway Aerator; ProCore 440, 648, 660, 864, 880, 1298, 648s

S 108-9134 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
108-9138	.750" 19mm	6.50" 165mm	.300" 7.6mm	<i>Toro</i> Fairway Aerator; ProCore 440, 648, 660, 864, 880, 1298, 648s

S 108-9138 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
105-1180	.750" 19mm	6.50" 165mm	.355" 9mm	<i>Toro</i> Fairway Aerator; ProCore 440, 648, 660, 864, 880, 1298, 648s

S 105-1180 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
108-9136	.750" 19mm	6.50" 165mm	.400" 10.2mm	<i>Toro</i> ProCore 440, 648, 660, 864, 880, 1298, 648s

S 108-9136 SSM Tines



Replace OEM P/N	Mount O.D.:	Total Length:	Tips O.D.:	Fits Models:
108-9137	.750" 19mm	6.50" 165mm	.500" 12.7mm	<i>Toro</i> ProCore 440, 648, 660, 864, 880, 1298, 648s

S 108-9137 SSM Tines

Hollow Side Eject Tines

Mount ø19mm (.750")




S 108-9159 SSM Tines



S 108-9161 SSM Tines



S 108-9164 SSM Tines




S 108-9167 SSM Tines




S 108-9168 SSM Tines

Cross Tines


Mount ø16mm (.625")



S 201547 SSM Tines




S 201560 SSM Tines



S 201619 SSM Tines

Cross Tines

Mount ø9.5mm (.375")




S 108-9215 SSM Tines



S 108-9216 SSM Tines

Cross Tines

Mount ø19mm (.750")



S 108-9221, TCU17349 SSM Tines

Spoon Tines

Mount ø19mm (.750")




S 104-9876, 100-3632 SSM Tines

Spoon Tines

Mount ø22mm (.875")




S 92-7941 SSM Tines




S 104-9877 SSM Tines

Slicing Knife Tines



S 201455, 108-9239 SSM Tines


Mount ø19mm (.750")



S 108-9240, TCU17352 SSM Tines

Slicing Knife Tines

Mount ø16mm (.625")



S 201454 SSM Tines

Deep Tines

Mount ø12mm (.472")



S 9990032 SSM Tines



S 9990072 SSM Tines

Deep Tines

Mount ø12mm (.472")



S 9990076 SSM Tines



S 1180391 SSM Tines




S 9990022, 9990036 SSM Tines



S 1180390 SSM Tines




S 1191481 SSM Tines



S 9990040, C10755 SSM Tines

Deep Tines

Mount ø17.8mm (.700")



S 9990023 SSM Tines



S 9990024 SSM Tines

Deep Tines

Mount ø19mm (.750")



S 5003126 SSM Tines



S 5003127 SSM Tines

SSM Roller




About SSM Roller

SSM rollers feature a simple and low maintenance design. Solid steel shaft and standard bearing have been used to help customers easy to replace.


Features

The roller groove design & ultra - smooth polyethylene body prevent debris build-up, with provides a higher quality of turf cut & saves time in cleaning & maintenance.




Rollers

Fit Toro



Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
88-6790	Front Grooved	2.0" 50mm	22.13" 562mm	<i>Greensmaster</i> 1000, 1010, 2000, 3, 300, 3000, 3050, 3100, 3150-Q

S 88-6790 SSM Rollers




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
107-9039 106-2612 107-3500	Rear Smooth	2.5" 63.5mm	22.05" 560mm	<i>Greensmaster</i> 3050, 3100, 3120, 3150-Q, 3200 & 3200-D, 3250-D

S 107-9039, 106-2612, 107-3500 SSM Rollers



Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
106-6945 105-5776	Rear Smooth	2" 50mm	22.05" 560mm	<i>Greensmaster</i> 3050, 3100, 3120, 3150-Q, 3200 & 3200-D, 3250-D, Flex 21, Flex 2100, eFlex2100, TriFlex 3300, 3400, 3420, eTriFlex 3360, 3370

S 106-6945, 105-5776 SSM Rollers




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
61-0410	Rear Smooth	2.5" 63.5mm	27.72" 704mm	<i>Reelmaster</i> 2000D, 216, 2300-D, 3100-D

S 61-0410 SSM Rollers


Rollers

Fit John Deere



Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
AMT2968 BM25318	Front Grooved	3"	27.13"	<i>Walk-Behind Greens Mower</i> 260SL <i>Reel Mower</i> 2653, 2653A, 2653B, 7200, 7200A, 8900A <i>Gang Mower</i> 3325, 3365, 365

S AMT2968, BM25318 SSM Rollers




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
AMT2969	Rear Smooth	3"	27.17"	<i>Reel Mower</i> 2653, 2653A, 2653B, 7200, 7200A, 8900A <i>Gang Mower</i> 3325, 3365, 365

S AMT2969 SSM Rollers


Rollers

Fit John Deere




Replace OEM P/N	Type	Body O.D.:	Body Length:	Fits Models:
AMT2879 AMT1443	Front Grooved	2"	23.23"	Greens Mower 220, 200A, 220B, 220C, 220 E-Cut Hybrid, 2243, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; Reel Mower 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7500, 7500A, 7500A E-Cut Hybrid, 7700, 7700A, 8500, 8500 E-Cut Hybrid, 8700, 8700A

S AMT2879, AMT1443 SSM Rollers




Replace OEM P/N	Type	Body O.D.:	Body Length:	Fits Models:
AMT2876 AET10111	Rear Smooth	2"	23.23"	Greens Mower 220, 200A, 220 E-Cut Hybrid, 2243, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; Reel Mower 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7500, 7500A, 7700, 7700A, 8500, 8500 E-Cut Hybrid, 8700, 8700A, 8900A

S AMT2876, AET10111 SSM Rollers




Replace OEM P/N	Type	Body O.D.:	Body Length:	Fits Models:
AMT2877 AET10557 AMT1061	Front Grooved	2"	23.03"	Greens Mower 220, 200A, 220 E-Cut Hybrid, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; Reel Mower 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7500, 7500A, 7500A E-Cut Hybrid, 7700, 7700A, 8500, 8500 E-Cut Hybrid, 8700, 8700A

S AMT2877, AET10557, AMT1061 SSM Rollers




Replace OEM P/N	Type	Body O.D.:	Body Length:	Fits Models:
AMT2878 AMT1442	Rear Smooth	3"	23.03"	Greens Mower 220, 200A, 220B, 220-C, 220 E-Cut Hybrid, 2243, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; Reel Mower 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 7500, 7500A, 7500A E-Cut Hybrid, 7700, 7700A, 8500, 8500 E-Cut Hybrid, 8700, 8700A

S AMT2878, AMT1442 SSM Rollers



Replace OEM P/N	Type	Body O.D.:	Body Length:	Fits Models:
AMT2966 BM25317	Front Grooved	3"	23.03"	Greens Mower 220SL, 2243, 2400, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; Reel Mower 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 6500A, 6500A E-Cut, 6700A, 7500, 7500 E-Cut Hybrid, 7500A, 7500A E-Cut Hybrid, 7700, 7700A, 8500, 8500 E-Cut Hybrid, 8700, 8700A

S AMT2966, BM25317 SSM Rollers




Replace OEM P/N	Type	Body O.D.:	Body Length:	Fits Models:
AMT2967 AET11263	Rear Smooth	3"	23.03"	Greens Mower 2243, 2400, 2500, 2500A, 2500B, 2500E, 2500E Hybrid, 2550, 2550 E-Cut, 2700, 2700 E-Cut, 2750 E-Cut; Reel Mower 3215, 3215A, 3215B, 3225B, 3225C, 3235, 3235A, 3235B, 3235C, 6500A, 6700A, 6500A E-Cut, 7500, 7500 E-Cut Hybrid, 7500A, 7500A E-Cut Hybrid, 7700, 7700A, 8500, 8500 E-Cut Hybrid, 8700, 8700A, 8900A; Rotary Mower 1420

S AMT2967, AET11263 SSM Rollers


Rollers

Fit Jacobsen




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
15876	-	2"	-	E-Plex, E-Plex II, Eclipse 122, Eclipse 122F, G-Plex III, GP400, Greens King 422, Greens King 518, Greens King 522, Greens King 526, Greens King II, Greens King IV, Greens King V & VI, PGM 19, PGM 22, Lesco 300 & 500, Greens Max 4018, Greens Max 4022, Greens Max 4026

S 158776 SSM Rollers




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
101123	-	2"	-	E-Plex, E-Plex II, Eclipse 122, Eclipse 122F, G-Plex III, Greens King 422, Greens King 518, Greens King 522, Greens King 526, Greens King II, Greens King IV, Greens King V & VI, PGM 19, PGM 22, Greens Max 4018, Greens Max 4022, Greens Max 4026

S 101123 SSM Rollers




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
132202	-	2"	-	E-Plex, E-Plex II, G-Plex III, Greens King II, Greens King IV, Greens King V & VI, LF-100, LF-123, LF-128, LF-135, LF-3400, LF-3407, LF-3800, LF-4675, LF-4677, LF-550

S 132202 SSM Rollers




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
123268	-	3"	-	LF-100, LF-123, LF-128, LF-135, LF-3400, LF-3407, LF-3800, LF-4675, LF-4677, LF-550, LF-570

S 123268 SSM Rollers



Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
68597	-	2"	-	E-Plex, E-Plex II, G-Plex III, Greens King II, Greens King IV, Greens King V & VI, LF-100, LF-123, LF-128, LF-135, LF-3400, LF-3407, LF-3800, LF-4675, LF-4677, LF-550

S 68597 SSM Rollers




Replace OEM P/N	Type:	Body O.D.:	Body Length:	Fits Models:
1000770	-	2"	-	E-Plex, E-Plex II, Eclipse 122F, G-Plex III, GP400, Greens King II, Greens King IV, Greens King V & VI, LF-100, LF-123, LF-128, LF-135, LF-3400, LF-3407, LF-3800, LF-4675, LF-4677, LF-550, LF-570


S 1000770 SSM Rollers

Rollers

Fit Shibaura




S 72010340 SSM Rollers




S 72010350 SSM Rollers




Screws







S 57-4910 SSM Screws



S 21M7194 SSM Screws



S 19M7573 SSM Screws



S 402578 SSM Screws

Lapping Compound



Lapping Compound (80 Grit)

Lapping Compound (80 Grit)



Lapping Compound (120 Grit)

Lapping Compound (120 Grit)



Lapping Compound (220 Grit)

Lapping Compound (220 Grit)

Buggy Parts




S.S.M. GOLF & TURF PARTS SDN BHD



Bedknives




Reels




Blades



Tines



Rollers



Screws



Lapping Compound



Buggy Parts

WhatsApp: +6012-511 9168, +6016-215 6646

Contact: +605-528 1163

Fax: +605-527 7080

**Address: 9, Persiaran Jelapang Maju 9,
Kawasan Perindustrian Jelapang,
30020 Ipoh, Perak. Malaysia.**

Email: ssmgolf88@gmail.com

Website: www.ssmgolf.my



**TURFGRASS MAINTENANCE
BLADES & TINES MANUFACTURER.**

www.ssmgolf.my

WhatsApp: +6012-511 9168, +6016-215 6646

Fax: +605-527 7080 Email: ssmgolf88@gmail.com

Contact: +605-528 1163

Website: www.ssmgolf.my

Page 53