

EasyFlash® Plus



BMI **MONIER**

**LEAK-PROOF SOLUTION
for Wall Flashing**

BMI Monier® EasyFlash® Plus, Leak-Proof Solution for Wall Flashing

EASYFLASH® PLUS is a watertight dry fix solution specially designed to replace traditional metal flashing for wall abutment. It is highly stretchable coated aluminium (up to 50% in roll direction) ensures neat and all-weather sealing of junctions between walls and roof tiles, while the surface provides long life durability. It has a full self-adhesive butyl backing allowing for self-fixing onto dust free surfaces, sealing off corners and joints with a standing seam technique.



PERFORMANCE 100% LEAK-PROOF

- Complete peace of mind
- Long-lasting water-tightness



AESTHETIC

- More enduring and tidy finishing versus traditional metal flashing
- Available choice of colours for selection and matching



FLEXIBILITY

- Highly stretchable coated aluminium



EASY OF USE

- Easy to apply to most surface due to its flexibility
- Aluminium material for usage on all types of wall connection



FAST INSTALLATION

- Quick installation
- Faster than conventional methods (metal / wall flashing)

PRODUCT & TECHNICAL DATA

Material	Coated aluminium composite with self-adhesive butyl		
Width	250mm / 280mm		
Length	5m per roll	Operating temperature range	-20°C to 80°C
Thickness	2.7mm	Application temperature range	+5°C to 40°C
Colours	Anthracite / Brown / Red	Storage condition	<30°C up to 2 years
Recommended Specifications	BMI MONIER® EASYFLASH® Plus is a dry fix solution for wall flashing (in colours***) to be sealed with BMI MONIER® Wakastrip (in colours****) to be installed accordance with BMI MONIER's recommended installation method.		

**Please specify Easyflash® Plus width (250mm, 280mm)

***Please specify colour (Anthracite / Brown / Red)


***Please specify colour (Red / Brown / Grey)

In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, BMI MONIER® shall ensure that the new specifications are equivalent if not better.

BMI MONIER® EASYFLASH® PLUS APPLICATION

BMI MONIER® Easyflash® Plus requires a permanent fixation onto the upper edge.



- x > 110mm for most tiles
- x > 170mm for cut tiles or very large profiled tiles
- y > 120mm



WAKASTRIP

It is nailed / screwed onto the Easyflash® Plus and the wall to provide additional sealing against water ingress. The top end is then sealed with a suitable weather resistant sealant.

Material	Clean colorbond steel
Colours	Red / Brown / Grey





Scan QR Code for
Showroom & Sales
office location



ABOUT BMI GROUP

BMI Group was born out of a recognition that customers now expect a single point of expertise to help them find their ideal roof. Bringing together some of the industries most trusted brands to become the largest supplier of both flat and pitched roofing and waterproofing solutions throughout Europe, BMI Group has over 165 years of experience and innovation to offer its clients.

As a **Standard Industries** company, BMI Group, headquartered in London, has the support, reach and resources of a global enterprise. With over 120 production facilities across Europe, Africa and Asia, and more than 9,500 employees worldwide, the business is well positioned to provide an unparalleled level of service to homeowners, specifiers, contractors, property owners and developers.

Find out more at www.bmigroup.com

MONIER MALAYSIA SDN. BHD. (19163-M)

Suite 12W, 12th Floor
Wisma FGV

Jalan Raja Laut
50350 Kuala Lumpur
Malaysia

T (+60) (3) 21760600 F (+60) (3) 26040335

Toll Free: 1800 88 0865

Roofing-malaysia@monier.com

monier.com.my