

ARMSTRONG® 107 Pc. 1/4" and 3/8" Drive 6 and 12 Point SAE/Metric Mechanics Tool Set

- All Tools are Made in the USA - Quality and Availability
- Hard Stamp Only, No EYE-D™ Markings



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-524A	781412155242	Blow Mold Case	17.30 lb	1

Catalog No.	Description	Catalog No.	Description
10-915A	1/4" Drive Roundhead Ratchet Knurled Handle	37-008A	1/4" Drive 6 Point Standard Socket 8mm
11-915A	3/8" Drive Round Head Ratchet Knurled Handle	37-009A	1/4" Drive 6 Point Standard Socket 9mm
10-944	1/4" Drive Plastic Handle Driver 6" No Female Drive End	37-010A	1/4" Drive 6 Point Standard Socket 10mm
11-951	3/8" Drive Adapter 3/8" F x 1/4" M	37-011A	1/4" Drive 6 Point Standard Socket 11mm
10-922A	1/4" Drive Extension 3-1/2" No Knurling	37-012A	1/4" Drive 6 Point Standard Socket 12mm
11-922A	3/8" Drive Extension 3" No Knurling	37-013A	1/4" Drive 6 Point Standard Socket 13mm
12-921	1/2" Drive Extension 2"	37-204A	1/4" Drive 6 Point Deep Socket 4mm
10-005A	1/4" Drive 6 Point Standard Socket 5/32"	37-205A	1/4" Drive 6 Point Deep Socket 5mm
10-006A	1/4" Drive 6 Point Standard Socket 3/16"	37-206A	1/4" Drive 6 Point Deep Socket 6mm
10-007A	1/4" Drive 6 Point Standard Socket 7/32"	37-207A	1/4" Drive 6 Point Deep Socket 7mm
10-008A	1/4" Drive 6 Point Standard Socket 1/4"	37-208A	1/4" Drive 6 Point Deep Socket 8mm
10-009A	1/4" Drive 6 Point Standard Socket 9/32"	37-209A	1/4" Drive 6 Point Deep Socket 9mm
10-010	1/4" Drive 6 Point Standard Socket 5/16"	37-210A	1/4" Drive 6 Point Deep Socket 10mm
10-011	1/4" Drive 6 Point Standard Socket 11/32"	37-211A	1/4" Drive 6 Point Deep Socket 11mm
10-012A	1/4" Drive 6 Point Standard Socket 3/8"	11-112A	3/8 Drive 12 Point Standard Socket 3/8"
10-014A	1/4" Drive 6 Point Standard Socket 7/16"	11-114A	3/8 Drive 12 Point Standard Socket 7/16"
10-016A	1/4" Drive 6 Point Standard Socket 1/2"	11-116A	3/8 Drive 12 Point Standard Socket 1/2"
10-206A	1/4" Drive 6 Point Deep Socket 3/16"	11-118A	3/8 Drive 12 Point Standard Socket 9/16"
10-207A	1/4" Drive 6 Point Deep Socket 7/32"	11-120A	3/8 Drive 12 Point Standard Socket 5/8"
10-208A	1/4" Drive 6 Point Deep Socket 1/4"	11-122A	3/8 Drive 12 Point Standard Socket 11/16"
10-210A	1/4" Drive 6 Point Deep Socket 5/16"	11-124A	3/8 Drive 12 Point Standard Socket 3/4"
10-211A	1/4" Drive 6 Point Deep Socket 11/32"	11-126A	3/8 Drive 12 Point Standard Socket 13/16"
10-212A	1/4" Drive 6 Point Deep Socket 3/8"	11-312A	3/8" Drive 12 Point Deep Socket 3/8"
10-214A	1/4" Drive 6 Point Deep Socket 7/16"	11-314A	3/8" Drive 12 Point Deep Socket 7/16"
37-004A	1/4" Drive 6 Point Standard Socket 4mm	11-316A	3/8" Drive 12 Point Deep Socket 1/2"
37-005A	1/4" Drive 6 Point Standard Socket 5mm	11-318A	3/8" Drive 12 Point Deep Socket 9/16"
37-006A	1/4" Drive 6 Point Standard Socket 6mm	11-320A	3/8" Drive 12 Point Deep Socket 5/8"
37-007A	1/4" Drive 6 Point Standard Socket 7mm	11-322A	3/8" Drive 12 Point Deep Socket 11/16"

MULTIDRIVE

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS

Catalog No.	Description	Catalog No.	Description
11-324A	3/8" Drive 12 Point Deep Socket 3/4"	12-122A	1/2" Drive 12 Point Standard Socket 11/16"
11-326A	3/8" Drive 12 Point Deep Socket 13/16"	12-124A	1/2" Drive 12 Point Standard Socket 3/4"
11-328A	3/8" Drive 12 Point Deep Socket 7/8"	12-126A	1/2" Drive 12 Point Standard Socket 13/16"
38-110A	3/8" Drive 12 Point Standard Socket 10mm	12-316A	1/2" Drive 12 Point Deep Socket 1/2"
38-111A	3/8" Drive 12 Point Standard Socket 11mm	12-318A	1/2" Drive 12 Point Deep Socket 9/16"
38-112A	3/8" Drive 12 Point Standard Socket 12mm	12-320A	1/2" Drive 12 Point Deep Socket 5/8"
38-113A	3/8" Drive 12 Point Standard Socket 13mm	12-322A	1/2" Drive 12 Point Deep Socket 11/16"
38-114A	3/8" Drive 12 Point Standard Socket 14mm	12-328A	1/2" Drive 12 Point Deep Socket 7/8"
38-115A	3/8" Drive 12 Point Standard Socket 15mm	12-330A	1/2" Drive 12 Point Deep Socket 15/16"
38-116A	3/8" Drive 12 Point Standard Socket 16mm	39-118A	1/2" Drive 12 Point Standard Socket 18mm
38-117A	3/8" Drive 12 Point Standard Socket 17mm	39-119A	1/2" Drive 12 Point Standard Socket 19mm
38-118A	3/8" Drive 12 Point Standard Socket 18mm	39-120A	1/2" Drive 12 Point Standard Socket 20mm
38-119A	3/8" Drive 12 Point Standard Socket 19mm	39-121A	1/2" Drive 12 Point Standard Socket 21mm
12-116A	1/2" Drive 12 Point Standard Socket 1/2"	39-122A	1/2" Drive 12 Point Standard Socket 22mm
12-118A	1/2" Drive 12 Point Standard Socket 9/16"	11-501	3/8" Drive Spark Plug Socket with Rubber Insert 5/8"
12-120A	1/2" Drive 12 Point Standard Socket 5/8"	11-504	3/8" Drive Spark Plug Socket with Rubber Insert 13/16"

ARMSTRONG® 57 Pc. 1/4" and 3/8" Drive 6 and 12 Point SAE/Metric Mechanics Tool Set

■ All Tools are Made in the USA - Quality and Availability



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-323A	781412153231	Blow Mold Case	6.45 lb	1

Cat. No.	Description	Cat. No.	Description
11-967A	3/8" Drive Teardrop Quick Release Ratchet Knurled Handle 7-1/2"	37-010A	1/4" Drive 6 Point Standard Socket 10mm
57010	5/64" Short Arm L Hex Key	37-011A	1/4" Drive 6 Point Standard Socket 11mm
57012	3/32" Short Arm L Hex Key	37-012A	1/4" Drive 6 Point Standard Socket 12mm
57014D	1/8" Short Arm L Hex Key	37-013A	1/4" Drive 6 Point Standard Socket 13mm
57020D	5/32" Short Arm L Hex Key	11-112A	3/8" Drive 12 Point Standard Socket 3/8"
57022	3/16" Short Arm L Hex Key	11-114A	3/8" Drive 12 Point Standard Socket 7/16"
57024	7/32" Short Arm L Hex Key	11-116A	3/8" Drive 12 Point Standard Socket 1/2"
57026D	1/4" Short Arm L Hex Key	11-118A	3/8" Drive 12 Point Standard Socket 9/16"
10-944	1/4" Drive Plastic Handle Driver 6" No Female Drive End	11-120A	3/8" Drive 12 Point Standard Socket 5/8"
11-951	3/8" Drive Adapter 3/8" F x 1/4" M	11-122A	3/8" Drive 12 Point Standard Socket 11/16"
10-919A	1/4" Drive Extension 1-1/2"	11-124A	3/8" Drive 12 Point Standard Socket 3/4"
11-922A	3/8" Drive Extension 3" No Knurling	11-126A	3/8" Drive 12 Point Standard Socket 13/16"
11-923A	3/8" Drive Extension 6" No Knurling	11-312A	3/8" Drive 12 Point Deep Socket 3/8"
10-005A	1/4" Drive 6 Point Standard Socket 5/32"	11-314A	3/8" Drive 12 Point Deep Socket 7/16"
10-006A	1/4" Drive 6 Point Standard Socket 3/16"	11-316A	3/8" Drive 12 Point Deep Socket 1/2"
10-007A	1/4" Drive 6 Point Standard Socket 7/32"	11-318A	3/8" Drive 12 Point Deep Socket 9/16"
10-008A	1/4" Drive 6 Point Standard Socket 1/4"	11-324A	3/8" Drive 12 Point Deep Socket 3/4"
10-009A	1/4" Drive 6 Point Standard Socket 9/32"	38-109A	3/8" Drive 12 Point Standard Socket 9mm
10-010	1/4" Drive 6 Point Standard Socket 5/16"	38-110A	3/8" Drive 12 Point Standard Socket 10mm
10-011	1/4" Drive 6 Point Standard Socket 11/32"	38-111A	3/8" Drive 12 Point Standard Socket 11mm
10-012A	1/4" Drive 6 Point Standard Socket 3/8"	38-112A	3/8" Drive 12 Point Standard Socket 12mm
10-014A	1/4" Drive 6 Point Standard Socket 7/16"	38-113A	3/8" Drive 12 Point Standard Socket 13mm
10-016A	1/4" Drive 6 Point Standard Socket 1/2"	38-114A	3/8" Drive 12 Point Standard Socket 14mm
37-004A	1/4" Drive 6 Point Standard Socket 4mm	38-115A	3/8" Drive 12 Point Standard Socket 15mm
37-005A	1/4" Drive 6 Point Standard Socket 5mm	38-116A	3/8" Drive 12 Point Standard Socket 16mm
37-006A	1/4" Drive 6 Point Standard Socket 6mm	38-117A	3/8" Drive 12 Point Standard Socket 17mm
37-007A	1/4" Drive 6 Point Standard Socket 7mm	38-118A	3/8" Drive 12 Point Standard Socket 18mm
37-008A	1/4" Drive 6 Point Standard Socket 8mm	11-501	3/8" Drive Spark Plug Socket with Rubber Insert 5/8"
37-009A	1/4" Drive 6 Point Standard Socket 9mm		

ARMSTRONG 22 Pc. 1/4" and 3/8" Drive 6 and 12 Point SAE Mechanics Tool Set

- Made in the USA - Quality and Availability
- Durable, long lasting blow molded case will not dent, will not rust, even under the harshest conditions -Two piece latches securely hold the box closed.
- Foam inserts securely hold all tools in place - Black Top Foam with Blue Foam underneath for easy identification of a missing tool
- The bottom half of the case with the foam insert or the foam insert itself can be removed and placed in a tool storage drawer for organization
- EYE-D™ markings on the sockets optimize size visibility, also providing SAE / metric differentiation - Socket sizes are also cut into the foam
- Ratchet has a compact head design, recessed reversing lever with On/Off markings, Unique "Hour Glass" handle design, as well as the "Torque Wrap" design incorporating a 10 degree ratcheting arc
- Meets or Exceeds ASME B107.1-2002, B107.10M and US Federal Spec. GGG-W-641E



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-335	781412153354	Blow Mold Case	9.89 lb	1

Cat. No.	Description	Cat. No.	Description
11-972	3/8" Drive Teardrop Ratchet Polished Handle 7-3/8"	10-012	1/4" Drive 6 Point Standard Socket 3/8"
10-943	1/4" Drive Plastic Handle Driver 6"	11-014D	3/8" Drive 6 Point Standard Socket 7/16"
11-951	3/8" Drive Adapter 3/8" F x 1/4" M	11-016D	3/8" Drive 6 Point Standard Socket 1/2"
11-922	3/8" Drive Extension 3"	11-018D	3/8" Drive 6 Point Standard Socket 9/16"
11-923	3/8" Drive Extension 6"	11-020D	3/8" Drive 6 Point Standard Socket 5/8"
10-006D	1/4" Drive 6 Point Standard Socket 3/16"	11-022	3/8" Drive 6 Point Standard Socket 11/16"
10-007D	1/4" Drive 6 Point Standard Socket 7/32"	11-024	3/8" Drive 6 Point Standard Socket 3/4"
10-008D	1/4" Drive 6 Point Standard Socket 1/4"	11-026D	3/8" Drive 6 Point Standard Socket 13/16"
10-009D	1/4" Drive 6 Point Standard Socket 9/32"	11-028D	3/8" Drive 6 Point Standard Socket 7/8"
10-010	1/4" Drive 6 Point Standard Socket 5/16"	11-030	3/8" Drive 6 Point Standard Socket 15/16"
10-011	1/4" Drive 6 Point Standard Socket 11/32"	11-032D	3/8" Drive 6 Point Standard Socket 1"

MULTIDRIVE

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS

ARMSTRONG 10 Pc. 3/8" and 1/2" Drive SAE Hex Bit Socket Set in Case

- Made in the USA - Quality and Availability
- Bits are Manufactured to the Highest Tolerances and Specifications for Straightness, Concentricity, and Precise Tip Fit to the Fastener
- Bits are Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat to Prevent Shattering and Premature Bit Wear
- Bits are Retained in the Bit Holder By a Set Screw That Locks Securely Into a Groove on the Bit for Positive Bit Retention As Well As Simple, Easy Bit Replacement
- Broached Hex in the Bit Holder Allows Higher Torque Loads
- EYE-D™ Markings Optimize Size Visibility



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-430	781412154306	Blow Mold Case	3.35 lb	1

Cat. No.	Description	Cat. No.	Description
11-708	3/8" Drive Standard Length Hex Driver Socket 1/8" Bit	11-714	3/8" Drive Standard Length Hex Driver Socket 5/16" Bit
11-710	3/8" Drive Standard Length Hex Driver Socket 5/32" Bit	11-715	3/8" Drive Standard Length Hex Driver Socket 3/8" Bit
11-711	3/8" Drive Standard Length Hex Driver Socket 3/16" Bit	12-717	1/2" Drive Standard Length Hex Driver Socket 1/2" Bit
11-712	3/8" Drive Standard Length Hex Driver Socket 7/32" Bit	12-718	1/2" Drive Standard Length Hex Driver Socket 9/16" Bit
11-713	3/8" Drive Standard Length Hex Driver Socket 1/4" Bit	12-719	1/2" Drive Standard Length Hex Driver Socket 5/8" Bit

ARMSTRONG 10 Pc. 3/8" and 1/2" Drive SAE Hex Bit Socket Set

- Made in the USA - Quality and Availability
- Bits are Manufactured to the Highest Tolerances and Specifications for Straightness, Concentricity, and Precise Tip Fit to the Fastener
- Bits are Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat to Prevent Shattering and Premature Bit Wear
- Bits are Retained in the Bit Holder By a Set Screw That Locks Securely Into a Groove on the Bit for Positive Bit Retention As Well As Simple, Easy Bit Replacement
- Broached Hex in the Bit Holder Allows Higher Torque Loads
- EYE-D™ Markings Optimize Size Visibility



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
15-435	781412154351	Boxed	2.80 lb	1

Cat. No.	Description	Cat. No.	Description
16-831	9" Socket Rail Steel	11-713	3/8" Drive Standard Length Hex Driver Socket 1/4" Bit
16-843	3/8" Drive Socket Clips Steel	11-714	3/8" Drive Standard Length Hex Driver Socket 5/16" Bit
16-845	1/2" Drive Socket Clips Steel	11-715	3/8" Drive Standard Length Hex Driver Socket 3/8" Bit
11-708	3/8" Drive Standard Length Hex Driver Socket 1/8" Bit	12-717	1/2" Drive Standard Length Hex Driver Socket 1/2" Bit
11-710	3/8" Drive Standard Length Hex Driver Socket 5/32" Bit	12-718	1/2" Drive Standard Length Hex Driver Socket 9/16" Bit
11-711	3/8" Drive Standard Length Hex Driver Socket 3/16" Bit	12-719	1/2" Drive Standard Length Hex Driver Socket 5/8" Bit
11-712	3/8" Drive Standard Length Hex Driver Socket 7/32" Bit		

MULTIDRIVE
3 RATCHETS / SOCKETS / DRIVE TOOLS / SETS

ARMSTRONG® 10 Pc. 3/8" and 1/2" Drive Metric Hex Bit Socket Set in Case

- Made in the USA - Quality and Availability
- Bits are Manufactured to the Highest Tolerances and Specifications for Straightness, Concentricity, and Precise Tip Fit to the Fastener
- Bits are Manufactured From High Alloy Steel Using the Most Up-To-Date Manufacturing Process and Heat Treat to Prevent Shattering and Premature Bit Wear
- Bits are Retained in the Bit Holder By a Set Screw That Locks Securely Into a Groove on the Bit for Positive Bit Retention As Well As Simple, Easy Bit Replacement
- Broached Hex in the Bit Holder Allows Higher Torque Loads
- EYE-D™ Markings Optimize Size Visibility



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
44-380	781412443806	Blow Mold Case	2.95 lb	1

Cat. No.	Description	Cat. No.	Description
38-707	3/8" Drive Standard Length Hex Driver Socket 4mm Bit	38-714	3/8" Drive Standard Length Hex Driver Socket 9mm Bit
38-709	3/8" Drive Standard Length Hex Driver Socket 5mm Bit	38-715	3/8" Drive Standard Length Hex Driver Socket 10mm Bit
38-711	3/8" Drive Standard Length Hex Driver Socket 6mm Bit	39-717	1/2" Drive Standard Length Hex Driver Socket 12mm
38-712	3/8" Drive Standard Length Hex Driver Socket 7mm Bit	39-719	1/2" Drive Standard Length Hex Driver Socket 14mm
38-713	3/8" Drive Standard Length Hex Driver Socket 8mm Bit	39-722	1/2" Drive Standard Length Hex Driver Socket 17mm

MULTIDRIVE

3

RATCHETS / SOCKETS / DRIVE TOOLS / SETS