



SIRIM QAS INTERNATIONAL SDN. BHD. (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-006338
Licence No : PC000414

Date : 22/10/2021

ALAM-CON SDN. BHD.
PT 9125, TAMAN PERINDUSTRIAN TUNGZEN
31300 KAMPUNG KEPAYANG
PERAK, MALAYSIA

Attn : MS MOO SHIAO LIM

Tel No : 017-9585933

Fax No : -

Dear Sir/Madam,

Product Certification Licence

Product : AUTOCLAVED AERATED CONCRETE MASONRY UNITS (BLOCK)

Standard : BS EN 771-4 : 2003 BS 476 : PART 22 : 1987

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : IRFAN ABDULLAH KHALIT

Contact No : 603-55446462

Email : irfan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**ALAM-CON SDN. BHD.
PT 9125, TAMAN PERINDUSTRIAN TUNGZEN
31300 KAMPUNG KEPAYANG
PERAK, MALAYSIA**

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

AUTOCLAVED AERATED CONCRETE MASONRY UNITS (BLOCK)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

**BS EN 771-4 : 2003
BS 476 : PART 22 : 1987**



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

ALAM-CON SDN. BHD.



Trade Mark : ACON
Model : A3 (Tested to BS EN 771-4 : 2011) Nominal Net Dry Density: 590 kg/m³ Nominal Compressive Strength: 3 N/mm²
Rating : Four (4) hours; Integrity: 240 Minutes, Insulation: 240 Minutes
Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 175mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)

Test Report No.: 2021CB0085, 2021CB0086, 2017CB1226, 2017CB1225, 2017FE0582

Trade Mark : ACON
Model : A5 (Tested to BS EN 771-4 : 2011) Nominal Net Dry Density: 730 kg/m³ Nominal Compressive Strength: 5 N/mm²
Rating : Four (4) hours; Integrity: 240 Minutes, Insulation: 240 Minutes
Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 175mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)

Test Report No.: 2020CB0695, 2020CB0696, 2017FE0705, 2018CB0122, 2018CB0121

Trade Mark : ACON
Model : A7 (Tested to BS EN 771-4 : 2011) Nominal Net Dry Density: 760 kg/m³ Nominal Compressive Strength: 7 N/mm²
Rating : Four (4) hours; Integrity: 240 Minutes, Insulation: 240 Minutes
The product has also been tested and passed Hose stream test in accordance with Standard ASTM E2226
Type : Solid
Size : 600mm(l) x 100mm(w) x 200mm(h)
600mm(l) x 125mm(w) x 200mm(h)
600mm(l) x 150mm(w) x 200mm(h)
600mm(l) x 175mm(w) x 200mm(h)
600mm(l) x 200mm(w) x 200mm(h)

Test Report No.: 2021CB0218, 2021CB0217, 2021FE0101

SCHEDULE

ALAM-CON SDN. BHD.



SIRIM

Factory Name and Location :
ALAM-CON SDN. BHD.
PT 9121-PT 9126
PT 23075 & PT23076
TAMAN PERINDUSTRIAN TUNGZEN
31200 KAMPUNG KEPAYANG
PERAK, MALAYSIA

End of page
